


Report card Aruba



Prevalența obezității

Adulți, 2006

Obezitate Supraponderal



Vârstă:	25-64
Dimensiunea eșantionului:	1565
Zona acoperită:	Național
Bibliografie:	Aruba STEPS Survey 2006 https://cbs.aw/wp/wp-


Aruba STEPS Survey 2006 https://cbs.aw/wp/wp-content/uploads/2013/02/STEPS Aruba 2006 Data Book.pdf#:~:text=STEPS%20Aruba%202006%20was%20conducted%20from%20October%20to,to%20October%20to,to%20Chronic%20disease%20risk%20factor%20surveillance%E2%80%99%20was%20adopted (last accessed 08.03.22).

Cu excepția cazului în care se specifică altfel, supraponderalitatea se referă la un IMC între 25 kg și 29,9 kg/m², obezitatea se referă la un IMC mai mare de 30 kg/m².



Copii, 2012





Tip de studiu:	Măsurat
Vârstă:	12-18
Dimensiunea eșantionului:	641

Zona acoperită: Subnațional

Bibliografie: Youth Health Survey Aruba 2012 - The Department of Public Health of Aruba (DPH) https://cbs.aw/wp/wp-content/uploads/2013/01/Youth-Health-Survey-Aruba-2012-Report.pdf (last accessed 08.03.22).

Note (disponibile numai în limba engleză):

The sample for the Youth Health Survey Aruba 2012 was drawn by Central Bureau of Statistics (CBS) of Aruba, using the population data and of the population attending secondary schools. A random sample of all the classes of all 14 secondary schools on Aruba was drawn, comprehending 9058 adolescents. From this sample a sub sample was drawn for the collection of biometrical measurements.

Definiții (disponibile numai în limba engleză):

In this survey the normative references for BMI for the male and female adolescents was taken from the Centre of Disease Control (CDC). BMI cut off points for the different weight categories varies for males and females.


Cutoffs: CDC



Exces de greutate/obezitate în funcție de vârstă

Adulți, 2006





Tip de studiu:

Dimensiunea
eşantionului:

798

Zona acoperită: Național

Bibliografie:

Aruba STEPS Survey 2006 https://cbs.aw/wp/wp-


content/uploads/2013/02/STEPS Aruba 2006 Data Book.pdf#:~:text=STEPS%20Aruba%202006%20was%20conducted%20from %20October%20to,to%20chronic%20disease%20risk%20factor%20surveillance%E2%80%99%20was%20adopted (last accessed 08.03.22).

Cu excepția cazului în care se specifică altfel, supraponderalitatea se referă la un IMC între 25 kg și 29,9 kg/m², obezitatea se referă la un IMC mai mare de 30 kg/m².



Copii, 2012





Tip de studiu: Măsurat

Dimensiunea eșantionului: 641

Zona acoperită: Subnațional

Bibliografie:

Youth Health Survey Aruba 2012 - The Department of Public Health of Aruba (DPH) https://cbs.aw/wp/wp-content/uploads/2013/01/Youth-Health-Survey-Aruba-2012-Report.pdf (last accessed 08.03.22).

Note (disponibile numai în limba engleză):

The sample for the Youth Health Survey Aruba 2012 was drawn by Central Bureau of Statistics (CBS) of Aruba, using the population data and of the population attending secondary schools. A random sample of all the classes of all 14 secondary schools on Aruba was drawn, comprehending 9058 adolescents. From this sample a sub sample was drawn for the collection of biometrical measurements.

Definiții (disponibile numai în limba engleză):

In this survey the normative references for BMI for the male and female adolescents was taken from the Centre of Disease Control (CDC). BMI cut off points for the different weight categories varies for males and females.

Cutoffs: CDC



Prevalența diabetului

Adulți, 2021



PDF created on May 18, 2024