


Report card American Samoa



Contents	Page
Obesity prevalence	2
Overweight/obesity by age	3
Estimated per capita fruit intake	4
Estimated per-capita processed meat intake	5
Estimated per capita whole grains intake	6

Obesity prevalence

Adults, 2004




Survey type:	Measured
Age:	25-64
Sample size:	1969
Area covered:	National
References:	American Samoa STEPS Survey 2004. Available at https://www.who.int/ncds/surveillance/steps/AmericanSamoaSTEPSReport.pdf (last accessed 18.08.2020)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Overweight/obesity by age

Adults, 2004



Sample size: 1969


Area covered: National

References: American Samoa STEPS Survey 2004. Available at <https://www.who.int/ncds/surveillance/steps/AmericanSamoaSTEPSReport.pdf> (last accessed 18.08.2020)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Estimated per capita fruit intake


Adults, 2017



Survey type:	Measured
Age:	25+
References:	Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/
Definitions:	Estimated per-capita fruit intake (g/day)

Estimated per-capita processed meat intake


Adults, 2017



Survey type:	Measured
Age:	25+
References:	Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/
Definitions:	Estimated per-capita processed meat intake (g per day)

Estimated per capita whole grains intake

Adults, 2017



Survey type:	Measured
Age:	25+
References:	Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/
Definitions:	Estimated per-capita whole grains intake (g/day)

PDF created on May 7, 2021