


Report card L-Aruba



Prevalenza tal-obezità

Adulti, 2006



Tip ta' stħarriġ:

Imkejjel

Età:

25-64

Id-daqs tal-kampjun:

1565

Erja Koperta:


Nazzjonali

Referenzi:

Aruba STEPS Survey 2006 [*Sakemm ma jiġix indikat mod ieħor, il-piż žejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obezità tirreferi għal BMI akbar minn 30kg/m².*](https://cbs.aw/wp/wp-content/uploads/2013/02/STEPS_Aruba_2006_Data_Book.pdf#:~:text=STEPS%20Aruba%202006%20was%20conducted%20from%20October%20to,to%20chronic%20disease%20risk%20factor%20surveillance%20was%20adopted (last accessed 08.03.22).</p>
</div>
<div data-bbox=)

Tfal, 2012

■ Obežità ■ Piżżejjed



Tip ta' stħarriġ:	Imkejjel
Età:	12-18
Id-daqs tal-kampjun:	641
Erja Koperta:	Subnazzjonali
Referenzi:	Youth Health Survey Aruba 2012 - The Department of Public Health of Aruba (DPH) https://cbs.aw/wp/wp-content/uploads/2013/01/Youth-Health-Survey-Aruba-2012-Report.pdf (last accessed 08.03.22).


Noti: The sample for the Youth Health Survey Aruba 2012 was drawn by Central Bureau of Statistics (CBS) of Aruba, using the population data and of the population attending secondary schools. A random sample of all the classes of all 14 secondary schools on Aruba was drawn, comprehending 9058 adolescents. From this sample a sub sample was drawn for the collection of biometrical measurements.

Definizzjonijiet (disponibbli bl-Ingliz biss): In this survey the normative references for BMI for the male and female adolescents was taken from the Centre of Disease Control (CDC). BMI cut off points for the different weight categories varies for males and females.

Cutoffs: CDC

Piż žejjed/obežità skont l-età

Adulti, 2006



Tip ta' stħarriġ:

Imkejjel

Id-daqs tal-kampjun:

798

Erja Koperta:


Nazzjonali

Referenzi:

Aruba STEPS Survey 2006 https://cbs.aw/wp/wp-content/uploads/2013/02/STEPS_Aruba_2006_Data_Book.pdf#:~:text=STEPS%20Aruba%202006%20was%20conducted%20from%20October%20to,to%20chronic%20disease%20risk%20factor%20surveillance%20was%20adopted (last accessed 08.03.22).

Sakemm ma jiġiċx indikat mod ieħor, il-piż žejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obežità tirreferi għal BMI akbar minn 30kg/m².

Tfal, 2012



Tip ta' stħarriġ:

Imkejjel

Id-daqs tal-kampjun:

641

Erja Koperta:

Subnazzjonali

Referenzi:

Youth Health Survey Aruba 2012 - The Department of Public Health of Aruba (DPH) <https://cbs.aw/wp/wp-content/uploads/2013/01/Youth-Health-Survey-Aruba-2012-Report.pdf> (last accessed 08.03.22).

Noti:

The sample for the Youth Health Survey Aruba 2012 was drawn by Central Bureau of Statistics (CBS) of Aruba, using the population data and of the population attending secondary schools. A random sample of all the classes of all 14 secondary schools on Aruba was drawn, comprehending 9058 adolescents. From this sample a sub sample was drawn for the collection of biometrical measurements.

Definizzjonijiet (disponibbli bl-Ingliz biss):

In this survey the normative references for BMI for the male and female adolescents was taken from the Centre of Disease Control (CDC). BMI cut off points for the different weight categories varies for males and females.

Cutoffs:

CDC

Prevalenza tad-dijabete

Adulti, 2021



Età:

20-79

Erja Koperta:

Nazzjonali

Referenzi:

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 10th edn. Brussels, Belgium:International Diabetes Federation, 2021. <http://www.diabetesatlas.org>

Definizzjonijiet (disponibbli bl-Ingliz
biss):

Age-adjusted comparative prevalence of diabetes, %

PDF created on May 21, 2024