


Report card

Aruba



Występowanie otyłości

Dorośli, 2006



Typ ankiety:

Dane obserwowane

Wiek:

25-64

Liczebność próby:

1565


Objęty obszar:

Krajowe

Bibliografia:

Aruba STEPS Survey 2006 [*O ile nie zaznaczono inaczej, nadwaga odnosi się do BMI między 25 kg a 29,9 kg/m², otyłość odnosi się do BMI powyżej 30 kg/m².*](https://cbs.aw/wp/wp-content/uploads/2013/02/STEPS_Aruba_2006_Data_Book.pdf#:~:text=STEPS%20Aruba%202006%20was%20conducted%20from%20October%20to,to%20chronic%20disease%20risk%20factor%20surveillance%20was%20adopted (last accessed 08.03.22).</p>
</div>
<div data-bbox=)


Dzieci, 2012



Typ ankiety:	Dane obserwowane
Wiek:	12-18
Liczebność próby:	641
Objęty obszar:	Regionalny
Bibliografia:	Youth Health Survey Aruba 2012 - The Department of Public Health of Aruba (DPH) https://cbs.aw/wp/wp-content/uploads/2013/01/Youth-Health-Survey-Aruba-2012-Report.pdf (last accessed 08.03.22).
Uwagi:	The sample for the Youth Health Survey Aruba 2012 was drawn by Central Bureau of Statistics (CBS) of Aruba, using the population data and of the population attending secondary schools. A random sample of all the classes of all 14 secondary schools on Aruba was drawn, comprehending 9058 adolescents. From this sample a sub sample was drawn for the collection of biometrical measurements.
Definicje (dostępne tylko w języku angielskim):	In this survey the normative references for BMI for the male and female adolescents was taken from the Centre of Disease Control (CDC). BMI cut off points for the different weight categories varies for males and females.
Cutoffs:	CDC

Nadwaga/otyłość według wieku

Dorośli, 2006



Typ ankiety:

Dane obserwowane

Liczebność próby:

798

Objęty obszar:

Krajowe


Bibliografia:

Aruba STEPS Survey 2006 https://cbs.aw/wp/wp-content/uploads/2013/02/STEPS_Aruba_2006_Data_Book.pdf#:~:text=STEPS%20Aruba%202006%20was%20conducted%20from%20October%20to,to%20chronic%20disease%20risk%20factor%20surveillance%20was%20adopted (last accessed 08.03.22).

O ile nie zaznaczono inaczej, nadwaga odnosi się do BMI między 25 kg a 29,9 kg/m², otyłość odnosi się do BMI powyżej 30 kg/m².

Dzieci, 2012

■ Otyłość ■ Nadwaga



Typ ankiety:

Dane obserwowane

Liczebność próby:

641

Objęty obszar:

Regionalny

Bibliografia:

Youth Health Survey Aruba 2012 - The Department of Public Health of Aruba (DPH) <https://cbs.aw/wp/wp-content/uploads/2013/01/Youth-Health-Survey-Aruba-2012-Report.pdf> (last accessed 08.03.22).

Uwagi:

The sample for the Youth Health Survey Aruba 2012 was drawn by Central Bureau of Statistics (CBS) of Aruba, using the population data and of the population attending secondary schools. A random sample of all the classes of all 14 secondary schools on Aruba was drawn, comprehending 9058 adolescents. From this sample a sub sample was drawn for the collection of biometrical measurements.

Definicje (dostępne tylko w języku angielskim):


In this survey the normative references for BMI for the male and female adolescents was taken from the Centre of Disease Control (CDC). BMI cut off points for the different weight categories varies for males and females.

Cutoffs:

CDC

Występowanie cukrzycy

Dorośli, 2021



Wiek: 20-79

Objęty obszar: Krajowe

Bibliografia: Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 10th edn. Brussels, Belgium:International Diabetes Federation, 2021. <http://www.diabetesatlas.org>

Definicje (dostępne tylko w języku angielskim): Age-adjusted comparative prevalence of diabetes, %

PDF created on May 18, 2024