

Report card Aruba




Contents	Page
Obesity prevalence	2
Overweight/obesity by age	4
Diabetes prevalence	6



Obesity prevalence

Adults, 2006





Survey

type: Age:

Sample

size:

Area

covered:

References:

Aruba STEPS Survey 2006 https

content/uploads/2013/02/STEPS_Aruba_2006_Data_Book.pdf#:~:text=STEPS%20Aruba%202006%20was%20conducted%20from%i


 $, to \%20 chronic \%20 disease \%20 risk \%20 factor \%20 surveillance \%E2 \%80 \%99 \%20 was \%20 adopted \ (last acceptable). The factor of the properties of the$

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI great



Children, 2012





Survey	Measured	
type:		
Age:	12-18	
Sample size:	641	
Area covered:	Subnational	
References:	Youth Health Survey Aruba 2012 - The Department of Public Health of Aruba (DPH) https://cbs.aw/wp/wp-	

Youth Health Survey Aruba 2012 - The Department of Public Health of Aruba (DPH) https://cbs.aw/wp/wp-content/uploads/2013/01/Youth-Health-Survey-Aruba-2012-Report.pdf (last accessed 08.03.22).

Notes: The sample for the Youth Health Survey Aruba 2012 was drawn by Central Bureau of Statistics (CBS) of Aruba, using the population data and of the population attending secondary schools. A random sample of all the classes of all 14 secondary schools on Aruba was drawn, comprehending 9058 adolescents. From this sample a sub sample was drawn for the collection of biometrical measurements.

Definitions: In this survey the normative references for BMI for the male and female adolescents was taken from the Centre of Disease Control (CDC). BMI cut off points for the different weight categories varies for males and females.


Cutoffs: CDC



Overweight/obesity by age

Adults, 2006





Survey

type:

Sample

size:

Area

covered:

References:

Aruba STEPS Survey 2006 https

 $content/uploads/2013/02/STEPS_Aruba_2006_Data_Book.pdf\#: \sim : text = STEPS\%20 Aruba\%202006\%20 was \%20 conducted\%20 from\%20 fr$


,to%20chronic%20disease%20risk%20factor%20surveillance%E2%80%99%20was%20adopted (last acc

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI great



Children, 2012

Notes:



Survey Measured type: Sample 641 size: Subnational Area covered: Youth Health Survey Aruba 2012 - The Department of Public Health of Aruba (DPH) https://cbs.aw/wp/wp-References:

content/uploads/2013/01/Youth-Health-Survey-Aruba-2012-Report.pdf (last accessed 08.03.22).

The sample for the Youth Health Survey Aruba 2012 was drawn by Central Bureau of Statistics (CBS) of Aruba, using the population data and of the population attending secondary schools. A random sample of all the classes of all 14 secondary schools on Aruba was drawn, comprehending 9058 adolescents. From this sample a sub sample was drawn for the collection of biometrical measurements.


Definitions: In this survey the normative references for BMI for the male and female adolescents was taken from the Centre of Disease Control (CDC). BMI cut off points for the different weight categories varies for males and females.

Cutoffs: CDC



Diabetes prevalence

Adults, 2021



PDF created on May 27, 2024