



Bangladesh




Country report card - adults

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.

View the latest version of this report on the Global Obesity Observatory at <https://data.worldobesity.org/country/bangladesh-16/>.

Prevalenza dell'obesità

Adulti, 2022




Tipo di sondaggio:	Misurato
Dimensioni del campione:	13970
Area coperta:	Nazionale

Riferimenti: National Institute of Population Research and Training, Medical Education and Family Welfare Division, Ministry of Health and Family Welfare, Dhaka, Bangladesh, and The DHS Program, ICF, Rockville, Maryland, USA. Available at <https://dhsprogram.com/publications/publication-FR386-DHS-Final-Reports.cfm> (last accessed 05.02.25)

Note (disponibile solo in inglese): 8279 Women, 5691 Men

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

% Adults living with obesity in Bangladesh 1995-2017



Tipo di
sondaggio:

Misurato


Riferimenti:

- 1995: Martorell R, Khan LK, Hughes ML, Grummer Strawn LM. Obesity in women from developing countries. *EJCN* (2000) 54;247-252
- 2007: National Institute of Population Research and Training (NIPORT), Mitra and Associates, and Macro International.
2008. Bangladesh Demographic and Health Survey 2007: Key Findings. Calverton, Maryland, USA: NIPORT, Mitra and Associates, and Macro International.
- 2011: National Institute of Population Research and Training - NIPORT/Bangladesh, Mitra and Associates/Bangladesh, and ICF International. 2013. Bangladesh Demographic and Health Survey 2011. Dhaka, Bangladesh: NIPORT, Mitra and Associates, and ICF International.
- 2014: National Institute of Population Research and Training - NIPORT/Bangladesh, Mitra and Associates, and ICF International. 2016. Bangladesh Demographic and Health Survey 2014. Dhaka, Bangladesh: NIPORT, Mitra and Associates, and ICF International.. <http://www.dhsprogram.com/publications/publication-FR311-DHS-Final-Reports.cfm> (last accessed 11th April 2016)
- 2017: National Institute of Population Research and Training (NIPORT), and ICF. 2020. Bangladesh Demographic and Health Survey 2017-18. Dhaka, Bangladesh, and Rockville, Maryland, USA: NIPORT and ICF <https://dhsprogram.com/pubs/pdf/FR344/FR344.pdf> (last accessed 10.08.22)

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Potrebbero essere state utilizzate metodologie diverse di raccolta dei dati e per questo motivo i dati di indagini diverse potrebbero non essere direttamente comparabili.

% Adults living with overweight or obesity in Bangladesh 1995-2017



Tipo di
sondaggio:

Misurato

Riferimenti:


- 1995: Martorell R, Khan LK, Hughes ML, Grummer Strawn LM. Obesity in women from developing countries. *EJCN* (2000) 54;247-252
- 2007: National Institute of Population Research and Training (NIPORT), Mitra and Associates, and Macro International.
2008. Bangladesh Demographic and Health Survey 2007: Key Findings. Calverton, Maryland, USA: NIPORT, Mitra and Associates, and Macro International.
- 2011: National Institute of Population Research and Training - NIPORT/Bangladesh, Mitra and Associates/Bangladesh, and ICF International. 2013. Bangladesh Demographic and Health Survey 2011. Dhaka, Bangladesh: NIPORT, Mitra and Associates, and ICF International.
- 2014: National Institute of Population Research and Training - NIPORT/Bangladesh, Mitra and Associates, and ICF International. 2016. Bangladesh Demographic and Health Survey 2014. Dhaka, Bangladesh: NIPORT, Mitra and Associates, and ICF International.. <http://www.dhsprogram.com/publications/publication-FR311-DHS-Final-Reports.cfm> (last accessed 11th April 2016)
- 2017: National Institute of Population Research and Training (NIPORT), and ICF. 2020. Bangladesh Demographic and Health Survey 2017-18. Dhaka, Bangladesh, and Rockville, Maryland, USA: NIPORT and ICF <https://dhsprogram.com/pubs/pdf/FR344/FR344.pdf> (last accessed 10.08.22)

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Potrebbero essere state utilizzate metodologie diverse di raccolta dei dati e per questo motivo i dati di indagini diverse potrebbero non essere direttamente comparabili.

% Adults living with obesity in selected countries in the Asia/Oceania Region 1975-2019, paesi selezionati

Uomini




Riferimenti:

- 1976, 1981, 1986: Yoshiike N, Seino F, Tajima S, Arai Y, Kawano M, Furuhashi T, Inoue S. Twenty-year changes in the prevalence of overweight in Japanese adults: The National Nutrition Survey 1976-95. *Obesity Reviews* 2002;3:183-190
- 1993, 2005, 2013: Chang HC, Yang HC, Chang HY, et al. Morbid obesity in Taiwan: Prevalence, trends, associated social demographics, and lifestyle factors. *PLoS One*. 2017;12(2):e0169577. Published 2017 Feb 2. doi:10.1371/journal.pone.0169577
- 1995, 1996: Martorell R, Khan LK, Hughes ML, Grummer Strawn LM. Obesity in women from developing countries. *EJCN* (2000) 54;247-252
- 1998: Colaguir S, Colagiuri R, Na'ati S, Muimuiheata S, Hussain Z and Palau T. (2002). The prevalence of diabetes in the Kingdom of Tonga. *Diabetes care*, 25: 1378 - 1383.
- 2000: Asia Pacific Cohort Studies Collaboration. The burden of overweight and obesity in the Asia-Pacific region. *Obesity Reviews* 2007;8:191-196.
- 2001: SCN (2004). 5th Report on the World Nutrition Situation. Nutrition for Improved Development Outcomes. Appendix 11
- 2002: Report of the 2002 China National Nutrition and Health Survey. 2004. (In Chinese). Chinese Ministry of Public Health (CMPH).
- 2003: <http://www.fnri.dost.gov.ph/files/fnri%20files/nns/factsandfigures2003/anthropometric.pdf> (last accessed June 14th 2011)
- 2004: Tonga STEPS Survey 2004
- 2006: Gerritsen S, Stefanogiannis N, Galloway Y, Devlin M, Templaton R and Yeh L. A portrait of health: key results of the 2006/07 New Zealand Health Survey.
- 2007: Australian Bureau of Statistics (ABS). National Health Survey: Summary of results. Canberra, Australia, ABS, 2009. WHO Global InfoBase reference:102910
- 2008: Food and Nutrition Research Institute-Department of Science and Technology (FNRI-DOST). 2010. Philippine Nutrition Facts and Figures 2008. DOST Complex, FNRI Bldg., Bicutan, Taguig City, Metro Manila, Philippines.
- 2009: Yan, S., Li, J., Li, S., Zhang, B., Du, S., Gordon-Larsen, P., Adair, L. and Popkin, B. (2012), The expanding burden of cardiometabolic risk in China: the China Health and Nutrition Survey. *Obesity Reviews*. doi: 10.1111/j.1467-789X.2012.01016.x
- 2011: National Institute of Population Research and Training - NIPORT/Bangladesh, Mitra and Associates/Bangladesh, and ICF International. 2013. Bangladesh Demographic and Health Survey 2011. Dhaka, Bangladesh: NIPORT, Mitra and Associates, and ICF International.
- 2012: New Zealand Health Survey. <https://www.health.govt.nz/publication/annual-update-key-results-2018-19-new-zealand-health-survey> (last accessed 14.07.20)
- 2014: National Institute of Population Research and Training - NIPORT/Bangladesh, Mitra and Associates, and ICF International. 2016. Bangladesh Demographic and Health Survey 2014. Dhaka, Bangladesh: NIPORT, Mitra and Associates, and ICF International.. <http://www.dhsprogram.com/publications/publication-FR311-DHS-Final-Reports.cfm> (last accessed 11th April 2016)
- 2015: Institute for Public Health (IPH) 2015. National Health and Morbidity Survey 2015 (NHMS 2015). Vol. II: Non-Communicable Diseases, Risk Factors & Other Health Problems; 2015.
- 2016: Ministry of Health - MOH/Nepal, New ERA/Nepal, and ICF. 2017. Nepal Demographic and Health Survey 2016. Kathmandu, Nepal: MOH/Nepal, New ERA/Nepal, and ICF.
- 2017: Tonga STEPS Survey 2017 <https://extranet.who.int/ncdsmicrodata/index.php/catalog/713> (Last accessed 13.10.20)
- 2018: New Zealand Health Survey 2018-19. New Zealand Ministry of Health (<https://minhealthnz.shinyapps.io/nz-health-survey-2018-19-annual-data-explorer/> w_b396d161/#!/key-indicators accessed 14.11.19)
- 2019: Institute for Public Health (IPH), National Institutes of Health, Ministry of Health Malaysia. 2020. National Health and Morbidity Survey (NHMS) 2019: Vol. I: NCDs - Non-Communicable Diseases: Risk Factors and other Health Problems
- 2020: Annual Update of New Zealand Health Survey 2020/2021 available at <https://www.health.govt.nz/publication/annual-update-key-results-2020-21-new-zealand-health-survey> Accessed 08.11.21.
- 2021: Department of Science and Technology - Food and Nutrition Research Institute (DOST-FNRI). 2024. Philippine Nutrition Facts and Figures: 2021 Expanded National Nutrition Survey (ENNS). FNRI Bldg., DOST Compound, Gen. Santos Avenue, Bicutan, Taguig City, Metro Manila, Philippines. <https://enutrition.fnri.dost.gov.ph/facts-and-figures.php?year=2021> [Accessed 14.07.25]
- 2022: Australian National Health Survey 2022-2023. <https://www.abs.gov.au/statistics/health/health-conditions-and-risks/waist-circumference-and-bmi/2022#body-mass-index-bmi-> (Accessed 03.01.2024)
- 2023: Institute for Public Health (IKU). National Health and Morbidity Survey (NHMS) 2023: Non-Communicable Diseases and Healthcare Demand: Technical Report; 2024. Available at <https://iku.nih.gov.my/nhms-2023> (last accessed 04.02.25)

Potrebbero essere state utilizzate metodologie diverse di raccolta dei dati e per questo motivo i dati di indagini diverse potrebbero non essere direttamente comparabili.

Donne




Riferimenti:

- 1976, 1981, 1986: Yoshiike N, Seino F, Tajima S, Arai Y, Kawano M, Furuhashi T, Inoue S. Twenty-year changes in the prevalence of overweight in Japanese adults: The National Nutrition Survey 1976-95. *Obesity Reviews* 2002;3:183-190
- 1993, 2005, 2013: Chang HC, Yang HC, Chang HY, et al. Morbid obesity in Taiwan: Prevalence, trends, associated social demographics, and lifestyle factors. *PLoS One*. 2017;12(2):e0169577. Published 2017 Feb 2. doi:10.1371/journal.pone.0169577
- 1995, 1996: Martorell R, Khan LK, Hughes ML, Grummer Strawn LM. Obesity in women from developing countries. *EJCN* (2000) 54;247-252
- 1998: Colaguir S, Colagiuri R, Na'ati S, Muimuiheata S, Hussain Z and Palau T. (2002). The prevalence of diabetes in the Kingdom of Tonga. *Diabetes care*, 25: 1378 - 1383.
- 2000: Asia Pacific Cohort Studies Collaboration. The burden of overweight and obesity in the Asia-Pacific region. *Obesity Reviews* 2007;8:191-196.
- 2001: SCN (2004). 5th Report on the World Nutrition Situation. Nutrition for Improved Development Outcomes. Appendix 11
- 2002: Report of the 2002 China National Nutrition and Health Survey. 2004. (In Chinese). Chinese Ministry of Public Health (CMPH).
- 2003: <http://www.fnri.dost.gov.ph/files/fnri%20files/nns/factsandfigures2003/anthropometric.pdf> (last accessed June 14th 2011)
- 2004: Tonga STEPS Survey 2004
- 2006: Gerritsen S, Stefanogiannis N, Galloway Y, Devlin M, Templaton R and Yeh L. A portrait of health: key results of the 2006/07 New Zealand Health Survey.
- 2007: Australian Bureau of Statistics (ABS). National Health Survey: Summary of results. Canberra, Australia, ABS, 2009. WHO Global InfoBase reference:102910
- 2008: Food and Nutrition Research Institute-Department of Science and Technology (FNRI-DOST). 2010. Philippine Nutrition Facts and Figures 2008. DOST Complex, FNRI Bldg., Bicutan, Taguig City, Metro Manila, Philippines.
- 2009: Yan, S., Li, J., Li, S., Zhang, B., Du, S., Gordon-Larsen, P., Adair, L. and Popkin, B. (2012), The expanding burden of cardiometabolic risk in China: the China Health and Nutrition Survey. *Obesity Reviews*. doi: 10.1111/j.1467-789X.2012.01016.x
- 2011: National Institute of Population Research and Training - NIPORT/Bangladesh, Mitra and Associates/Bangladesh, and ICF International. 2013. Bangladesh Demographic and Health Survey 2011. Dhaka, Bangladesh: NIPORT, Mitra and Associates, and ICF International.
- 2012: New Zealand Health Survey. <https://www.health.govt.nz/publication/annual-update-key-results-2018-19-new-zealand-health-survey> (last accessed 14.07.20)
- 2014: National Institute of Population Research and Training - NIPORT/Bangladesh, Mitra and Associates, and ICF International. 2016. Bangladesh Demographic and Health Survey 2014. Dhaka, Bangladesh: NIPORT, Mitra and Associates, and ICF International.. <http://www.dhsprogram.com/publications/publication-FR311-DHS-Final-Reports.cfm> (last accessed 11th April 2016)
- 2015: Institute for Public Health (IPH) 2015. National Health and Morbidity Survey 2015 (NHMS 2015). Vol. II: Non-Communicable Diseases, Risk Factors & Other Health Problems; 2015.
- 2016: Ministry of Health - MOH/Nepal, New ERA/Nepal, and ICF. 2017. Nepal Demographic and Health Survey 2016. Kathmandu, Nepal: MOH/Nepal, New ERA/Nepal, and ICF.
- 2017: Tonga STEPS Survey 2017 <https://extranet.who.int/ncdsmicrodata/index.php/catalog/713> (Last accessed 13.10.20)
- 2018: New Zealand Health Survey 2018-19. New Zealand Ministry of Health (<https://minhealthnz.shinyapps.io/nz-health-survey-2018-19-annual-data-explorer/> w_b396d161/#!/key-indicators accessed 14.11.19)
- 2019: Institute for Public Health (IPH), National Institutes of Health, Ministry of Health Malaysia. 2020. National Health and Morbidity Survey (NHMS) 2019: Vol. I: NCDs - Non-Communicable Diseases: Risk Factors and other Health Problems
- 2020: Annual Update of New Zealand Health Survey 2020/2021 available at <https://www.health.govt.nz/publication/annual-update-key-results-2020-21-new-zealand-health-survey> Accessed 08.11.21.
- 2021: Department of Science and Technology - Food and Nutrition Research Institute (DOST-FNRI). 2024. Philippine Nutrition Facts and Figures: 2021 Expanded National Nutrition Survey (ENNS). FNRI Bldg., DOST Compound, Gen. Santos Avenue, Bicutan, Taguig City, Metro Manila, Philippines. <https://enutrition.fnri.dost.gov.ph/facts-and-figures.php?year=2021> [Accessed 14.07.25]
- 2022: Australian National Health Survey 2022-2023. <https://www.abs.gov.au/statistics/health/health-conditions-and-risks/waist-circumference-and-bmi/2022#body-mass-index-bmi-> (Accessed 03.01.2024)
- 2023: Institute for Public Health (IKU). National Health and Morbidity Survey (NHMS) 2023: Non-Communicable Diseases and Healthcare Demand: Technical Report; 2024. Available at <https://iku.nih.gov.my/nhms-2023> (last accessed 04.02.25)

Potrebbero essere state utilizzate metodologie diverse di raccolta dei dati e per questo motivo i dati di indagini diverse potrebbero non essere direttamente comparabili.

Sovrappeso/obesità per istruzione

Uomini, 2022




Tipo di sondaggio:	Misurato
Dimensioni del campione:	13970
Area coperta:	Nazionale

Riferimenti: National Institute of Population Research and Training, Medical Education and Family Welfare Division, Ministry of Health and Family Welfare, Dhaka, Bangladesh, and The DHS Program, ICF, Rockville, Maryland, USA. Available at <https://dhsprogram.com/publications/publication-FR386-DHS-Final-Reports.cfm> (last accessed 05.02.25)

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Donne, 2022




Tipo di sondaggio:	Misurato
Dimensioni del campione:	13970
Area coperta:	Nazionale
Riferimenti:	National Institute of Population Research and Training, Medical Education and Family Welfare Division, Ministry of Health and Family Welfare, Dhaka, Bangladesh, and The DHS Program, ICF, Rockville, Maryland, USA. Available at https://dhsprogram.com/publications/publication-FR386-DHS-Final-Reports.cfm (last accessed 05.02.25)

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Sovrappeso/obesità per età

Adulti, 2022




Tipo di sondaggio:	Misurato
Dimensioni del campione:	13970
Area coperta:	Nazionale

Riferimenti: National Institute of Population Research and Training, Medical Education and Family Welfare Division, Ministry of Health and Family Welfare, Dhaka, Bangladesh, and The DHS Program, ICF, Rockville, Maryland, USA. Available at <https://dhsprogram.com/publications/publication-FR386-DHS-Final-Reports.cfm> (last accessed 05.02.25)

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Sovrappeso/obesità per regione

Uomini, 2022




Tipo di sondaggio:	Misurato
Dimensioni del campione:	13970
Area coperta:	Nazionale

Riferimenti: National Institute of Population Research and Training, Medical Education and Family Welfare Division, Ministry of Health and Family Welfare, Dhaka, Bangladesh, and The DHS Program, ICF, Rockville, Maryland, USA. Available at <https://dhsprogram.com/publications/publication-FR386-DHS-Final-Reports.cfm> (last accessed 05.02.25)

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Donne, 2022




Tipo di sondaggio:	Misurato
Dimensioni del campione:	13970
Area coperta:	Nazionale
Riferimenti:	National Institute of Population Research and Training, Medical Education and Family Welfare Division, Ministry of Health and Family Welfare, Dhaka, Bangladesh, and The DHS Program, ICF, Rockville, Maryland, USA. Available at https://dhsprogram.com/publications/publication-FR386-DHS-Final-Reports.cfm (last accessed 05.02.25)

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Sovrappeso/obesità per gruppo socio-economico

Uomini, 2022




Tipo di sondaggio:	Misurato
Dimensioni del campione:	13970
Area coperta:	Nazionale

Riferimenti: National Institute of Population Research and Training, Medical Education and Family Welfare Division, Ministry of Health and Family Welfare, Dhaka, Bangladesh, and The DHS Program, ICF, Rockville, Maryland, USA. Available at <https://dhsprogram.com/publications/publication-FR386-DHS-Final-Reports.cfm> (last accessed 05.02.25)

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Donne, 2022




Tipo di sondaggio:	Misurato
Dimensioni del campione:	13970
Area coperta:	Nazionale
Riferimenti:	National Institute of Population Research and Training, Medical Education and Family Welfare Division, Ministry of Health and Family Welfare, Dhaka, Bangladesh, and The DHS Program, ICF, Rockville, Maryland, USA. Available at https://dhsprogram.com/publications/publication-FR386-DHS-Final-Reports.cfm (last accessed 05.02.25)

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Double burden of underweight & overweight

Adults, 2022



**Tipo di
sondaggio:**

Misurato

Et  :

20+

Riferimenti:

NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. [https://doi.org/10.1016/S0140-6736\(23\)02750-2](https://doi.org/10.1016/S0140-6736(23)02750-2).

Note
(disponibile
solo in
inglese):


Age Standardised estimates

Definizioni
(disponibile
solo in
inglese):

Combined prevalence of BMI<18.5 kg/m² and BMI>=30 kg/m² (double burden of underweight and obesity)

Attività fisica insufficiente

Adulti, 2022




Tipo di sondaggio:	Auto-riferito
Età :	18+
Area coperta:	Nazionale

Riferimenti: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

Definizioni (disponibile solo in inglese): Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Uomini, 2022




Tipo di sondaggio:	Auto-riferito
Et� :	18+
Area coperta:	Nazionale
Riferimenti:	WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-)

**Definizioni
(disponibile
solo in
inglese):**

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Donne, 2022

**Tipo di
sondaggio:**

Auto-riferito

Et  :

18+

Area coperta:

Nazionale

Riferimenti:


WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

**Definizioni
(disponibile
solo in
inglese):**

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Estimated per capita fruit intake

Adulti, 2017



**Tipo di
sondaggio:**

Misurato

EtÀ :

25+

Riferimenti:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definizioni
(disponibile
solo in
inglese):**

Estimated per-capita fruit intake (g/day)

Assunzione stimata pro capite di carni lavorate

Adulti, 2017



**Tipo di
sondaggio:**

Misurato

Et  :

25+

Riferimenti:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definizioni
(disponibile
solo in
inglese):**

Estimated per-capita processed meat intake (g per day)

Estimated per capita whole grains intake

Adulti, 2017



**Tipo di
sondaggio:**

Misurato

EtÀ :

25+

Riferimenti:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definizioni
(disponibile
solo in
inglese):**

Estimated per-capita whole grains intake (g/day)

Salute mentale - disturbi depressivi

Adulti, 2021




Et� :	20+
Area coperta:	Nazionale
Riferimenti:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25)

**Definizioni
(disponibile
solo in
inglese):**

Number living with depression per 100,000 population (adults 20+ years)

Uomini, 2021



EtÀ : 20+


Area coperta: Nazionale

Riferimenti: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizioni
(disponibile
solo in
inglese):**

Number living with depression per 100,000 population (adults 20+ years)

Donne, 2021



EtÀ : 20+

Area coperta: Nazionale


Riferimenti: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizioni
(disponibile
solo in
inglese):**

Number living with depression per 100,000 population (adults 20+ years)

Salute mentale - disturbi d'ansia

Adulti, 2021




Et  : 20+

Riferimenti: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

**Definizioni
(disponibile
solo in
inglese):**


Number living with anxiety per 100,000 population

Uomini, 2021



EtÀ :	20+
Riferimenti:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25).
Definizioni (disponibile solo in inglese):	Number living with anxiety per 100,000 population


Donne, 2021



EtÃ :	20+
Riferimenti:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25).
Definizioni (disponibile solo in inglese):	Number living with anxiety per 100,000 population

Percent of population who cannot afford a healthy diet

Adults, 2022



Area coperta:


Nazionale

Riferimenti:

The Food Systems Dashboard. The Global Alliance for Improved Nutrition (GAIN), The Columbia Climate School, and Cornell University College of Agriculture and Life Sciences. 2024. Geneva, Switzerland.
<https://www.foodsystemsdashboard.org>. DOI: <https://doi.org/10.36072/db>.

Cancro dell'esofago

Uomini, 2022




EtÀ :	20+
Area coperta:	Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Donne, 2022




EtÀ :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizioni
(disponibile
solo in
inglese):**

Indicence per 100,000

Cancro al seno

Donne, 2022



Area coperta:

Nazionale

Riferimenti:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

**Definizioni
(disponibile
solo in
inglese):**

Incidence per 100,000

Cancro colon-rettale

Uomini, 2022




EtÀ :	20+
Area coperta:	Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Donne, 2022




EtÀ :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizioni
(disponibile
solo in
inglese):**

Incidence per 100,000

Cancro del pancreas

Uomini, 2022




EtÀ :	20+
Area coperta:	Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Donne, 2022




EtÀ :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizioni
(disponibile
solo in
inglese):**

Incidence per 100,000

Cancro della colecisti

Uomini, 2022




EtÀ :	20+
Area coperta:	Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

**Definizioni
(disponibile
solo in
inglese):** Incidence per 100,000

Donne, 2022




EtÀ :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizioni
(disponibile
solo in
inglese):**

Indicence per 100,000

Cancro del rene

Uomini, 2022




Et� :	20+
Area coperta:	Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Donne, 2022




EtÀ :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizioni
(disponibile
solo in
inglese):**

Incidence per 100,000

Cancro dell'utero

Donne, 2022



Et  : 20+


Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

**Definizioni
(disponibile
solo in
inglese):**

Incidence per 100,000

Aumento della pressione arteriosa

Adulti, 2015




Riferimenti:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

**Definizioni
(disponibile
solo in
inglese):**

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Uomini, 2015




Riferimenti:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definizioni (disponibile solo in inglese):

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Donne, 2015



Riferimenti:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definizioni (disponibile solo in inglese):

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Aumento del colesterolo


Adulti, 2008



Riferimenti: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>


Definizioni (disponibile solo in inglese): % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Uomini, 2008



Riferimenti:	Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885
Definizioni (disponibile solo in inglese):	% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).


Donne, 2008



Riferimenti:	Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885
Definizioni (disponibile solo in inglese):	% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Aumento della glicemia a digiuno

Uomini, 2014




Riferimenti:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

**Definizioni
(disponibile
solo in
inglese):**

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Donne, 2014



Riferimenti:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definizioni (disponibile solo in inglese):

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Prevalenza del diabete


Adulti, 2024

**Riferimenti:**

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. <http://www.diabetesatlas.org>

Ovarian Cancer

Donne, 2022



Et  : 20+


Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

**Definizioni
(disponibile
solo in
inglese):**

Incidence per 100,000

Leukemia

Uomini, 2022



Et  : 20+


Area coperta: Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000


Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m  , l'obesit  si riferisce a un BMI superiore a 30 kg/m  .

Donne, 2022



Leukemia

Uomini, 2022




EtÀ :	20+
Area coperta:	Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Donne, 2022



EtÀ :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


**Definizioni
(disponibile
solo in
inglese):**

Incidence per 100,000

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Liver and intrahepatic bile duct Cancer

Uomini, 2022




EtÀ :	20+
Area coperta:	Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Donne, 2022




EtÀ :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizioni
(disponibile
solo in
inglese):**

Incidence per 100,000

Multiple Myeloma

Uomini, 2022




EtÀ :	20+
Area coperta:	Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Donne, 2022



EtÀ :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


**Definizioni
(disponibile
solo in
inglese):**

Indicence per 100,000

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Non Hodgkin Lymphoma

Uomini, 2022




EtÀ :	20+
Area coperta:	Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Donne, 2022



EtÀ :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


**Definizioni
(disponibile
solo in
inglese):**

Incidence per 100,000

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Thyroid Cancer

Uomini, 2022




Et� :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi�eros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizioni
(disponibile
solo in
inglese):**

Incidence per 100,000

Donne, 2022



EtÀ :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizioni
(disponibile
solo in
inglese):**

Incidence per 100,000

PDF created on July 16, 2025