


Bermuda



Country report card - adults

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.




Contents	Page
Obesity prevalence	3
Double burden of underweight & overweight	4
Insufficient physical activity	5
Estimated per capita fruit intake	8
Estimated per-capita processed meat intake	9
Estimated per capita whole grains intake	10
Mental health - depression disorders	11
Mental health - anxiety disorders	14
Diabetes prevalence	17



Obesity prevalence

Adults, 2013-2014





Survey type:	Measured
Age:	18+
Sample size:	1147
Area covered:	National
References:	Ministry of Health, Seniors and Environment (2016) Steps to a Well Bermuda: Health Survey of Adults in Bermuda 2014. Government of Bermuda
Notes:	STEPS Survey


 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Double burden of underweight & overweight

Adults, 2022

Definitions:




Combined prevalence of BMI<18.5 kg/m 2 and BMI>=30 kg/m 2 (double burden of underweight and obesity)



Insufficient physical activity

Adults, 2016




References:

Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X(18)30357-7



Men, 2016




References:

Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X(18)30357-7



Women, 2016




References:

Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X(18)30357-7



Estimated per capita fruit intake





Estimated per-capita processed meat intake






Estimated per capita whole grains intake





Mental health - depression disorders






Men, 2021





Women, 2021






Mental health - anxiety disorders





Men, 2021



References:


Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare. (Last accessed 23.04.25).

Definitions:

Number living with anxiety per 100,000 population



Women, 2021



Age: 20+

References:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare. (Last accessed 23.04.25).

Definitions:


Number living with anxiety per 100,000 population



Diabetes prevalence

Adults, 2024

References:



PDF created on September 9, 2025

Diabetes Federation, 2025. http://www.diabetesatlas.org