

Report card Bulgaria



Contents	Page
Obesity prevalence	2
Trend: % Children living with overweight or obesity, 2007-2020	4
Trend: % Adults living with obesity, 2000-2019	6
Trend: % Adults living with overweight or obesity, 2000-2019	8
Overweight/obesity by age and education	10
Overweight/obesity by education	13
Overweight/obesity by age	17
Overweight/obesity by age and region	19
Overweight/obesity by age and socio-economic group	21
Overweight/obesity by socio-economic group	24
Overweight/obesity by age and limited activity	28
Insufficient physical activity	31
Sugar consumption	37
Estimated per capita sugar sweetened beverages intake	38
Prevalence of at least daily carbonated soft drink consumption	39
Prevalence of confectionery consumption	40
Prevalence of sweet/savoury snack consumption	41
Estimated per capita fruit intake	42
Prevalence of less than daily fruit consumption	43
Prevalence of less than daily vegetable consumption	44
Estimated per-capita processed meat intake	45
Estimated per capita whole grains intake	46
Mental health - depression disorders	47
Mental health - anxiety disorders	48
Oesophageal cancer	49
Breast cancer	51
Colorectal cancer	52
Pancreatic cancer	54
Gallbladder cancer	56
Kidney cancer	58
Cancer of the uterus	60
Raised blood pressure	61
Raised cholesterol	64
Raised fasting blood glucose	67
Diabetes prevalence	69
Contextual factors	70




Obesity prevalence

Adults, 2019

Survey type:





Age:

Area
Covered:

References: Eurostat 2019. Data available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21)


Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Self-reported



Children, 2018-2020






Age:	7
Sample size:	3068
Area covered:	National
References:	Report on the fifth round of data collection, 2018–2020: WHO European Childhood Obesity Surveillance Initiative (COSI). Copenhagen: WHO Regional Office for Europe; 2022. Licence: CC BY-NC-SA 3.0 IGO.
Cutoffs:	WHO 2007



% Children living with overweight or obesity, 2007-2020

Girls

Overweight or obesity



Survey Measured type:

References:

2007: Lissner L, Wijnhoven TMA, Mehlig K, et al. Socioeconomic inequalities in childhood overweight: heterogeneity across five countries in the WHO European Childhood Obesity Surveillance Initiative (COSI–2008). International Journal of Obesity (2005). 2016;40(5):796-802. doi:10.1038/ijo.2016.12.

2015: WHO European Childhood Obesity Surveillance Initiative (COSI) Report on the fourth round of data collection, 2015–2017 (2021). Available at: <a href="https://www.euro.who.int/en/health-topics/disease-prevention/nutrition/activities/who-european-childhood-obesity-surveillance-initiative-cosi/cosi-publications/who-european-childhood-obesity-surveillance-initiative-cosi-report-on-the-fourth-round-of-data-collection,-20152017-2021. Accessed 19.05.21.


2018: Report on the fifth round of data collection, 2018–2020: WHO European Childhood Obesity Surveillance Initiative (COSI). Copenhagen: WHO Regional Office for Europe; 2022. Licence: CC BY-NC-SA 3.0 IGO.

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Boys

Overweight or obesity



Survey Measured

References:

type:

2007: Lissner L, Wijnhoven TMA, Mehlig K, et al. Socioeconomic inequalities in childhood overweight: heterogeneity across five countries in the WHO European Childhood Obesity Surveillance Initiative (COSI–2008). International Journal of Obesity (2005). 2016;40(5):796-802. doi:10.1038/ijo.2016.12.

2015: WHO European Childhood Obesity Surveillance Initiative (COSI) Report on the fourth round of data collection, 2015–2017 (2021). Available at: <a href="https://www.euro.who.int/en/health-topics/disease-prevention/nutrition/activities/who-european-childhood-obesity-surveillance-initiative-cosi/cosi-publications/who-european-childhood-obesity-surveillance-initiative-cosi-report-on-the-fourth-round-of-data-collection,-20152017-2021. Accessed 19.05.21.

2018: Report on the fifth round of data collection, 2018–2020: WHO European Childhood Obesity Surveillance Initiative (COSI). Copenhagen: WHO Regional Office for Europe; 2022. Licence: CC BY-NC-SA 3.0 IGO.


Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



% Adults living with obesity, 2000-2019

Men

Obesity



Survey Self-reported

type:

References:

2000: Eurostat Yearbook 2006/07. A goldmine of statistical information. Available at

https://ec.europa.eu/eurostat/documents/2995521/5059290/1-20022007-BP-EN.PDF.pdf/edab8c31-b9f3-4c8e-b4db-

4137bd045efa?t=1414683510000 (last accessed 04.11.21)

2014: Eurostat Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last accessed 25.08.20)


 $2019: Eurostat\ 2019.\ Data\ available\ at\ \underline{https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i\&lang=ender available\ at\ \underline{https://appsso.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i\&lang=ender available\ at\ \underline{https://appsso.europa.eu/nui/show.do?dataset=hlthelhis_bm1i\&lang=ender available\ at\ \underline{https://appsso.europa.eu/nui/show.do?dataset=hlthelhis_bm1i\&lang=ender available\ at\ \underline{https://appsso.europa.eu/nui/show.do?dataset=hlthelhis_bm1i\&lang=ender available\ at\ \underline{https:$

(last accessed 09.08.21)



Women





Survey Self-reported

type:

References:

2000: Eurostat Yearbook 2006/07. A goldmine of statistical information. Available at

https://ec.europa.eu/eurostat/documents/2995521/5059290/1-20022007-BP-EN.PDF.pdf/edab8c31-b9f3-4c8e-b4db-4137bd045efa?t=1414683510000 (last accessed 04.11.21)

2014: Eurostat Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last accessed 25.08.20)


2019: Eurostat 2019. Data available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21)



% Adults living with overweight or obesity, 2000-2019

Men

Overweight or obesity



Survey Self-reported

type:

References:


Eurostat Yearbook 2006/07. A goldmine of statistical information. Available at

 $\frac{\text{https://ec.europa.eu/eurostat/documents/2995521/5059290/1-20022007-BP-EN.PDF.pdf/edab8c31-b9f3-4c8e-b4db-4137bd045efa?t=1414683510000} \text{ (last accessed 04.11.21)}$



Women

Overweight or obesity



Survey Self-reported

type:

References:


Eurostat Yearbook 2006/07. A goldmine of statistical information. Available at

 $\frac{\text{https://ec.europa.eu/eurostat/documents/2995521/5059290/1-20022007-BP-EN.PDF.pdf/edab8c31-b9f3-4c8e-b4db-4137bd045efa?t=1414683510000} {\text{(last accessed 04.11.21)}}$



Overweight/obesity by age and education

Adults, 2019



Survey Self-reported

type:

Area National

covered:

References: Eurostat 2019. Available at


 $https://ec.europa.eu/eurostat/databrowser/view/HLTH_EHIS_BM1E/default/table?lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlth_det.hlth_bmi-lang=en\&category=hlth.hlth_det.hlt$

(last accessed 24.4.23)

Notes: Insufficient sample size in 18-24 when broken down by gender and education



Men, 2019



Survey
type:

Area

Self-reported
National

covered:
References:

Eurostat 2019. Available at

(last accessed 24.4.23)


Notes:

Insufficient sample size in 18-24 when broken down by gender and education



Women, 2019





Survey Self-reported type:

Area National

covered:

References: Eurostat 2019. Available at

(last accessed 24.4.23)

Notes:

Insufficient sample size in 18-24 when broken down by gender and education




Overweight/obesity by education

Men, 2014

Survey type:






18+
n EU = 35100 (Age 18+)
National
lang=en (last accessed 9 November 2016)
et-secondary non-tertiary ary education (levels 5-8)

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$

Self-reported




Women, 2014






Boys, 2012-2014






Girls, 2012-2014





Overweight/obesity by age

Adults, 2019



Survey type: Self-reported

Area National covered:

References:


Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last

accessed 09.08.21).



Children, 2017-2018

Overweight or obesity



Survey	Measured
type:	
Sample	4548
size:	
Area	National
covered:	
References:	World Health Organization (2020). Spotlight on adolescent health and well-being - Findings from the 2017/2018 Health

World Health Organization (2020). Spotlight on adolescent health and well-being - Findings from the 2017/2018 Health

Behaviour in School-aged Children (HBSC) survey in Europe and Canada. Available at:


https://apps.who.int/iris/bitstream/handle/10665/332091/9789289055000-eng.pdf. Last accessed: 20.05.21.

Cutoffs: WHO



Overweight/obesity by age and region

Men, 2014



Survey type: Self-reported

Area National

covered:


References:

 $Eurostat\ Database\ \underline{\text{http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1u\&lang=en}\ (last\ accessed\ below)$

25.08.20)



Women, 2014



Survey type:

Area
Covered:


References:

Eurostat Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1u&lang=en (last accessed 25.08.20)



Overweight/obesity by age and socio-economic group

Adults, 2019



Survey type: Self-reported

Area National

covered:


References:

Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last

accessed 09.08.21).



Men, 2019



Survey type: Self-reported


Area National

covered:

References: Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21).



Women, 2019



Survey type:

Area

National covered:

References: Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last


Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

accessed 09.08.21).



Overweight/obesity by socio-economic group

Men, 2014




 $Unless \ otherwise \ noted, \ overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Women, 2014






Survey type.	Seti-reported
Age:	18+
Area covered:	National
References:	EUROSTAT Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i⟨=en (last accessed 9 November 2016)

Notes: Total sample number in EU: 35100 (Age 18+) 1st Quintile (lowest income), 5th Quintile (highest income) Please note where data = zero, there were insufficient data.



Boys, 2017-2018

Overweight or obesity



Survey	Self-reported
type:	
Age:	11-15
Sample	4548
size:	
Area	National
covered:	

References:

World Health Organization (2020). Spotlight on adolescent health and well-being - Findings from the 2017/2018 Health Behaviour in School-aged Children (HBSC) survey in Europe and Canada. Available at:

https://apps.who.int/iris/bitstream/handle/10665/332091/9789289055000-eng.pdf. Last accessed: 20.05.21.

Notes:


HBSC Family Affluence Scale (FAS) - "HBSC uses an alternative measure, the Family Affluence Scale, which asks young people about material assets such as family cars, number of foreign holidays, computers, bathrooms and dishwashers in the household, holidays and having a bedroom to oneself. The scale, which enables users to add up how many of these assets a young person has in their home compared with other adolescents in their country/region, has been shown to provide a valid indicator of relative affluence."

Definitions:	HBSC Family Affluence Scale (FAS)
Cutoffs:	WHO



Girls, 2017-2018





Survey	Self-reported
type:	
Age:	11-15
Sample	4548
size:	
Area	National
covered:	

References:

World Health Organization (2020). Spotlight on adolescent health and well-being - Findings from the 2017/2018 Health Behaviour in School-aged Children (HBSC) survey in Europe and Canada. Available at:

https://apps.who.int/iris/bitstream/handle/10665/332091/9789289055000-eng.pdf. Last accessed: 20.05.21.

Notes:


HBSC Family Affluence Scale (FAS) - "HBSC uses an alternative measure, the Family Affluence Scale, which asks young people about material assets such as family cars, number of foreign holidays, computers, bathrooms and dishwashers in the household, holidays and having a bedroom to oneself. The scale, which enables users to add up how many of these assets a young person has in their home compared with other adolescents in their country/region, has been shown to provide a valid indicator of relative affluence."

Definitions:	HBSC Family Affluence Scale (FAS)
Cutoffs:	WHO



Overweight/obesity by age and limited activity

Adults, 2014



Survey type: Self-reported


Area covered: National

References: Eurostat 2

Eurostat 2014 available at https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do (last accessed 06.10.21)



Women, 2014



Survey type: Self-reported


Area covered: National

References:

Eurostat 2014 available at https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do (last accessed 06.10.21)



Men, 2014



Survey type: Self-reported

Area covered: National


References:

Eurostat 2014 available at https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do (last accessed 06.10.21)



Insufficient physical activity


Adults, 2016



References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X
(18)30357-7




Men, 2016



References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X
(18)30357-7



Women, 2016




References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X
(18)30357-7



Children, 2016

Definitions:




Survey	Self-reported
type:	
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)
Notes:	% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

% Adolescents insufficiently active (age standardised estimate)



Boys, 2016



Survey	Self-reported
type:	
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)
Notes:	% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60


Definitions:

% Adolescents insufficiently active (age standardised estimate)

minutes of moderate- to vigorous-intensity physical activity daily.



Girls, 2016



Julvey	Sett reported
type:	
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)
Notes:	% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60


minutes of moderate- to vigorous-intensity physical activity daily.

Definitions: % Adolescents insufficiently active (age standardised estimate)



Sugar consumption

Adults, 2016




References: Source: Euromonitor International

Definitions: Sugar consumption (Number of 500g sugar portions/person/month)



Estimated per capita sugar sweetened beverages intake

Adults, 2016




References:

Source: Euromonitor International



Prevalence of at least daily carbonated soft drink consumption

Children, 2014



Survey Measured type:

References:

World Health Organization. (2017). Adolescent obesity and related behaviours: Trends and inequalities in the who european region, 2002-2014: observations from the Health Behavior in School-aged Children (HBSC) WHO collaborative crossnational study (J. Inchley, D. Currie, J. Jewel, J. Breda, & V. Barnekow, Eds.). World Health Organization. Sourced from Food Systems Dashboard http://www.foodsystemsdashboard.org


Notes: 15-year-old adolescents

Definitions: Prevalence of at least daily carbonated soft drink consumption (% of at least daily carbonated soft drink consumption)



Prevalence of confectionery consumption

Adults, 2016




References: Source: Euromonitor International

Definitions: Prevalence of confectionery consumption (Number of 50g confectionery portions/person/month)



Prevalence of sweet/savoury snack consumption

Adults, 2016




References: Source: Euromonitor International

Definitions: Prevalence of sweet/savoury snack consumption (Number of 35g sweet/savoury snack portions/person/month)



Estimated per capita fruit intake

Adults, 2017



Survey type:

Age:

Clobal Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/

Definitions:


Estimated per-capita fruit intake (g/day)



Prevalence of less than daily fruit consumption

Children, 2014





Survey Measured type:

References:


Global School-based Student Health Surveys. Beal et al (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. https://doi.org/10.1177/0379572119848287. Sourced from Food Systems Dashboard <a href="https://www.foodsystemsdashboard.org/food-systemsdashboard.org/fo

Definitions: Prevalence of less-than-daily fruit consumption (% less-than-daily fruit consumption)



Prevalence of less than daily vegetable consumption

Children, 2014



Survey Measured

type:

Age: 12-17

References:

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.

https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard

 $\underline{\text{http://www.foodsystemsdashboard.org/food-system}}$


Definitions:

Prevalence of less-than-daily vegetable consumption (% less-than-daily vegetable consumption)



Estimated per-capita processed meat intake

Adults, 2017




Survey type:	Measured
Age:	25+
References:	Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/
Definitions:	Estimated per-capita processed meat intake (g per day)



Estimated per capita whole grains intake

Adults, 2017




Survey type:	Measured
Age:	25+
References:	Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/
Definitions:	Estimated per-capita whole grains intake (g/day)



Mental health - depression disorders

Adults, 2015



References: Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0

Definitions:


% of population with depression disorders

IGO.



Mental health - anxiety disorders

Adults, 2015



References: Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0


IGO.

Definitions: % of population with anxiety disorders



Oesophageal cancer

Men, 2020



Age: 20+

Area National covered:


References:

Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.fr/today, accessed 10.01.2069



Definitions:




Age-standardized indicence rates per 100 000



Breast cancer

Women, 2020



Age: 20+

Area National covered:

References:


Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.fr/today, accessed 10.01.2069



Colorectal cancer

Men, 2020



Age: 20+


Area National covered:

References:

Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.fr/today, accessed 10.01.2069





Age. 20+

Area National

covered:


References: Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.fr/today, accessed 10.01.2069



Pancreatic cancer

Men, 2020



Age: 20+


Area National covered:

References:

Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.fr/today, accessed 10.01.2069





Age:

National Area

covered:


Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer References: Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.fr/today, accessed 10.01.2069



Gallbladder cancer

Men, 2020



Age: 20+

Area National


References:

covered:

Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.fr/today, accessed 10.01.2069





References:

Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.fr/today, accessed 10.01.2069


Definitions:

Age-standardized indicence rates per 100 000



Kidney cancer

Men, 2020



Age: 20+


Area National covered:

References:

Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.fr/today, accessed 10.01.2069





Area National

covered:


References: Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.fr/today, accessed 10.01.2069



Cancer of the uterus

Women, 2020



Age: 20+

Area National covered:

References:


Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.fr/today, accessed 10.01.2069



Raised blood pressure

Adults, 2015



References:

Global Health Observatory data repository, World Health Organisation,


http://apps.who.int/gho/data/node.main.A875?lang=en

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



Men, 2015



References:


Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A875?lang=en

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).





References:

Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A875?lang=en


Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



Raised cholesterol

Adults, 2008



References:


Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885

Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).




Men, 2008



References: Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885

Definitions: % Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).





References:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885


Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).



Raised fasting blood glucose

Men, 2014



References:


Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A869?lang=en

Definitions:

Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication).





References:

Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A869?lang=en


Definitions:

Age Standardised % raised fasting blood glucose (\geq 7.0 mmol/L or on medication).



Diabetes prevalence

Adults, 2021



Age: 20-79

Area National covered:

References: Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 10th edn. Brussels,

Belgium:International Diabetes Federation, 2021. http://www.diabetesatlas.org

Definitions: Age-adjusted comparative prevalence of diabetes, %



Contextual factors

Disclaimer: These contextual factors should be interpreted with care. Results are updated as regularly as possible and use very specific criteria. The criteria used and full definitions are available for download at the bottom of this page.



Labelling

Is there mandatory nutrition labelling?	✓
Front-of-package labelling?	×
Back-of-pack nutrition declaration?	✓
Color coding?	×
Warning label?	×





Regulation and marketing

Are there fiscal policies on unhealthy products?	X
Tax on unhealthy foods?	×
Tax on unhealthy drinks?	×
Are there fiscal policies on healthy products?	X
Subsidy on fruits?	×
Subsidy on vegetables?	×
Subsidy on other healthy products?	×
Mandatory limit or ban of trans fat (all settings)?	~
Mandatory limit of trans fats in place (all settings)?	~
Ban on trans-fats or phos in place (all settings)?	×
Are there any mandatory policies/marketing restrictions on the promotion of unhealthy food/drinks to children?	~
Mandatory restriction on broadcast media?	~
Mandatory restriction on non-broadcast media?	×
Voluntary policies/marketing restrictions on the promotion of unhealthy food/drinks to children?	X
Are there mandatory standards for food in schools?	~
Are there any mandatory nutrient limits in any manufactured food products?	V
Nutrition standards for public sector procurement?	X





Political will and support

National obesity strategy or nutrition and physical activity national strategy?	/	
National obesity strategy?	~	
National childhood obesity strategy?	X	
Comprehensive nutrition strategy?	~	
Comprehensive physical activity strategy?	~	
Evidence-based dietary guidelines and/or RDAs?	~	
National target(s) on reducing obesity?	~	
Guidelines/policy on obesity treatment?		
Promotion of breastfeeding?	~	
Monitoring and surveillance		
Monitoring of the prevalence and incidence for the main obesity-related NCDs and risk factors?	•	
Governance and resource		
Multi-sectoral national co-ordination mechanism for obesity or nutrition (including obesity)?	X	
⟨ey ✓ Present ✓ Incoming ✓ Absent ↑ Unknown		

Last updated September 13, 2022

PDF created on May 24, 2024