

Bulgaria



Country report card - adults

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.




Contents	Page	
Obesity prevalence	3	
Trend: Trend adult obesity 2000 2019	4	
Trend: Trend adult overweight obesity 2000 2019	6	
Overweight/obesity by age and education	8	
Overweight/obesity by education	11	
Overweight/obesity by age		
Overweight/obesity by age and region	15	
Overweight/obesity by age and socio-economic group	17	
Overweight/obesity by socio-economic group	20	
Overweight/obesity by age and limited activity	22	
Double burden of underweight & overweight	25	
Insufficient physical activity	26	
Sugar consumption	29	
Estimated per capita sugar sweetened beverages intake	30	
Prevalence of confectionery consumption	31	
Prevalence of sweet/savoury snack consumption	32	
Estimated per capita fruit intake	33	
Estimated per-capita processed meat intake	34	
Estimated per capita whole grains intake	35	
Mental health - depression disorders	36	
Mental health - anxiety disorders	39	
Percent of population who cannot afford a healthy diet	42	
Oesophageal cancer		
Breast cancer	45	
Colorectal cancer	46	
Pancreatic cancer		
Gallbladder cancer		
Kidney cancer	52	
Cancer of the uterus	54	
Raised blood pressure	55	
Raised cholesterol	58	
Raised fasting blood glucose	61	
Diabetes prevalence	63	
Ovarian Cancer	64	
Leukemia	65	
Leukemia	67	
Liver and intrahepatic bile duct Cancer	69	
Multiple Myeloma	71	
Non Hodgkin Lymphoma	73	
Thyroid Cancer	75	



Obesity prevalence

Adults, 2022





Age:

Area covered:

References:

Eurostat 2022 Data. Available at https://ec.europa.eu/eurostat/databrowser/view/ilc_hch10/default/table?lang=en (last accessed 19.03.25)

Notes:

EUROSTAT 2022 data derived from EU statistics on income and living conditions (EU-SILC) survey which includes adults aged 16+ years. This differs from most EUROSTAT data which is derived from the Health Interview Surveys, which includes adults aged 15+ years (though sometimes only data from adults aged 18+ reported)


 $Unless \ otherwise \ noted, \ overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Trend adult obesity 2000 2019

Men

Obesity



Survey type: Self-reported

References:

2000: Eurostat Yearbook 2006/07. A goldmine of statistical information. Available at

https://ec.europa.eu/eurostat/documents/2995521/5059290/1-20022007-BP-EN.PDF.pdf/edab8c31-b9f3-4c8e-b4db-fine from the control of the contr


4137bd045efa?t=1414683510000 (last accessed 04.11.21)

2014: Eurostat Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=htth_ehis_bm1e&lang=en (last accessed 25.08.20) 2019: Eurostat 2019. Data available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=htth_ehis_bm1i&lang=en (last accessed 25.08.20) accessed 09.08.21)



Women





Survey type: Self-reported

References:

2000: Eurostat Yearbook 2006/07. A goldmine of statistical information. Available at

 $\underline{4137bd045efa?t=1414683510000} \text{ (last accessed 04.11.21)}$


2014: Eurostat Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last accessed 25.08.20) 2019: Eurostat 2019. Data available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 25.08.20) accessed 09.08.21)



Trend adult overweight obesity 2000 2019

Men

Overweight or obesity



Survey type: Self-reported

References:


Eurostat Yearbook 2006/07. A goldmine of statistical information. Available at

 $\frac{\text{https://ec.europa.eu/eurostat/documents/2995521/5059290/1-20022007-BP-EN.PDF.pdf/edab8c31-b9f3-4c8e-b4db-4137bd045efa?t=1414683510000 (last accessed 04.11.21)}$



Women

Overweight or obesity



Survey type: Self-reported

References:


Eurostat Yearbook 2006/07. A goldmine of statistical information. Available at

 $\underline{4137bd045efa?t=1414683510000} \text{ (last accessed 04.11.21)}$



Overweight/obesity by age and education

Adults, 2019



Survey type: Self-reported

Area covered: National

References: Eurostat 2019. Available at

 $\underline{\ \ } \underline{\ \ } \underline{\ \ \ } \underline{\ \ } \underline{\ \ \ } \underline{\ \ \ } \underline{\ \ } \underline{\ \ \ \ } \underline{\ \ \ \ \ } \underline{\ \ \ \ \ } \underline{\ \ \ \ \ } \underline{\ \ \ \ } \underline{\ \ \ \ } \underline{\ \ \ \ \ } \underline{\ \ \ }$


accessed 24.4.23)

Notes: Insufficient sample size in 18-24 when broken down by gender and education

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Men, 2019



Survey type: Self-reported

Area covered: National

References: Eurostat 2019. Available at

accessed 24.4.23)

Notes: Insufficient sample size in 18-24 when broken down by gender and education


 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Women, 2019

Age 25-34

Age 35-44



Survey type: Self-reported

Age 45-54

Area covered: National

References: Eurostat 2019. Available at

Age 55-64

Age 65-74

accessed 24.4.23)

Age 75+

Notes: Insufficient sample size in 18-24 when broken down by gender and education


 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Overweight/obesity by education

Adults, 2022





Age:	16+
Area covered:	National
References:	Eurostat 2022 Data. Available at https://ec.europa.eu/eurostat/databrowser/view/ilc_hch10/default/table?lang=en (last accessed 19.03.25)

Notes: EUROSTAT 2022 data derived from EU statistics on income and living conditions (EU-SILC) survey which includes adults aged 16+ years. This differs from most EUROSTAT data which is derived from the Health Interview Surveys, which includes adults aged 15+ years (though sometimes only data from adults aged 18+ reported)

 $Unless \ otherwise \ noted, \ overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$


Self-reported



Men, 2022

Survey type:





Age:

Area covered:

References:


Eurostat 2022 Data. Available at https://ec.europa.eu/eurostat/databrowser/view/ilc_hch10/default/table?lang=en (last accessed 19.03.25)

Notes: EUROSTAT 2022 data derived from EU statistics on income and living conditions (EU-SILC) survey which includes adults aged 16+ years. This differs from most EUROSTAT data which is derived from the Health Interview Surveys, which includes adults aged 15+ years (though sometimes only data from adults aged 18+ reported)

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Women, 2022




Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Overweight/obesity by age


Adults, 2019-2020





Overweight/obesity by age and region

Men, 2014



Survey type:

Area covered:


References:

Eurostat Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1u&lang=en (last accessed 25.08.20)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Women, 2014



Survey type:

Area covered:

References:


Eurostat Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1u&lang=en (last accessed 25.08.20)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Overweight/obesity by age and socio-economic group

Adults, 2019



Survey type:

Area covered:


References:

Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21).

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Men, 2019



Survey type: Self-reported

Area covered: National


References:

Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21).

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Women, 2019



Survey type: Self-reported

Area covered: National

References:


Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21).

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Overweight/obesity by socio-economic group

Men, 2014




there were insufficient data.



Women, 2014





Survey type:

Age:

Area covered:

References:

EUROSTAT Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 9 November 2016)

Notes:


Total sample number in EU: 35100 (Age 18+) 1st Quintile (lowest income), 5th Quintile (highest income) Please note where data = zero,

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Overweight/obesity by age and limited activity

Adults, 2014



Survey type: Self-reported


Area covered: National

References: Eurostat 2014 available at https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do (last accessed 06.10.21)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Women, 2014



Survey type:

Area covered:


References:

Eurostat 2014 available at https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do (last accessed 06.10.21)

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Men, 2014



Survey type:

Area covered:

References:


Eurostat 2014 available at https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do (last accessed 06.10.21)

 $Unless \ otherwise \ noted, \ overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Double burden of underweight & overweight

Adults, 2022



Age: 20+

References: NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29.


https://doi.org/10.1016/S0140-6736(23)02750-2.

Notes: Age Standardised estimates

Definitions: Combined prevalence of BMI<18.5 kg/m² and BMI>=30 kg/m² (double burden of underweight and obesity)




Insufficient physical activity





Men, 2022



Age: 18+

Area covered: National

References: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at <a href="https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-data/indicators/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-data/indicators/i

18-years-(age-standardized-estimate)-(-)

Definitions: Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.


18-years-(age-standardized-estimate)-(-)

vigorous-intensity physical activity per week, or equivalent.



Women, 2022

Definitions:




Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of



Sugar consumption

Adults, 2016



References: Source: Euromonitor International


Definitions:

Sugar consumption (Number of 500g sugar portions/person/month)



Estimated per capita sugar sweetened beverages intake

Adults, 2016




References: Source: Euromonitor International



Prevalence of confectionery consumption

Adults, 2016



References: Source: Euromonitor International


Definitions:

 $Prevalence\ of\ confectionery\ consumption\ (Number\ of\ 50g\ confectionery\ portions/person/month)$



Prevalence of sweet/savoury snack consumption

Adults, 2016



References:


Source: Euromonitor International

Definitions:

Prevalence of sweet/savoury snack consumption (Number of 35g sweet/savoury snack portions/person/month)




Estimated per capita fruit intake






Estimated per-capita processed meat intake






Estimated per capita whole grains intake



Survey type:	Measured
Age:	25+
References:	Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/
Definitions:	Estimated per-capita whole grains intake (g/day)



Mental health - depression disorders





Men, 2021










Mental health - anxiety disorders

Adults, 2021





Men, 2021



References:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare. (Last accessed 23.04.25).

Definitions:

Number living with anxiety per 100,000 population





References:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare. (Last accessed 23.04.25).


Definitions:

Number living with anxiety per 100,000 population



Percent of population who cannot afford a healthy diet

Adults, 2022



Area covered: National

References:

The Food Systems Dashboard. The Global Alliance for Improved Nutrition (GAIN), The Columbia Climate School, and Cornell University

College of Agriculture and Life Sciences. 2024. Geneva, Switzerland. https://www.foodsystemsdashboard.org. DOI:


https://www.foodsystemsdashboard.org. DOI:

https://doi.org/10.36072/db.




Oesophageal cancer

Men, 2022










Breast cancer

Women, 2022





Area covered: National

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000




Colorectal cancer

Men, 2022











Pancreatic cancer

Men, 2022











Gallbladder cancer

Men, 2022











Kidney cancer

Men, 2022










Cancer of the uterus


Women, 2022





Raised blood pressure

Adults, 2015



References:


Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A875?lang=en

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



Men, 2015




References:

 ${\tt Global\ Health\ Observatory\ data\ repository,\ World\ Health\ Organisation,}\ \underline{{\tt http://apps.who.int/gho/data/node.main.} {\tt A875?lang=en}}$

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).





References:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A875?lang=en


Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



Raised cholesterol

Adults, 2008



References:


Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885

Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).



Men, 2008




References:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885

Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).





References:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885


Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).



Raised fasting blood glucose

Men, 2014




References:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A869?lang=en

Definitions:

Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication).





References:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A869?lang=en


Definitions:

Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication).



Diabetes prevalence

Adults, 2024




References:

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. http://www.diabetesatlas.org



Ovarian Cancer

Women, 2022



Age: 20+

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000



Leukemia

Men, 2022											
4											
3											
2											
1											
0											
⁻¹ 1	0	1	2	3	4	5	6				
Age:							20+				
Area covered:							National				
References:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]										
Definitions:						Incidence pe	r 100,000				
	Unless ot	herwise noted, overw	reight refers to a BMI	between 25kg and 29	0.9kg/m², obesity refers	to a BMI greater thar	30kg/m².				




Women, 20	022						
4							
3							
2							
1							
0							
⁻¹ 1	0	1	2	3	4	5	6
Age:							20+
Area covered:							National
References:					'naor A, Soerjomatarar n Cancer. Available fron	m: https://gco.iarc.who	
Definitions:						Incidence pe	er 100,000
	Unless oth	nerwise noted, overw	veight refers to a BMI	between 25kg and 29	0.9kg/m², obesity refers	s to a BMI greater than	1 30kg/m².



Leukemia

Men, 2022



20+ Age:

Area covered: National


References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².





References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]


Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Liver and intrahepatic bile duct Cancer

Men, 2022



Area covered: National


References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]

Incidence per 100,000

Definitions:





References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today,


accessed [16.07.24]

Definitions: Incidence per 100,000



Multiple Myeloma

Men, 2022



Age: 20+

Area covered: National


References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Indicence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².





Area covered: National

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]


Definitions: Indicence per 100,000

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Non Hodgkin Lymphoma

Men, 2022



Area covered: National


References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².





References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]


Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Thyroid Cancer

Men, 2022




Area covered: National

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000





PDF created on June 17, 2025