



Canada



Country report card - adults


This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.

View the latest version of this report on the Global Obesity Observatory at <https://data.worldobesity.org/country/canada-36/>

Contents	Page
Obesity prevalence	3
Trend: % Adults living with obesity in Canada 1970-2019	4
Trend: % Adults living with overweight or obesity in Canada 1970-2019	7
Overweight/obesity by education	10
Overweight/obesity by age	11
Overweight/obesity by region	12
Overweight/obesity by socio-economic group	15
Overweight/obesity by ethnicity	18
Double burden of underweight & overweight	21
Insufficient physical activity	22
Estimated per capita fruit intake	25
Estimated per-capita processed meat intake	26
Estimated per capita whole grains intake	27
Mental health - depression disorders	28
Mental health - anxiety disorders	31
Percent of population who cannot afford a healthy diet	34
Oesophageal cancer	35
Breast cancer	37
Colorectal cancer	38
Pancreatic cancer	40
Gallbladder cancer	42
Kidney cancer	44
Cancer of the uterus	46
Raised blood pressure	47
Raised cholesterol	50
Raised fasting blood glucose	53
Diabetes prevalence	55
Ovarian Cancer	56
Leukemia	57
Liver and intrahepatic bile duct Cancer	59
Multiple Myeloma	61
Non Hodgkin Lymphoma	63
Thyroid Cancer	65

Obesity prevalence


Adults, 2019



Survey type:	Measured
Age:	18-79
Sample size:	5797
Area covered:	National
References:	Canadian Health Measures Survey (CHMS) 2019. Available from: https://doi.org/10.25318/1310037301-eng [Accessed 25 May 2023].
Notes:	Sample size includes adults and children
Cutoffs:	WHO
Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m ² , obesity refers to a BMI greater than 30kg/m ² .	

% Adults living with obesity in Canada 1970-2019

Men



Survey type:

Measured


References:

- 1970, 1992: Belanger-Ducharme F, Tremblay A. Prevalence of obesity in Canada. *Obesity Reviews* 2005;6:183-186
- 1986: Macdonald SM, Reeder BA, Chen Y, Despres JP. Obesity in Canada: a descriptive analysis. *Can Med Assoc.* 1997;157(Suppl 1):S3-S9
- 2009: Canadian Health Measures Survey (CHMS) 2009. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2011: Canadian Health Measures Survey (CHMS) 2011. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2013: Canadian Health Measures Survey (CHMS) 2013. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2015: Canadian Health Measures Survey (CHMS) 2015. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2017: Canadian Health Measures Survey (CHMS) 2017. Available from: <https://www150.statcan.gc.ca/t1/tbl1/en/tv.action?pid=1310037301&pickMembers%5B0%5D=3.3>. [Accessed 21 February 2019].
- 2019: Canadian Health Measures Survey (CHMS) 2019. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Women



Survey type: Measured

References:

1970, 1992: Belanger-Ducharme F, Tremblay A. Prevalence of obesity in Canada. Obesity Reviews 2005;6:183-186

1986: Macdonald SM, Reeder BA, Chen Y, Despres JP. Obesity in Canada: a descriptive analysis. Can Med Assoc. 1997;157(Suppl 1):S3-S9

2009: Canadian Health Measures Survey (CHMS) 2009. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].

2011: Canadian Health Measures Survey (CHMS) 2011. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].

2013: Canadian Health Measures Survey (CHMS) 2013. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].

2015: Canadian Health Measures Survey (CHMS) 2015. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].


2017: Canadian Health Measures Survey (CHMS) 2017. Available from: <https://www150.statcan.gc.ca/t1/tbl1/en/tv.action?pid=1310037301&pickMembers%5B0%5D=3.3>. [Accessed 21 February 2019].

2019: Canadian Health Measures Survey (CHMS) 2019. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Men and women



Survey type:

Measured

References:


- 1970, 1992: Belanger-Ducharme F, Tremblay A. Prevalence of obesity in Canada. *Obesity Reviews* 2005;6:183-186
- 1986: Macdonald SM, Reeder BA, Chen Y, Despres JP. Obesity in Canada: a descriptive analysis. *Can Med Assoc.* 1997;157(Suppl 1):S3-S9
- 2009: Canadian Health Measures Survey (CHMS) 2009. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2011: Canadian Health Measures Survey (CHMS) 2011. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2013: Canadian Health Measures Survey (CHMS) 2013. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2015: Canadian Health Measures Survey (CHMS) 2015. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2017: Canadian Health Measures Survey (CHMS) 2017. Available from: <https://www150.statcan.gc.ca/t1/tbl1/en/tv.action?pid=1310037301&pickMembers%5B0%5D=3.3>. [Accessed 21 February 2019].
- 2019: Canadian Health Measures Survey (CHMS) 2019. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

% Adults living with overweight or obesity in Canada 1970-2019

Men



Survey type:

Measured


References:

- 1970, 1992: Belanger-Ducharme F, Tremblay A. Prevalence of obesity in Canada. *Obesity Reviews* 2005;6:183-186
- 1986: Macdonald SM, Reeder BA, Chen Y, Despres JP. Obesity in Canada: a descriptive analysis. *Can Med Assoc.* 1997;157(Suppl 1):S3-S9
- 2009: Canadian Health Measures Survey (CHMS) 2009. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2011: Canadian Health Measures Survey (CHMS) 2011. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2013: Canadian Health Measures Survey (CHMS) 2013. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2015: Canadian Health Measures Survey (CHMS) 2015. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2017: Canadian Health Measures Survey (CHMS) 2017. Available from: <https://www150.statcan.gc.ca/t1/tbl1/en/tv.action?pid=1310037301&pickMembers%5B0%5D=3.3>. [Accessed 21 February 2019].
- 2019: Canadian Health Measures Survey (CHMS) 2019. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Women



Survey type:

Measured


References:

- 1970, 1992: Belanger-Ducharme F, Tremblay A. Prevalence of obesity in Canada. *Obesity Reviews* 2005;6:183-186
- 1986: Macdonald SM, Reeder BA, Chen Y, Despres JP. Obesity in Canada: a descriptive analysis. *Can Med Assoc.* 1997;157(Suppl 1):S3-S9
- 2009: Canadian Health Measures Survey (CHMS) 2009. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2011: Canadian Health Measures Survey (CHMS) 2011. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2013: Canadian Health Measures Survey (CHMS) 2013. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2015: Canadian Health Measures Survey (CHMS) 2015. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2017: Canadian Health Measures Survey (CHMS) 2017. Available from: <https://www150.statcan.gc.ca/t1/tbl1/en/tv.action?pid=1310037301&pickMembers%5B0%5D=3.3>. [Accessed 21 February 2019].
- 2019: Canadian Health Measures Survey (CHMS) 2019. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Men and women



Survey type:

Measured

References:


- 1970, 1992: Belanger-Ducharme F, Tremblay A. Prevalence of obesity in Canada. *Obesity Reviews* 2005;6:183-186
- 1986: Macdonald SM, Reeder BA, Chen Y, Despres JP. Obesity in Canada: a descriptive analysis. *Can Med Assoc.* 1997;157(Suppl 1):S3-S9
- 2009: Canadian Health Measures Survey (CHMS) 2009. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2011: Canadian Health Measures Survey (CHMS) 2011. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2013: Canadian Health Measures Survey (CHMS) 2013. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2015: Canadian Health Measures Survey (CHMS) 2015. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].
- 2017: Canadian Health Measures Survey (CHMS) 2017. Available from: <https://www150.statcan.gc.ca/t1/tbl1/en/tv.action?pid=1310037301&pickMembers%5B0%5D=3.3>. [Accessed 21 February 2019].
- 2019: Canadian Health Measures Survey (CHMS) 2019. Available from: <https://doi.org/10.25318/1310037301-eng> [Accessed 25 May 2023].

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Overweight/obesity by education

Adults, 2022



Survey type: Self-reported

Age: 18+

Area covered: National


References: Statistics Canada. Table 13-10-0097-01 Health characteristics, annual estimates, by household income quintile and highest level of education, inactive. <https://doi.org/10.25318/1310009701-eng> [Accessed 14.08.25]

Notes: Adjusted to account for self-reported bias using BMI correction equations based on data from the 2005 Canadian Community Health Survey (CCHS) subsample, where both measured and self-reported height and weight were collected. Canada (excluding territories)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Overweight/obesity by age

Adults, 2022



Survey type: Self-reported

Sample size: ~65000

Area covered: National


References: Statistics Canada. Canadian Community Health Survey 2022. <https://doi.org/10.25318/1310009601-eng> [Accessed 14.08.25]

Notes: Adjusted to account for self-reported bias using BMI correction equations based on data from the 2005 Canadian Community Health Survey (CCHS) subsample, where both measured and self-reported height and weight were collected. Canada (excluding territories)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².


Overweight/obesity by region

Adults, 2022



Survey type:	Self-reported
Age:	18+
Sample size:	~65000
Area covered:	National
References:	Statistics Canada. Table 13-10-0096-01 Health characteristics, annual estimates, inactive. Canadian Community Health Survey 2022. https://doi.org/10.25318/1310009601-eng [Accessed 14.08.25]
Notes:	Adjusted to account for self-reported bias using BMI correction equations based on data from the 2005 Canadian Community Health Survey (CCHS) subsample, where both measured and self-reported height and weight were collected. Canada (excluding territories) Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m ² , obesity refers to a BMI greater than 30kg/m ² .

Men, 2022



Survey type: Self-reported

Age: 18+

Sample size: ~65000


Area covered: National

References: Statistics Canada. Table 13-10-0096-01 Health characteristics, annual estimates, inactive. Canadian Community Health Survey 2022. <https://doi.org/10.25318/1310009601-eng> [Accessed 14.08.25]

Notes: Adjusted to account for self-reported bias using BMI correction equations based on data from the 2005 Canadian Community Health Survey (CCHS) subsample, where both measured and self-reported height and weight were collected. Canada (excluding territories)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2022



Survey type: Self-reported

Age: 18+

Sample size: ~65000

Area covered: National


References: Statistics Canada. Table 13-10-0096-01 Health characteristics, annual estimates, inactive. Canadian Community Health Survey 2022. <https://doi.org/10.25318/1310009601-eng> [Accessed 14.08.25]

Notes: Adjusted to account for self-reported bias using BMI correction equations based on data from the 2005 Canadian Community Health Survey (CCHS) subsample, where both measured and self-reported height and weight were collected. Canada (excluding territories)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Overweight/obesity by socio-economic group

Adults, 2021



Survey type: Self-reported

Age: 18+

Area covered: National


References: Obesity Statistics in Canada: Report. 2025. Data from 2021 Canadian Community Health Survey. <https://www.canada.ca/en/public-health/services/publications/healthy-living/obesity-statistics-canada.html#t-3d> [Accessed 14.08.25]

Notes: Adjusted to account for self-reported bias using BMI correction equations based on data from the 2005 Canadian Community Health Survey (CCHS) subsample, where both measured and self-reported height and weight were collected. Canada (excluding territories)

Definitions: Household income quintile

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Men, 2021



Survey type: Self-reported

Age: 18+

Area covered: National


References: Obesity Statistics in Canada: Report. 2025. Data from 2021 Canadian Community Health Survey. <https://www.canada.ca/en/public-health/services/publications/healthy-living/obesity-statistics-canada.html#t-3d> [Accessed 14.08.25]

Notes: Adjusted to account for self-reported bias using BMI correction equations based on data from the 2005 Canadian Community Health Survey (CCHS) subsample, where both measured and self-reported height and weight were collected. Canada (excluding territories)

Definitions: Household income quintile

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2021



Survey type: Self-reported

Age: 18+

Area covered: National

References: Obesity Statistics in Canada: Report. 2025. Data from 2021 Canadian Community Health Survey. <https://www.canada.ca/en/public-health/services/publications/healthy-living/obesity-statistics-canada.html#t-3d> [Accessed 14.08.25]

Notes: Adjusted to account for self-reported bias using BMI correction equations based on data from the 2005 Canadian Community Health Survey (CCHS) subsample, where both measured and self-reported height and weight were collected. Canada (excluding territories)


Definitions: Household income quintile

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Overweight/obesity by ethnicity

Ethnic groups are as defined by publication of origin and are not as defined by WOF. In some instances ethnicity is conflated with nationality and/or race.

Adults, 2021



Survey type: Self-reported


Age: 18+

References: Obesity Statistics in Canada: Report. 2025. Table A2.16. Data from 2021 Canadian Community Health Survey. <https://www.canada.ca/en/public-health/services/publications/healthy-living/obesity-statistics-canada.html#t-3d> [Accessed 14.08.25]

Notes: Only indigenous population living off reserve. Canada excluding territories.

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Men, 2021



Survey type: Self-reported


Age: 18+

References: Obesity Statistics in Canada: Report. 2025. Table A2.16. Data from 2021 Canadian Community Health Survey. <https://www.canada.ca/en/public-health/services/publications/healthy-living/obesity-statistics-canada.html#t-3d> [Accessed 14.08.25]

Notes: Only indigenous population living off reserve. Canada excluding territories.

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2021



Survey type: Self-reported

Age: 18+


References: Obesity Statistics in Canada: Report. 2025. Table A2.16. Data from 2021 Canadian Community Health Survey. <https://www.canada.ca/en/public-health/services/publications/healthy-living/obesity-statistics-canada.html#t-3d> [Accessed 14.08.25]

Notes: Only indigenous population living off reserve. Canada excluding territories.

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Double burden of underweight & overweight


Adults, 2022



Survey type:	Measured
Age:	20+
References:	NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. https://doi.org/10.1016/S0140-6736(23)02750-2 .
Notes:	Age Standardised estimates
Definitions:	Combined prevalence of BMI<18.5 kg/m ² and BMI≥30 kg/m ² (double burden of underweight and obesity)

Insufficient physical activity

Adults, 2022



Survey type: Self-reported


Age: 18+

Area covered: National

References: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

Definitions: Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Men, 2022



Survey type: Self-reported


Age: 18+

Area covered: National

References: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

Definitions: Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Women, 2022



Survey type: Self-reported

Age: 18+


Area covered: National

References: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

Definitions: Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Estimated per capita fruit intake

Adults, 2017



Survey type: Measured


Age: 25+

References: Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitions: Estimated per-capita fruit intake (g/day)

Estimated per-capita processed meat intake

Adults, 2017



Survey type: Measured


Age: 25+

References: Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitions: Estimated per-capita processed meat intake (g per day)

Estimated per capita whole grains intake

Adults, 2017



Survey type: Measured


Age: 25+

References: Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitions: Estimated per-capita whole grains intake (g/day)

Mental health - depression disorders

Adults, 2021




Age: 20+

Area covered: National

References: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

Definitions: Number living with depression per 100,000 population (adults 20+ years)

Men, 2021




Age: 20+

Area covered: National

References: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

Definitions: Number living with depression per 100,000 population (adults 20+ years)

Women, 2021



Age: 20+


Area covered: National

References: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

Definitions: Number living with depression per 100,000 population (adults 20+ years)

Mental health - anxiety disorders

Adults, 2021




Age: 20+

References: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

Definitions: Number living with anxiety per 100,000 population

Men, 2021




Age: 20+

References: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

Definitions: Number living with anxiety per 100,000 population

Women, 2021




Age: 20+

References: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

Definitions: Number living with anxiety per 100,000 population

Percent of population who cannot afford a healthy diet

Adults, 2022



Area covered:


National

References:

The Food Systems Dashboard. The Global Alliance for Improved Nutrition (GAIN), The Columbia Climate School, and Cornell University College of Agriculture and Life Sciences. 2024. Geneva, Switzerland. <https://www.foodsystemsdashboard.org>. DOI: <https://doi.org/10.36072/db>.

Oesophageal cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Women, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Breast cancer

Women, 2022



Area covered:

National

References:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions:

Incidence per 100,000

Colorectal cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Women, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Pancreatic cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Women, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Gallbladder cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Women, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Kidney cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Women, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Cancer of the uterus

Women, 2022




Age: 20+

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Raised blood pressure


Adults, 2015



References: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitions: Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).


Men, 2015



References: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitions: Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Women, 2015




References: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitions: Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Raised cholesterol


Adults, 2008



References: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definitions: % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).


Men, 2008



References: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definitions: % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Women, 2008




References: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definitions: % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Raised fasting blood glucose


Men, 2014



References: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A869?lang=en>

Definitions: Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).


Women, 2014



References:	Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A869?lang=en
Definitions:	Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Diabetes prevalence

Adults, 2024




References:

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. <http://www.diabetesatlas.org>

Ovarian Cancer

Women, 2022




Age: 20+

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Leukemia

Men, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2022



Age: 20+

Area covered: National


References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Liver and intrahepatic bile duct Cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Women, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Multiple Myeloma

Men, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2022



Age: 20+

Area covered: National


References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Non Hodgkin Lymphoma

Men, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2022



Age: 20+

Area covered: National


References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Thyroid Cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Women, 2022



Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

PDF created on August 19, 2025