



Kolombja



Country report card - adults

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.

View the latest version of this report on the Global Obesity Observatory at <https://data.worldobesity.org/country/colombia-43/>.

Prevalenza tal-obesità

Adulti, 2018



Tip ta' stazzarri:	Imkejjel
Età :	18-75
Id-daqs tal-kampjun:	1537

Erja Koperta:


Urban

Referenzi: Jimenez-Mora, Mario A et al. "Association of Overweight, Obesity and Abdominal Obesity with Socioeconomic Status and Educational Level in Colombia." Diabetes, metabolic syndrome and obesity : targets and therapy vol. 13 1887-1898. 3 Jun. 2020, doi:10.2147/DMSO.S244761

Sakemm ma jiġix indikat mod ieġsor, il-piż u l-ogħla jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obesità tirreferi għal BMI akbar minn 30kg/m².

% Adults living with obesity in Colombia, 2004-2015

Nisa



**Tip ta'
stÄšarriÄj:**

Imkejje


Referenzi:

2004: Instituto Colombiano de Bienestar Familiar. Encuesta Nacional de la Situación Nutricional (ENSIN), 2005. (2006). Available at: https://www.icbf.gov.co/sites/default/files/libro_2005.pdf [Accessed 18.07.25]
2010: ENSIN 2010. Available at <https://www.minsalud.gov.co/> (last accessed 05.10.20)
2015: ENSIN 2015. Available at <https://www.minsalud.gov.co/> (last accessed 05.10.20)

Sakemm ma jiġix indikat mod ieġor, il-piż $\frac{1}{4}$ $\frac{1}{4}$ ejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Metodoloġiji differenti setgħu ntuaw biex tinġabar din id-dejta u għalhekk dejta minn stazzjonijiet differenti tista' ma tkunx strettament komparabbli. Jekk jogħġbok iġi ekkja mas-sorsi tad-dejta oriġinali għall-metodoloġiji użati

IrÄjel



Tip ta'
stÄšarriÄ:

Imkejje


Referenzi:

2004: Instituto Colombiano de Bienestar Familiar. Encuesta Nacional de la Situación Nutricional (ENSIN), 2005. (2006). Available at: https://www.icbf.gov.co/sites/default/files/libro_2005.pdf [Accessed 18.07.25]
2010: ENSIN 2010. Available at <https://www.minsalud.gov.co/> (last accessed 05.10.20)
2015: ENSIN 2015. Available at <https://www.minsalud.gov.co/> (last accessed 05.10.20)

Sakemm ma jiÄjix indikat mod ieÄšor, il-piÄ¼ Ä¼ejjed jirreferi gÄšal BMI bejn 25kg u 29.9kg/mÄ², l-obeÄ¼itÄ tirreferi gÄšal BMI akbar minn 30kg/mÄ².

Metodoloġiji differenti setgħu ntuwaw biex tinġabar din id-dejta u għalhekk dejta minn stazzjonijiet differenti tista' ma tkunx strettament komparabbli. Jekk jogħġbok iġi ekkja mas-sorsi tad-dejta oriġinali għall-metodoloġiji użati

Men and women



Tip ta' stAşarriÄ:

Imkejjeġ

Referenzi:


2004: Instituto Colombiano de Bienestar Familiar. Encuesta Nacional de la Situación Nutricional (ENSIN), 2005. (2006). Available at: https://www.icbf.gov.co/sites/default/files/libro_2005.pdf [Accessed 18.07.25]
2010: ENSIN 2010. Available at <https://www.minsalud.gov.co/> (last accessed 05.10.20)
2015: ENSIN 2015. Available at <https://www.minsalud.gov.co/> (last accessed 05.10.20)

Sakemm ma jiÄix indikat mod ieÄşor, il-piÄ¼ Ä¼ejjed jirreferi gÄşal BMI bejn 25kg u 29.9kg/mÄ², l-obeÄ¼itÄ tirreferi gÄşal BMI akbar minn 30kg/mÄ².

Metodoloġġi differenti setgħu ntuwaw biex tinġabar din id-dejta u għalhekk dejta minn stazzjonijiet differenti tista' ma tkunx strettament komparabbli. Jekk jogħġbok iġi ekkja mas-sorsi tad-dejta oriġinali għall-metodoloġġi użati

% Adults living with overweight or obesity in Colombia, 2004-2015

Nisa



Tip ta'
stAšarriÄi:

Imkejjel


Referenzi:

2004: Instituto Colombiano de Bienestar Familiar. Encuesta Nacional de la Situación Nutricional (ENSIN), 2005. (2006). Available at: https://www.icbf.gov.co/sites/default/files/libro_2005.pdf [Accessed 18.07.25]
 2010: ENSIN 2010. Available at <https://www.minsalud.gov.co/> (last accessed 05.10.20)
 2015: ENSIN 2015. Available at <https://www.minsalud.gov.co/> (last accessed 05.10.20)

Sakemm ma jiġix indikat mod ieġsor, il-piż ¼ ¼ ¼ ejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżiż ¼ ¼ ¼ tirreferi għal BMI akbar minn 30kg/m².

Metodoloġiji differenti setgħu ntużaw biex tinġabar din id-dejta u għalhekk dejta minn staxxarriġi differenti tista' ma tkunx strettament komparabbli. Jekk jogħġbok iġi ekkja mas-sorsi tad-dejta oriġinali għall-metodoloġiji użati

IrÄiel



**Tip ta'
stÄšarriÄ:**

Imkejje


Referenzi:

2004: Instituto Colombiano de Bienestar Familiar. Encuesta Nacional de la Situación Nutricional (ENSIN), 2005. (2006). Available at: https://www.icbf.gov.co/sites/default/files/libro_2005.pdf [Accessed 18.07.25]
2010: ENSIN 2010. Available at <https://www.minsalud.gov.co/> (last accessed 05.10.20)
2015: ENSIN 2015. Available at <https://www.minsalud.gov.co/> (last accessed 05.10.20)

Sakemm ma jiÄix indikat mod ieÄšor, il-piÄ¼ Ä¼ejjed jirreferi gÄšal BMI bejn 25kg u 29.9kg/mÄ², l-obeÄ¼itÄ tirreferi gÄšal BMI akbar minn 30kg/mÄ².

Metodoloġiji differenti setgħu ntużaw biex tinġabar din id-dejta u għalhekk dejta minn stazzjonijiet differenti tista' ma tkunx strettament komparabbli. Jekk jogħġbok iġi ekkja mas-sorsi tad-dejta oriġinali għall-metodoloġiji użati

Men and women



Tip ta'
stAšarriÄ:

Imkejjeġ

Referenzi:


2004: Instituto Colombiano de Bienestar Familiar. Encuesta Nacional de la Situación Nutricional (ENSIN), 2005. (2006). Available at: https://www.icbf.gov.co/sites/default/files/libro_2005.pdf [Accessed 18.07.25]
2010: ENSIN 2010. Available at <https://www.minsalud.gov.co/> (last accessed 05.10.20)
2015: ENSIN 2015. Available at <https://www.minsalud.gov.co/> (last accessed 05.10.20)

Sakemm ma jiÄix indikat mod ieÄšor, il-piÄ¼ Ä¼ejjed jirreferi gÄšal BMI bejn 25kg u 29.9kg/mÄ², l-obeÄ¼itÄ tirreferi gÄšal BMI akbar minn 30kg/mÄ².

Metodoloġiji differenti setgħu ntuwaw biex tinġabar din id-dejta u għalhekk dejta minn stazzjonijiet differenti tista' ma tkunx strettament komparabbli. Jekk jogħġbok iġi ekkja mas-sorsi tad-dejta oriġinali għall-metodoloġiji użati

% Adults living with obesity in selected countries in the Americas Region 1960-2018, pajjiÅ¼i magÄšÅ¼ula

IrÄiel




Referenzi:

- 1960, 1971, 1973, 1976, 1991: Flegal KM, Carroll MD, Kuczmarski RJ, Johnson CL. Overweight and obesity in the United States: prevalence and trends, 1960-1994. *International Journal of Obesity* (1998);22:39-47
- 1975: Monteiro CA, Conde WL, Popking BM. Is obesity replacing or adding to undernutrition? Evidence from different social classes in Brazil. 2002. *Public Health Nutrition*:51(1A), 105-112
- 1988: Berrios X, Jadue I, Zenteno J, Ross MI, Rodriguez H. Prevalencia de factores de riesgo para enfermedades crónicas. Estudio de la población general de la región Metropolitana, 1986-1987. *Rev. Med. Chile.* 1990;118:597-604
- 1992: Uauy R, Albal C, Kain J. Obesity Trends in Latin America: Transiting from Under-to Overweight. *Journal of Nutrition* 2001;131:S893-S899
- 1994, 1995: Martorell R, Khan LK, Hughes ML, Grummer Strawn LM. Obesity in women from developing countries. *EJCN* (2000) 54;247-252
- 1997: Filozof C, Gonzales C, Sereday M, Mazza C, Braguinsky J. Obesity prevalence and trends in Latin American countries. *Obesity Reviews*, 2001;2:99-196
- 1998: Instituto Nacional de Estadística - INE/Guatemala and Macro International. 1999. Guatemala Encuesta Nacional de Salud Materno Infantil 1998-1999. Calverton, Maryland, USA: Instituto Nacional de Estadística - INE/Guatemala and Macro International.
- 1999: Centres for Disease Control and Prevention. <http://www.cdc.gov/>
- 2000: Personal Communication from Dr C Sanchez Castillio, Body Mass Index cutoff points for Type 2 Diabetes Mellitus and Hypertension in the Mexican National Health Survey 2000.
- 2001: Ogden CL, Carroll MD, Curtin LR, McDowell MA, Tabak CJ, Flegal KM. Prevalence of Overweight and Obesity in the United States, 1999-2004. *JAMA* 2006;295(13):1549-1555
- 2002: Monteiro CA, Conde WL and Popkin BA. (2007). Income-specific trends in obesity in Brazil: 1975 - 2003. *American Journal of Public Health*, 97 (10): 1808 - 1812.
- 2003: 2003 ENS Report. Final results on the National Health Survey. [Http://epi.minsal.cl/epi/html/invest/ENS/informeFinalENS.pdf](http://epi.minsal.cl/epi/html/invest/ENS/informeFinalENS.pdf).
- 2004: Instituto Colombiano de Bienestar Familiar. Encuesta Nacional de la Situación Nutricional (ENSIN), 2005. (2006). Available at: https://www.icbf.gov.co/sites/default/files/libro_2005.pdf [Accessed 18.07.25]
- 2005: Cayemittes, Michel, Marie Florence Placide, Soumaïla Mariko, Bernard Barrère, Blaise Sévère, and Canez Alexandre. 2007. Enquête Mortalité, Morbidité et Utilisation des Services, Haïti, 2005-2006. Calverton, Maryland, USA: Ministère de la Santé Publique et de la Population, Institut Haïtien de l'Enfance and Macro International.
- 2006: Olaiz-Fernández G, Rivera-Dommarco J, Shamah-Levy T, Rojas R, Villalpando-Hernández S, Hernández-Avila M, Sepúlveda-Amor J. Encuesta Nacional de Salud y Nutrición 2006. Cuernavaca, México: Instituto Nacional de Salud Pública, 2006. (National Health and Nutrition Survey 2006).
- 2007: Flegal KM, Carroll MD, Ogden CL and Curtin LR. (2010). Prevalence and trends in obesity among US adults, 1999-2008. *Journal of the American Medical Association*, 303 (3): 235 - 241.
- 2008: Ramirez-Zea M, Kroker-Lobos MF, Close-Fernandez R, Kanter R. The double burden of malnutrition in indigenous and nonindigenous Guatemalan populations. *Am J Clin Nutr.* 2014 Dec;100(6):1644S-51S. doi: 10.3945/ajcn.114.083857
- 2009: NHANES Survey - Published in Flegal KM, Carroll MD, Kit BK, Ogden CL. Prevalence of Obesity and Trends in the Distribution of Body Mass Index Among US Adults, 1999-2010. *JAMA* Published online January 17, 2012. doi: 10.1001/jama.2012.39
- 2010: ENSIN 2010. Available at <https://www.minsalud.gov.co/> (last accessed 05.10.20)
- 2011: Ruopeng An, "Prevalence and Trends of Adult Obesity in the US, 1999-2012", *ISRN Obesity*, vol. 2014, Article ID 185132, 6 pages, 2014. doi:10.1155/2014/185132
- 2012: Cayemittes, Michel, Michelle Fatuma Busangu, Jean de Dieu Bizimana, Bernard Barrère, Blaise Sévère, Viviane Cayemittes and Emmanuel Charles. 2013. Enquête Mortalité, Morbidité et Utilisation des Services, Haïti, 2012. Calverton, Maryland, USA: Ministère de la Santé Publique et de la Population - MSP/Haïti, l'Institut Haïtien de l'Enfance - IHE, and ICF International.
- 2013: FERREIRA, Arthur Pate de Souza; SZWARCOWALD, Célia Landmann and DAMACENA, Giseli Nogueira. Prevalence of obesity and associated factors in the Brazilian population: a study of data from the 2013 National Health Survey. *Rev. bras. epidemiol.* [online]. 2019, vol.22 [cited 2019-05-16], e190024. Available from: http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1415-790X2019000100420&lng=en&nrm=iso. Epub Apr 01, 2019. ISSN 1415-790X. <http://dx.doi.org/10.1590/1980-549720190024>.
- 2014: Ministerio de Salud Pública y Asistencia Social - MSPAS/Guatemala, Instituto Nacional de Estadística - INE/Guatemala, Secretaría de Planificación y Programación de la Presidencia - Segeplán/Guatemala and ICF International. 2017. Encuesta Nacional de Salud Materno Infantil 2014-2015: Informe Final. Rockville, Maryland, USA: MSPAS, INE, Segeplán and ICF International.
- 2015: ENSIN 2015. Available at <https://www.minsalud.gov.co/> (last accessed 05.10.20)
- 2016: Encuesta Nacional de Salud y Nutrición de Medio Camino 2016
- 2017: Reanalysis of NHANES 2017/18 by Rachel Jackson Leach, Jaynaide Powis World Obesity Federation
- 2018: 4th National Survey, Full report available at http://www.msal.gob.ar/images/stories/bes/graficos/0000001622cnt-2019-10_4ta-encuesta-nacional-factores-riesgo.pdf (last accessed 29.04.20)
- 2019: Pesquisa nacional de saúde : 2019 : ciclos de vida : Brasil / IBGE, Coordenação de Trabalho e Rendimento. - Rio de Janeiro : IBGE, 2021. Available at <https://www.ibge.gov.br/en/statistics/social/health/16840-national-survey-of-health.html?=&t=resultados> (last accessed 04.04.23)
- 2020: INEI (2021) Peru Encuesta Demográfica y de Salud Familiar Endes 2020. Available at https://www.inei.gob.pe/media/MenuRecursivo/publicaciones_digitales/Est/Lib1795/ (last accessed 28.03.23)
- 2021: Shamah-Levy T, Romero-Martínez M, Barrientos-Gutiérrez T, Cuevas-Nasu L, Bautista-Arredondo S, Colchero MA, Gaona-Pineda EB, Lazcano-Ponce E, Martínez-Barnette J, Alpuche-Arana C, Rivera-Dommarco J. Encuesta Nacional de Salud y Nutrición 2021 sobre Covid-19. Resultados nacionales. Cuernavaca, México: Instituto Nacional de Salud Pública, 2022. <https://ensanut.insp.mx/encuestas/ensanutcontinua2021/informes.php> (Accessed 03.01.2023)
- 2022: Perú: Encuesta Demográfica y de Salud Familiar 2022 - Nacional y Departamental. Available at <https://www.gob.pe/institucion/inei/informes-publicaciones/4233597-peru-encuesta-demografica-y-de-salud-familiar-endes-2022>
- 2023: Shamah-Levy T, Lazcano-Ponce E, Cuevas-Nasu L, Romero-Martínez M, Gaona-Pineda EB, Gómez-Acosta JM,

Metodoloġiji differenti setgħu ntuaw biex tinġabar din id-dejta u għalhekk dejta minn stazzjonijiet differenti tista' ma tkunx strettament komparabbli. Jekk jogħġbok iġi ekkja mas-sorsi tad-dejta oriġinali għall-metodoloġiji użati

Nisa




Referenzi:

- 1960, 1971, 1973, 1976, 1991: Flegal KM, Carroll MD, Kuczmarski RJ, Johnson CL. Overweight and obesity in the United States: prevalence and trends, 1960-1994. *International Journal of Obesity* (1998);22:39-47
- 1975: Monteiro CA, Conde WL, Popking BM. Is obesity replacing or adding to undernutrition? Evidence from different social classes in Brazil. 2002. *Public Health Nutrition*:51(1A), 105-112
- 1988: Berrios X, Jadue I, Zenteno J, Ross MI, Rodriguez H. Prevalencia de factores de riesgo para enfermedades cronicas. Estudio de la poblacion general de la region Metropolitana, 1986-1987. *Rev. Med. Chile*. 1990;118:597-604
- 1992: Uauy R, Albal C, Kain J. Obesity Trends in Latin America: Transiting from Under-to Overweight. *Journal of Nutrition* 2001;131:S893-S899
- 1994, 1995: Martorell R, Khan LK, Hughes ML, Grummer Strawn LM. Obesity in women from developing countries. *EJCN* (2000) 54;247-252
- 1997: Filozof C, Gonzales C, Sereday M, Mazza C, Braguinsky J. Obesity prevalence and trends in Latin American countries. *Obesity Reviews*, 2001;2:99-196
- 1998: Instituto Nacional de Estadística - INE/Guatemala and Macro International. 1999. *Guatemala Encuesta Nacional de*

Metodoloġiji differenti setgħu ntuwaw biex tinġabar din id-dejta u għalhekk dejta minn stazzjonijiet differenti tista' ma tkunx strettament komparabbli. Jekk jogħġbok iġi ekkja mas-sorsi tad-dejta oriġinali għall-metodoloġiji użati

Piżżejjed/obeżżità skont l-edukazzjoni

Adulti, 2018



Tip ta' stazzjoni:	Imkejjel
Età :	18-75
Id-daqs tal-kampjun:	1537

Erja Koperta:


Urban

Referenzi: Jimenez-Mora, Mario A et al. "Association of Overweight, Obesity and Abdominal Obesity with Socioeconomic Status and Educational Level in Colombia." Diabetes, metabolic syndrome and obesity : targets and therapy vol. 13 1887-1898. 3 Jun. 2020, doi:10.2147/DMSO.S244761

Sakemm ma jiġix indikat mod ieġsor, il-piż u l-ogħla jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Piżżejjed/obeżżeżt skont l-et

Adulti, 2018



Tip ta' stazzjoni:	Imkejjel
Id-daqs tal-kampjun:	1537
Erja Koperta:	Urban


Referenzi:

Jimenez-Mora, Mario A et al. "Association of Overweight, Obesity and Abdominal Obesity with Socioeconomic Status and Educational Level in Colombia." Diabetes, metabolic syndrome and obesity : targets and therapy vol. 13 1887-1898. 3 Jun. 2020, doi:10.2147/DMSO.S244761

Sakemm ma jiÅix indikat mod ieÅsor, il-piÅ¼ Å¼ejjed jirreferi gÅšal BMI bejn 25kg u 29.9kg/mÅ², l-obeÅ¼itÅ tirreferi gÅšal BMI akbar minn 30kg/mÅ².

Piżżejjed/obeżżità skont ir-reġjun

Adulti, 2018



Tip ta' stazzjoni:	Imkejjel
Età :	18-75
Id-daqs tal-kampjun:	1537

Erja Koperta:


Urban

Referenzi: Jimenez-Mora, Mario A et al. "Association of Overweight, Obesity and Abdominal Obesity with Socioeconomic Status and Educational Level in Colombia." Diabetes, metabolic syndrome and obesity : targets and therapy vol. 13 1887-1898. 3 Jun. 2020, doi:10.2147/DMSO.S244761

Sakemm ma jiġix indikat mod ieġsor, il-piż u l-ogħla jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

PiÅ¼ejjed/obeÅ¼ità skont il-grupp soĊjoekonomiku

Adulti, 2018



Tip ta' stÅsarriÅ:	Imkejjel
EtÅ :	18-75
Id-daqs tal-kampjun:	1537

Erja Koperta:

Urban


Referenzi: Jimenez-Mora, Mario A et al. "Association of Overweight, Obesity and Abdominal Obesity with Socioeconomic Status and Educational Level in Colombia." Diabetes, metabolic syndrome and obesity : targets and therapy vol. 13 1887-1898. 3 Jun. 2020, doi:10.2147/DMSO.S244761

Sakemm ma jiġix indikat mod ieġsor, il-piż u l-ogħla jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Piżżejjed/obeżżità skont l-etniċità

Ethnic groups are as defined by publication of origin and are not as defined by WOF. In some instances ethnicity is conflated with nationality and/or race.

Adulti, 2015-2016




Tip ta' stAġarriÄ:	Imkejjel
EtÄ :	18-64
Id-daqs tal-kampjun:	74,200
Erja Koperta:	Nazzjonali
Referenzi:	Libro ENSIN 2015. Available at: https://www.minsalud.gov.co/ [Accessed 18.07.25]

Sakemm ma jiġix indikat mod ieġor, il-piż ½ ittirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Double burden of underweight & overweight

Adulti, 2022



Tip ta'
stAšarriÄj:

Imkejjel

EtÄ :

20+


Referenzi:

NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. [https://doi.org/10.1016/S0140-6736\(23\)02750-2](https://doi.org/10.1016/S0140-6736(23)02750-2).

Noti:	Age Standardised estimates
Definizzjonijiet (disponibbli bl-Ingliż u bl-Ispaġnizz):	Combined prevalence of BMI<18.5 kg/m ² and BMI≥30 kg/m ² (double burden of underweight and obesity)

Attivit  fi  ika insuffi  jenti

Adulti, 2022



Tip ta'
st  sarri :

Irrappurtat mill-persuna nnifisha

Et  :

18+


Erja Koperta:

Nazzjonali

Referenzi: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

Definizzjonijiet (disponibbli bl-IngliÅ¼ biss): Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

IrÄjiel, 2022



Tip ta' stÄsarriÄ:

Irrappurtat mill-persuna nnifisha

EtÄ :

18+

Erja Koperta:

Nazzjonali


Referenzi:

WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

**Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):**

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Nisa, 2022



Tip ta' stAġarriÄ:

Irrappurtat mill-persuna nnifisha

EtÄ :

18+

Erja Koperta:

Nazzjonali

Referenzi:


WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Estimated per capita fruit intake

Adulti, 2017



Tip ta'
stAšarriÄj:

Imkejjel

EtÄ :

25+

Referenzi:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):**

Estimated per-capita fruit intake (g/day)

Konsum stmat ta' laÄšam ipproÄ essat per capita

Adulti, 2017



Tip ta' stÄšarriÄ:

Imkejjel

EtÄ :

25+

Referenzi:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):**

Estimated per-capita processed meat intake (g per day)

Estimated per capita whole grains intake

Adulti, 2017



Tip ta'
stAšarriÄj:

Imkejjel

EtÄ :

25+

Referenzi:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):**

Estimated per-capita whole grains intake (g/day)

Saġġa mentali - disturbi tad-depressjoni

Adulti, 2021



Età : 20+


Erja Koperta: Nazzjonali

Referenzi: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):**

Number living with depression per 100,000 population (adults 20+ years)

IrÄiel, 2021



EtÄ : 20+


Erja Koperta: Nazzjonali

Referenzi: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):**

Number living with depression per 100,000 population (adults 20+ years)

Nisa, 2021



EtÄ : 20+

Erja Koperta: Nazzjonali


Referenzi: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):**

Number living with depression per 100,000 population (adults 20+ years)

Saġġa mentali - disturbi ta' ansjetà

Adulti, 2021




Età : 20+

Referenzi: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

**Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):**


Number living with anxiety per 100,000 population

IrÄiel, 2021



EtÄ :	20+
Referenzi:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25).
Definizzjonijiet (disponibbli bl-IngliÅ¼ biss):	Number living with anxiety per 100,000 population


Nisa, 2021



Etã :	20+
Referenzi:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25).
Definizzjonijiet (disponibbli bl-IngliÅ¼ biss):	Number living with anxiety per 100,000 population

Percent of population who cannot afford a healthy diet

Adulti, 2022



Erja Koperta:


Nazzjonali

Referenzi:

The Food Systems Dashboard. The Global Alliance for Improved Nutrition (GAIN), The Columbia Climate School, and Cornell University College of Agriculture and Life Sciences. 2024. Geneva, Switzerland.
<https://www.foodsystemsdashboard.org>. DOI: <https://doi.org/10.36072/db>.

KanÄ¶ er tal-esofagu

IrÄ¶iel, 2022




EtÄ¶ :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Nisa, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):**

Indicence per 100,000

KanÄ¶ er tas-sider

Nisa, 2022



Erja Koperta:

Nazzjonali

Referenzi:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):

Incidence per 100,000

KanÄ¶ er kolorettali

IrÄ¶iel, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Nisa, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):

Incidence per 100,000

KanÄ er tal-frixa

IrÄiel, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Nisa, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):

Incidence per 100,000

KanÄ¶ er tal-marrara

IrÄ¶iel, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Nisa, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):

Indicence per 100,000

KanÄ er tal-kliewi

IrÄiel, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Nisa, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):

Incidence per 100,000

KanÄ er tal-utru

Nisa, 2022



EtÄ : 20+


Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):

Incidence per 100,000

Pressjoni gÄšolja tad-demmm

Adulti, 2015




Referenzi:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

**Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):**

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

IrÄiel, 2015




Referenzi:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definizzjonijiet (disponibbli bl-IngliÅ¼ biss):

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Nisa, 2015



Referenzi:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definizzjonijiet (disponibbli bl-Ingliż u biss):

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Kolesterol gÅšoli


Adulti, 2008



Referenzi: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>


Definizzjonijiet (disponibbli bl-IngliÅ¼ biss): % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

IrÄiel, 2008



Referenzi:	Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885
Definizzjonijiet (disponibbli bl-IngliÅ¼ biss):	% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).


Nisa, 2008



Referenzi:	Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885
Definizzjonijiet (disponibbli bl-IngliÅ¼ biss):	% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Zokkor fid-demmm gÄšoli waqt is-sawm

IrÄġiel, 2014




Referenzi:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

**Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):**

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Nisa, 2014



Referenzi:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definizzjonijiet (disponibbli bl-Ingliż u biss):

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Prevalenza tad-dijabete


Adulti, 2024

**Referenzi:**

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. <http://www.diabetesatlas.org>

Ovarian Cancer

Nisa, 2022



EtÄ : 20+


Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):

Incidence per 100,000

Leukemia

IrÄiel, 2022



EtÄ : 20+


Erja Koperta: Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-IngliÅi biss): Incidence per 100,000


Sakemm ma jiÄix indikat mod ieÄor, il-piÄÄ ejjed jirreferi gÄal BMI bejn 25kg u 29.9kg/m², l-obeÄitÄ tirreferi gÄal BMI akbar minn 30kg/m².

Nisa, 2022



Leukemia

IrÄġiel, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Sakemm ma jiġix indikat mod ieġor, il-piżż il-ewwel jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżitá tirreferi għal BMI akbar minn 30kg/m².

Nisa, 2022



EtÄ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


**Definizzjonijiet
(disponibbli
bl-Ingliż
biss):**

Incidence per 100,000

Sakemm ma jiġix indikat mod ieġor, il-piż u l-ogħla jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Liver and intrahepatic bile duct Cancer

IrÄjiel, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Nisa, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):

Incidence per 100,000

Multiple Myeloma

IrÄjiel, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Indicence per 100,000

Sakemm ma jiġix indikat mod ieġor, il-piżż il-ewwel jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Nisa, 2022



EtÄ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


**Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):**

Indicence per 100,000

Sakemm ma jiÅ¼ix indikat mod ieÅ¼sor, il-piÅ¼ ¼ Å¼ejjed jirreferi gÅ¼al BMI bejn 25kg u 29.9kg/mÅ², l-obeÅ¼itÅ¼ tirreferi gÅ¼al BMI akbar minn 30kg/mÅ².

Non Hodgkin Lymphoma

IrÄiel, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Sakemm ma jiġix indikat mod ieġor, il-piżż il-ewwel jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Nisa, 2022



EtÄ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


**Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):**

Incidence per 100,000

Sakemm ma jiÅ¼ix indikat mod ieÅ¼sor, il-piÅ¼ ¼ Å¼ejjed jirreferi gÅ¼sal BMI bejn 25kg u 29.9kg/mÅ², l-obeÅ¼itÅ¼ tirreferi gÅ¼sal BMI akbar minn 30kg/mÅ².

Thyroid Cancer

IrÄiel, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):

Incidence per 100,000

Nisa, 2022



EtÄ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizzjonijiet
(disponibbli
bl-IngliÅ¼
biss):**

Incidence per 100,000

PDF created on July 19, 2025