
Czechia




Country report card - children

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for children, including adolescents (aged 5 to 18 years). Where available, data on common and relevant obesity drivers and comorbidities are also presented.

View the latest version of this report on the Global Obesity Observatory at https://data.worldobesity.org/country/czechia-54/.

Obesity prevalence

Children, 2022-2024




Survey type:	Measured
Age:	7
Sample size:	669
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	WHO European Childhood Obesity Surveillance Initiative (COSI): report on the sixth round of data collection, 2022– 2024. Copenhagen: WHO Regional Office for Europe; 2025. Licence: CC BY-NC-SA 3.0 IGO.
Cutoffs:	WHO 2007

% Children (aged 7) living with obesity, 2007-2022 (WHO)

Boys



Survey type:	Measured

Đ¡Đ¿Đ¸Ñ Đ¾ĐºĐ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :

2007: Wijnhoven, T.M.A., van Raaij, J.M.A., Spinelli, A., Rito, A.I., Hovengen, R., Kunesova, M., Starc, G., Rutter, H., Sjoberg, A., Petrauskiene, A., O'Dwyer, U., Petrova, S., Farrugia Sant'Angelo, V., Wauters, M., Yngve, A., Rubana, I.-M. and Breda, J. (2013), WHO-COSI 2008: weight, height and BMI. Pediatric Obesity, 8: 79-97. https://doi.org/10.1111/j.2047-6310.2012.00090.x

2009: Wijnhoven, T.M., van Raaij, J.M., Spinelli, A. et al. WHO European Childhood Obesity Surveillance Initiative: body mass index and level of overweight among 6-9-year-old children from school year 2007/2008 to school year 2009/2010. BMC Public Health 14, 806 (2014). https://doi.org/10.1186/1471-2458-14-806

2012: WORLD HEALTH ORGANIZATION. (2018). WHO European Childhood Obesity Surveillance Initiative: overweight and obesity among 6–9-year-old children. Available: http://www.euro.who.int/__data/assets/pdf_file/0010/378865/COSI-3.pdf?ua=1. Last accessed [Accessed 28th Aug 2018].

2016: Report on the fourth round of data collection, 2015–2017: WHO European Childhood Obesity Surveillance Initiative (COSI).


2018: Report on the fifth round of data collection, 2018–2020: WHO European Childhood Obesity Surveillance Initiative (COSI). Copenhagen: WHO Regional Office for Europe; 2022. Licence: CC BY-NC-SA 3.0 IGO.

Notes: WHO European Childhood Obesity Surveillance Initiative (COSI)

Definitions: WHO 2007 cutoffs

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Girls



Survey type:	Measured

Đ¡Đ¿Đ¸Ñ Đ¾ĐºĐ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :

2007: Wijnhoven, T.M.A., van Raaij, J.M.A., Spinelli, A., Rito, A.I., Hovengen, R., Kunesova, M., Starc, G., Rutter, H., Sjoberg, A., Petrauskiene, A., O'Dwyer, U., Petrova, S., Farrugia Sant'Angelo, V., Wauters, M., Yngve, A., Rubana, I.-M. and Breda, J. (2013), WHO-COSI 2008: weight, height and BMI. Pediatric Obesity, 8: 79-97. https://doi.org/10.1111/j.2047-6310.2012.00090.x

2009: Wijnhoven, T.M., van Raaij, J.M., Spinelli, A. et al. WHO European Childhood Obesity Surveillance Initiative: body mass index and level of overweight among 6-9-year-old children from school year 2007/2008 to school year 2009/2010. BMC Public Health 14, 806 (2014). https://doi.org/10.1186/1471-2458-14-806

2012: WORLD HEALTH ORGANIZATION. (2018). WHO European Childhood Obesity Surveillance Initiative: overweight and obesity among 6–9-year-old children. Available: http://www.euro.who.int/__data/assets/pdf_file/0010/378865/COSI-3.pdf?ua=1. Last accessed [Accessed 28th Aug 2018].

2016: Report on the fourth round of data collection, 2015–2017: WHO European Childhood Obesity Surveillance Initiative (COSI).

2018: Report on the fifth round of data collection, 2018–2020: WHO European Childhood Obesity Surveillance Initiative (COSI). Copenhagen: WHO Regional Office for Europe; 2022. Licence: CC BY-NC-SA 3.0 IGO.


Notes: WHO European Childhood Obesity Surveillance Initiative (COSI)

Definitions: WHO 2007 cutoffs

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

% Children (aged 7) living with overweight or obesity, 2007-2022 (WHO)

Boys




Survey type:	Measured

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	2007: Wijnhoven, T.M.A., van Raaij, J.M.A., Spinelli, A., Rito, A.I., Hovengen, R., Kunesova, M., Starc, G., Rutter, H., Sjoberg, A., Petrauskiene, A., O'Dwyer, U., Petrova, S., Farrugia Sant'Angelo, V., Wauters, M., Yngve, A., Rubana, I.-M. and Breda, J. (2013), WHO-COSI 2008: weight, height and BMI. Pediatric Obesity, 8: 79-97. https://doi.org/10.1111/j.2047-6310.2012.00090.x 2009: Wijnhoven, T.M., van Raaij, J.M., Spinelli, A. et al. WHO European Childhood Obesity Surveillance Initiative: body mass index and level of overweight among 6-9-year-old children from school year 2007/2008 to school year 2009/2010. BMC Public Health 14, 806 (2014). https://doi.org/10.1186/1471-2458-14-806 2012: WORLD HEALTH ORGANIZATION. (2018). WHO European Childhood Obesity Surveillance Initiative: overweight and obesity among 6–9-year-old children. Available: http://www.euro.who.int/__data/assets/pdf_file/0010/378865/COSI-3.pdf?ua=1. Last accessed [Accessed 28th Aug 2018]. 2016: Report on the fourth round of data collection, 2015–2017: WHO European Childhood Obesity Surveillance Initiative (COSI). 2018: Report on the fifth round of data collection, 2018–2020: WHO European Childhood Obesity Surveillance Initiative (COSI). Copenhagen: WHO Regional Office for Europe; 2022. Licence: CC BY-NC-SA 3.0 IGO.
Notes:	WHO European Childhood Obesity Surveillance Initiative (COSI)
Definitions:	WHO 2007 cutoffs

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Girls



Survey type:	Measured

Đ¡Đ¿Đ¸Ñ Đ¾ĐºĐ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :

2007: Wijnhoven, T.M.A., van Raaij, J.M.A., Spinelli, A., Rito, A.I., Hovengen, R., Kunesova, M., Starc, G., Rutter, H., Sjoberg, A., Petrauskiene, A., O'Dwyer, U., Petrova, S., Farrugia Sant'Angelo, V., Wauters, M., Yngve, A., Rubana, I.-M. and Breda, J. (2013), WHO-COSI 2008: weight, height and BMI. Pediatric Obesity, 8: 79-97. https://doi.org/10.1111/j.2047-6310.2012.00090.x

2009: Wijnhoven, T.M., van Raaij, J.M., Spinelli, A. et al. WHO European Childhood Obesity Surveillance Initiative: body mass index and level of overweight among 6-9-year-old children from school year 2007/2008 to school year 2009/2010. BMC Public Health 14, 806 (2014). https://doi.org/10.1186/1471-2458-14-806

2012: WORLD HEALTH ORGANIZATION. (2018). WHO European Childhood Obesity Surveillance Initiative: overweight and obesity among 6–9-year-old children. Available: http://www.euro.who.int/__data/assets/pdf_file/0010/378865/COSI-3.pdf?ua=1. Last accessed [Accessed 28th Aug 2018].

2016: Report on the fourth round of data collection, 2015–2017: WHO European Childhood Obesity Surveillance Initiative (COSI).

2018: Report on the fifth round of data collection, 2018–2020: WHO European Childhood Obesity Surveillance Initiative (COSI). Copenhagen: WHO Regional Office for Europe; 2022. Licence: CC BY-NC-SA 3.0 IGO.


Notes: WHO European Childhood Obesity Surveillance Initiative (COSI)

Definitions: WHO 2007 cutoffs

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

10-16 year olds living with obesity in Czech Republic by socio-economic group


Boys



Survey type:	Self-reported
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Sigmund E, Sigmundová D, Badura P, et al. Time-trends and correlates of obesity in Czech adolescents in relation to family socioeconomic status over a 16-year study period (2002-2018). BMC Public Health. 2020;20(1):229.

Notes:	> 97th Centile
Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.	

Girls




Survey type:	Self-reported
Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¼Ñ Đ°Ñ Ñ Ñ Ñ :	Sigmund E, Sigmundová D, Badura P, et al. Time-trends and correlates of obesity in Czech adolescents in relation to family socioeconomic status over a 16-year study period (2002-2018). BMC Public Health. 2020;20(1):229.
Notes:	> 97th Centile

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Overweight/obesity by education

Children, 2007-2013




Survey type:	Measured
Age:	7
Sample size:	6,250
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¼Ñ Đ°Ñ Ñ Ñ :	Spinelli et al (2019). 'Childhood Severe Obesity in Europe', Obes Facts.12, pp. 244–258. (Data from COSI round 1-3)
Notes:	WHO cut-offs used. Based on Mother's education level.
Cutoffs:	WHO

Overweight/obesity by age

Children, 2021-2022




Survey type:	Self-reported
Area covered:	See Report

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¸ ĐµÑ Đ°Ñ Ñ Ñ :	RakiÃ â ¡ JG, Hamrik Z, Dzielska A, Felder-Puig R, Oja L, Bakalár P et al. A focus on adolescent physical activity, eating behaviours, weight status and body image in Europe, central Asia and Canada. Health Behaviour in School-aged Children (HBSC) international report from the 2021/2022 survey. Volume 4. Copenhagen: WHO Regional Office for Europe; 2024. 'Any translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition'
Notes:	HBSC aims to survey approximately 1500 pupils per age group in each country or region (totaling around 4500)
Cutoffs:	+2SD

Overweight/obesity by socio-economic group


Boys, 2021-2022



Survey type:	Self-reported
Age:	11-15

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¼Ñ Đ°Ñ Ñ Ñ :	Raki? JG, Hamrik Z, Dzielska A, Felder-Puig R, Oja L, Bakalár P et al. A focus on adolescent physical activity, eating behaviours, weight status and body image in Europe, central Asia and Canada. Health Behaviour in School-aged Children (HBSC) international report from the 2021/2022 survey. Volume 4. Copenhagen: WHO Regional Office for Europe; 2024. 'Any translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition'
Notes:	Family affluence scaleHBSC aims to survey approximately 1500 pupils per age group in each country or region (totaling around 4500)
Cutoffs:	+2SD

Girls, 2021-2022




Survey type:	Self-reported
Age:	11-15
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Raki? JG, Hamrik Z, Dzielska A, Felder-Puig R, Oja L, Bakalár P et al. A focus on adolescent physical activity, eating behaviours, weight status and body image in Europe, central Asia and Canada. Health Behaviour in School-aged Children (HBSC) international report from the 2021/2022 survey. Volume 4. Copenhagen: WHO Regional Office for Europe; 2024. 'Any translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition'

Notes:	Family affluence scaleHBSC aims to survey approximately 1500 pupils per age group in each country or region (totaling around 4500)
Cutoffs:	+2SD

Double burden of underweight & obesity

Children, 2022




Survey type:	Measured
Age:	5-19
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. https://doi.org/10.1016/S0140-6736(23)02750-2.

Notes:	Age standardised estimates
Definitions:	Combined prevalence of BMI < -2SD and BMI > 2SD (double burden of thinness and obesity)
Cutoffs:	BMI < -2SD and BMI > 2SD

Insufficient physical activity


Children, 2022-2024



Survey type:	Self-reported
Age:	6-9
Sample size:	783
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	WHO European Childhood Obesity Surveillance Initiative (COSI): report on the sixth round of data collection, 2022– 2024. Copenhagen: WHO Regional Office for Europe; 2025. Licence: CC BY-NC-SA 3.0 IGO.
Notes:	National data excluding Germany (Bremen only) and Kazakhstan (Almaty only).
Definitions:	Percentage of children not meeting WHO recommendations for physical activity, i.e. not playing actively/vigorously for at least one hour a day on an average day, as reported by their parent


Boys, 2022-2024



Survey type:	Self-reported
Age:	6-9
Sample size:	783
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	WHO European Childhood Obesity Surveillance Initiative (COSI): report on the sixth round of data collection, 2022– 2024. Copenhagen: WHO Regional Office for Europe; 2025. Licence: CC BY-NC-SA 3.0 IGO.
Notes:	National data excluding Germany (Bremen only) and Kazakhstan (Almaty only).
Definitions:	Percentage of children not meeting WHO recommendations for physical activity, i.e. not playing actively/vigorously for at least one hour a day on an average day, as reported by their parent

Girls, 2022-2024




Survey type:	Self-reported
Age:	6-9
Sample size:	783
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾ĐºĐ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	WHO European Childhood Obesity Surveillance Initiative (COSI): report on the sixth round of data collection, 2022– 2024. Copenhagen: WHO Regional Office for Europe; 2025. Licence: CC BY-NC-SA 3.0 IGO.
Notes:	National data excluding Germany (Bremen only) and Kazakhstan (Almaty only).
Definitions:	Percentage of children not meeting WHO recommendations for physical activity, i.e. not playing actively/vigorously for at least one hour a day on an average day, as reported by their parent

Prevalence of at least daily soft drink consumption


Children, 2022-2024



Survey type:	Self-reported
Age:	6-9
Sample size:	883
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	WHO European Childhood Obesity Surveillance Initiative (COSI): report on the sixth round of data collection, 2022– 2024. Copenhagen: WHO Regional Office for Europe; 2025. Licence: CC BY-NC-SA 3.0 IGO.
Notes:	National data excluding Germany (Bremen only) and Kazakhstan (Almaty only)
Definitions:	Prevalence of daily consumption of soft drinks containing sugar, as reported by the child's parent (%)


Boys, 2022-2024



Survey type:	Self-reported
Age:	6-9
Sample size:	883
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾ĐºĐ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	WHO European Childhood Obesity Surveillance Initiative (COSI): report on the sixth round of data collection, 2022– 2024. Copenhagen: WHO Regional Office for Europe; 2025. Licence: CC BY-NC-SA 3.0 IGO.
Notes:	National data excluding Germany (Bremen only) and Kazakhstan (Almaty only)
Definitions:	Prevalence of daily consumption of soft drinks containing sugar, as reported by the child's parent (%)

Girls, 2022-2024




Survey type:	Self-reported
Age:	6-9
Sample size:	883
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	WHO European Childhood Obesity Surveillance Initiative (COSI): report on the sixth round of data collection, 2022– 2024. Copenhagen: WHO Regional Office for Europe; 2025. Licence: CC BY-NC-SA 3.0 IGO.
Notes:	National data excluding Germany (Bremen only) and Kazakhstan (Almaty only)
Definitions:	Prevalence of daily consumption of soft drinks containing sugar, as reported by the child's parent (%)

Prevalence of less than daily fruit consumption


Children, 2022-2024



Survey type:	Self-reported
Age:	6-9
Sample size:	882
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	WHO European Childhood Obesity Surveillance Initiative (COSI): report on the sixth round of data collection, 2022– 2024. Copenhagen: WHO Regional Office for Europe; 2025. Licence: CC BY-NC-SA 3.0 IGO.
Definitions:	Proportion of children whose parents reported that their child consumes fruit less than daily


Boys, 2022-2024



Survey type:	Self-reported
Age:	6-9
Sample size:	882
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	WHO European Childhood Obesity Surveillance Initiative (COSI): report on the sixth round of data collection, 2022– 2024. Copenhagen: WHO Regional Office for Europe; 2025. Licence: CC BY-NC-SA 3.0 IGO.
Definitions:	Proportion of children whose parents reported that their child consumes fruit less than daily

Girls, 2022-2024




Survey type:	Self-reported
Age:	6-9
Sample size:	882
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	WHO European Childhood Obesity Surveillance Initiative (COSI): report on the sixth round of data collection, 2022– 2024. Copenhagen: WHO Regional Office for Europe; 2025. Licence: CC BY-NC-SA 3.0 IGO.
Definitions:	Proportion of children whose parents reported that their child consumes fruit less than daily

Prevalence of less than daily vegetable consumption


Children, 2022-2024



Survey type:	Self-reported
Age:	6-9
Sample size:	883
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	WHO European Childhood Obesity Surveillance Initiative (COSI): report on the sixth round of data collection, 2022– 2024. Copenhagen: WHO Regional Office for Europe; 2025. Licence: CC BY-NC-SA 3.0 IGO.
Notes:	National data excluding Germany (Bremen only) and Kazakhstan (Almaty only).
Definitions:	Proportion of children whose parents reported that their child consumes vegetables less than daily


Boys, 2022-2024



Survey type:	Self-reported
Age:	6-9
Sample size:	883
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	WHO European Childhood Obesity Surveillance Initiative (COSI): report on the sixth round of data collection, 2022– 2024. Copenhagen: WHO Regional Office for Europe; 2025. Licence: CC BY-NC-SA 3.0 IGO.
Notes:	National data excluding Germany (Bremen only) and Kazakhstan (Almaty only).
Definitions:	Proportion of children whose parents reported that their child consumes vegetables less than daily

Girls, 2022-2024




Survey type:	Self-reported
Age:	6-9
Sample size:	883
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	WHO European Childhood Obesity Surveillance Initiative (COSI): report on the sixth round of data collection, 2022– 2024. Copenhagen: WHO Regional Office for Europe; 2025. Licence: CC BY-NC-SA 3.0 IGO.
Notes:	National data excluding Germany (Bremen only) and Kazakhstan (Almaty only).
Definitions:	Proportion of children whose parents reported that their child consumes vegetables less than daily

Mental health - depression disorders


Children, 2023



Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26]


Definitions:	Estimated number living with depressive disorders per 100,000 population (under 20 years of age)

Boys, 2023



Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ □ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26]
Definitions:	Estimated number living with depressive disorders per 100,000 population (under 20 years of age)


Girls, 2023



Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26]
Definitions:	Estimated number living with depressive disorders per 100,000 population (under 20 years of age)

Mental health - anxiety disorders


Children, 2023



Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26]


Definitions:	Estimated number living with anxiety disorders per 100,000 population (under 20 years of age)

Boys, 2023



Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26]
Definitions:	Estimated number living with anxiety disorders per 100,000 population (under 20 years of age)

Girls, 2023



Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26]
Definitions:	Estimated number living with anxiety disorders per 100,000 population (under 20 years of age)

PDF created on November 3, 2026