


Report card Greenland



Contents	Page
Obesity prevalence	2
Overweight/obesity by age	4
Overweight/obesity by socio-economic group	5
Estimated per capita fruit intake	7
Estimated per-capita processed meat intake	8
Estimated per capita whole grains intake	9

Obesity prevalence

Adults, 2018



Survey type: Measured

Age: 15-94

Sample size: 2539


Area covered: National

References: Larsen CVL, Hansen CD, Igemann C et al. Befolkningsundersøgelsen i Grønland 2018. – Levevilkår, livsstil og helbred. Oversigt over indikatorer for folkesundheden. Statens Institute for Folkesundhed

Notes: NB. Total adults taken as an average of male & female. Worldbank unable to provide male/female ratio for Greenland 50% therefore assumed.

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².


Children, 2011



Survey type:	Measured
Age:	6
Sample size:	842
Area covered:	National
References:	Rex KF, Larsen NH, Rex H, Niclasen B, Pedersen ML. A national study on weight classes among children in Greenland at school entry. <i>nt J Circumpolar Health</i> . 2014 Oct 20;73. doi: 10.3402/ijch.v73.25537. eCollection 2014.
Notes:	IOTF International Cut Off
Cutoffs:	IOTF

Overweight/obesity by age

Adults, 2014



Survey type: Measured

Sample size: 2102


Area covered: National

References: Dahl-Petersen IK, Larsen CVL, Nielsen NO, Jørgensen ME, Bjerregaard P. Befolkningsundersøgelsen i Grønland 2014. Levevilkår, livsstil og helbred. København og Nuuk [Population health survey in Greenland 2014—living conditions, life style and health. In Danish and Greenlandic]. Copenhagen and Nuuk: National Institute of Public Health and Government of Greenland; 2016.

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Overweight/obesity by socio-economic group

Men, 2005-2010



Survey type: Measured

Age: 18+

Sample size: 2757


Area covered: National

References: Bjerregaard, P., Jørgensen, M. E. and The Greenland Population Study Group (2013), Prevalence of obesity among Inuit in Greenland and temporal trend by social position. *Am. J. Hum. Biol.*, 25: 335–340. doi: 10.1002/ajhb.22372

Notes: Social position was scored from information about education, housing density and ownership of specified household items.

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2005-2010




Survey type:	Measured
Age:	18+
Sample size:	2757
Area covered:	National
References:	Bjerregaard, P., Jørgensen, M. E. and The Greenland Population Study Group (2013), Prevalence of obesity among Inuit in Greenland and temporal trend by social position. <i>Am. J. Hum. Biol.</i> , 25: 335–340. doi: 10.1002/ajhb.22372
Notes:	Social position was scored from information about education, housing density and ownership of specified household items.

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Estimated per capita fruit intake


Adults, 2017



Survey type:	Measured
Age:	25+
References:	Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/
Definitions:	Estimated per-capita fruit intake (g/day)

Estimated per-capita processed meat intake

Adults, 2017



Survey type: Measured


Age: 25+

References: Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitions: Estimated per-capita processed meat intake (g per day)

Estimated per capita whole grains intake

Adults, 2017



Survey type:	Measured
Age:	25+
References:	Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/
Definitions:	Estimated per-capita whole grains intake (g/day)

PDF created on March 5, 2021