

Guam



Country report card - adults

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.


View the latest version of this report on the Global Obesity Observatory at https://data.worldobesity.org/country/guam-84/.



Contracto	<u> </u>
Contents	Page
Estimated per capita fruit intake	3
Estimated per-capita processed meat intake	4
Estimated per capita whole grains intake	5
Mental health - depression disorders	6
Mental health - anxiety disorders	
Oesophageal cancer	12
Breast cancer	14
Colorectal cancer	15
Pancreatic cancer	17
Gallbladder cancer	1[]
Kidney cancer	21
Cancer of the uterus	23
Diabetes prevalence	24
Ovarian Cancer	25
Leukemia	26
Leukemia	28
Liver and intrahepatic bile duct Cancer	30
Multiple Myeloma	32
Non Hodgkin Lymphoma	34
Thyroid Cancer	36




Estimated per capita fruit intake






Estimated per-capita processed meat intake






Estimated per capita whole grains intake





Mental health - depression disorders






5000	
5000	
4000	
5000	
of population	
oula	
doc	
of I	
% 2000	
1000	
1000	
0	Guam
	Guun
Age:	20+
Area covered:	National
References:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021.
	Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare. (Last accessed 23.04.25)
Definitions:	Number living with depression per 100,000 population (adults 20+ years)



5000		
4000		
% of population		
2000		
0	Guerr	
	Guam	
Age:	20-	ł
Area covered:	Nationa	l
References:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021 Seattle, WA: IHME, University of Washington, 2023. Available from <u>http://vizhub.healthdata.org/gbd-compare.</u> (Last accessed 23.04.25	
Definitions:	Number living with depression per 100,000 population (adults 20+ years)




Mental health - anxiety disorders












6000		
5000		
-		
.54000		
oula		
bological constraints of the second s		
₩3000 %		
o~		
2000		
2000		
1000		
0		
	Guam	
Age:		20+
References:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease	(GBD) Study 2021.
	Seattle, WA: IHME, University of Washington, 2023. Available from <u>http://vizhub.healthdata.org/gbd-compare.</u> (Last	accessed 23.04.25).
Definitions:	Number living with anxiety per	100,000 population



Oesophageal cancer











Breast cancer






Colorectal cancer










Pancreatic cancer










Gallbladder cancer










Kidney cancer











Cancer of the uterus






Diabetes prevalence





Ovarian Cancer





Leukemia

Men, 2022							
4							
3							
2							
1							
0							
-1_1	0	1	2	3	4	5	6
Age:							20+
Area covered: References:		Ervik M, Lam F, Laver Cancer Today. Lyon, Fi				m: <u>https://gco.iarc.wh</u>	
Definitions:						Incidence p	er 100,000
	Unless of	therwise noted. overw	reight refers to a BMI I	between 25kg and 29	.9ka/m². obesity refer	s to a BMI greater tha	n 30ka/m².



4							
3							
2							
1							
0							
⁻¹ _1	0	1	2	3	4	5	e
Age:							20+
Area covered:							National
References:					Znaor A, Soerjomatarar n Cancer. Available fror	n: <u>https://gco.iarc.wh</u> c	
Definitions:						Incidence pe	er 100,000
	Unless othe	erwise noted, overwe	eight refers to a BMI	between 25kg and 2	9.9kg/m², obesity refers	to a BMI greater that	n 30kg/m².



Leukemia

Men, 2022							
4							
3							
2							
1							
0							
⁻¹ -1	0	1	2	3	4	5	6
Age:							20+
Area covered:							National
References:		Ervik M, Lam F, Laver Cancer Today. Lyon, Fr				m: <u>https://gco.iarc.wh</u>	
Definitions:						Incidence p	er 100,000
	Unless of	therwise noted. overw	eight refers to a BMI I	between 25kg and 29	.9ka/m². obesity refer	s to a BMI greater tha	n 30ka/m².




4							
3							
2							
1							
0							
-1 -1							
_	0	1	2	3	4	5	6
Age: Area covered:							20+ National
References:					Znaor A, Soerjomataran n Cancer. Available fron		oal Cancer . <u>int/today</u> ,
Definitions:						Incidence pe	r 100,000
	Unless othe	rwise noted, overw	eight refers to a BMI	between 25kg and 2	9.9kg/m², obesity refers	to a BMI greater thar	1 30kg/m².



Liver and intrahepatic bile duct Cancer









Multiple Myeloma









Non Hodgkin Lymphoma










Thyroid Cancer





20		
20		
00 15 00 00		
e per 1		
12 10,000 10		
-		
5		
0		
	Guam	
Age:		20+
Area covered:		National
References:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2 Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <u>https://gc</u>	
Definitions:	Inc	idence per 100,000

PDF created on June 17, 2025