# Guyana



## Country report card - children


*This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for children, including adolescents (aged 5 to 18 years). Where available, data on common and relevant obesity drivers and comorbidities are also presented.*

*View the latest version of this report on the Global Obesity Observatory at https://data.worldobesity.org/country/guyana-89/.*

| Contents | Page |
|---|---|
| **Obesity prevalence** | 3 |
| **Overweight/obesity by region** | 6 |
| **Overweight/obesity by socio-economic group** | 11 |
| **Overweight/obesity by ethnicity** | 16 |
| **Double burden of underweight & obesity** | 17 |
| **Insufficient physical activity** | 20 |
| **Average daily frequency of carbonated soft drink consumption** | 27 |
| **Prevalence of less than daily fruit consumption** | 29 |
| **Prevalence of less than daily vegetable consumption** | 32 |
| **Mental health - depression disorders** | 35 |
| **Mental health - anxiety disorders** | 39 |

## Obesity prevalence

## Children, 2010




| | |
|---|---|
| **Survey type:** | Self-reported |
| **Age:** | 13-15 |
| **Sample size:** | 2392 |
| **Area covered:** | National |
| **References:** | Global School-based Student Health Survey (GSHS), available at https://www.who.int/ncds/surveillance/gshs/Guyana_2010_GSHS_FS.pdf?ua=1 (last accessed 25.11.20) |

| | |
|---|---|
| **Cutoffs:** | WHO |

## Overweight/obesity by region


## Boys, 2009



| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 15-19 |
| **Sample size:** | 1249 |
| **Area covered:** | National |

| | |
|---|---|
| **References:** | Benedict, Rukundo K., Allison Schmale, and Sorrel Namaste. 2018. Adolescent Nutrition 2000-2017: DHS Data on Adolescents Age 15-19. DHS Comparative Report No. 47. Rockville, Maryland, USA: ICF. Ministry of Health (MOH), Bureau of Statistics (BOS), and ICF Macro. 2010. Guyana Demographic and Health Survey 2009. Georgetown, Guyana: MOH, BOS, and ICF Macro. |
| **Notes:** | 704 girls and 545 boys |
| **Definitions:** | BMI for age: between +1 SD and +2 SD is overweight and greater than +2 SD is obesity |
| **Cutoffs:** | WHO 2007 |

## Girls, 2009




| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 15-19 |
| **Sample size:** | 1249 |
| **Area covered:** | National |

| | |
|---|---|
| **References:** | Benedict, Rukundo K., Allison Schmale, and Sorrel Namaste. 2018. Adolescent Nutrition 2000-2017: DHS Data on Adolescents Age 15-19. DHS Comparative Report No. 47. Rockville, Maryland, USA: ICF. Ministry of Health (MOH), Bureau of Statistics (BOS), and ICF Macro. 2010. Guyana Demographic and Health Survey 2009. Georgetown, Guyana: MOH, BOS, and ICF Macro. |
| **Notes:** | 704 girls and 545 boys |
| **Definitions:** | BMI for age: between +1 SD and +2 SD is overweight and greater than +2 SD is obesity |
| **Cutoffs:** | WHO 2007 |

## Overweight/obesity by socio-economic group


## Boys, 2009



| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 15-19 |
| **Sample size:** | 1794 |
| **Area covered:** | National |

| | |
|---|---|
| **References:** | Benedict, Rukundo K., Allison Schmale, and Sorrel Namaste. 2018. Adolescent Nutrition 2000-2017: DHS Data on Adolescents Age 15-19. DHS Comparative Report No. 47. Rockville, Maryland, USA: ICF. Ministry of Health (MOH), Bureau of Statistics (BOS), and ICF Macro. 2010. Guyana Demographic and Health Survey 2009. Georgetown, Guyana: MOH, BOS, and ICF Macro. |
| **Notes:** | 1249 girls and 545 boys |
| **Definitions:** | BMI for age: between +1 SD and +2 SD is overweight and greater than +2 SD is obesity |
| **Cutoffs:** | WHO 2007 |

## Girls, 2009



| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 15-19 |
| **Sample size:** | 1794 |
| **Area covered:** | National |


| | |
|---|---|
| **References:** | Benedict, Rukundo K., Allison Schmale, and Sorrel Namaste. 2018. Adolescent Nutrition 2000-2017: DHS Data on Adolescents Age 15-19. DHS Comparative Report No. 47. Rockville, Maryland, USA: ICF. Ministry of Health (MOH), Bureau of Statistics (BOS), and ICF Macro. 2010. Guyana Demographic and Health Survey 2009. Georgetown, Guyana: MOH, BOS, and ICF Macro. |
| **Notes:** | 1249 girls and 545 boys |
| **Definitions:** | BMI for age: between +1 SD and +2 SD is overweight and greater than +2 SD is obesity |
| **Cutoffs:** | WHO 2007 |

## Overweight/obesity by ethnicity

*Ethnic groups are as defined by publication of origin and are not as defined by WOF. In some instances ethnicity is conflated with nationality and/or race.*

## Double burden of underweight & obesity

## Children, 2022




| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 5-19 |
| **References:** | NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. https://doi.org/10.1016/S0140-6736(23)02750-2. |
| **Notes:** | Age standardised estimates |

| | |
|---|---|
| **Definitions:** | Combined prevalence of BMI < -2SD and BMI > 2SD (double burden of thinness and obesity) |
| **Cutoffs:** | BMI < -2SD and BMI > 2SD |

## Insufficient physical activity


## Children, 2016



| | |
|---|---|
| **Survey type:** | Self-reported |
| **Age:** | 11-17 |
| **References:** | Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21) |
| **Notes:** | % of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily. |

| | |
|---|---|
| **Definitions:** | % Adolescents insufficiently active (age standardised estimate) |


## Boys, 2016



| | |
|---|---|
| **Survey type:** | Self-reported |
| **Age:** | 11-17 |
| **References:** | Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21) |
| **Notes:** | % of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily. |

| | |
|---|---|
| **Definitions:** | % Adolescents insufficiently active (age standardised estimate) |

## Girls, 2016




| | |
|---|---|
| **Survey type:** | Self-reported |
| **Age:** | 11-17 |
| **References:** | Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21) |
| **Notes:** | % of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily. |

| | |
|---|---|
| **Definitions:** | % Adolescents insufficiently active (age standardised estimate) |

## Average daily frequency of carbonated soft drink consumption


## Children, 2009-2015



| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 12-17 |
| **References:** | Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard http://www.foodsystemsdashboard.org/food-system |

## Prevalence of less than daily fruit consumption

## Children, 2010




| | |
|---|---|
| **Survey type:** | Self-reported |
| **Age:** | 12-17 |
| **Area covered:** | National |
| **References:** | Global School-based Student Health Surveys. Beal et al (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. https://doi.org/10.1177/0379572119848287. Sourced from Food Systems Dashboard http://www.foodsystemsdashboard.org/food-system |

| | |
|---|---|
| **Definitions:** | Prevalence of less-than-daily fruit consumption (% less-than-daily fruit consumption) |

## Prevalence of less than daily vegetable consumption

## Children, 2010




| | |
|---|---|
| **Survey type:** | Self-reported |
| **Age:** | 12-17 |
| **Area covered:** | National |
| **References:** | Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard http://www.foodsystemsdashboard.org/food-system |

| | |
|---|---|
| **Definitions:** | Prevalence of less-than-daily vegetable consumption (% less-than-daily vegetable consumption) |


## Mental health - depression disorders

## Children, 2023




| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with depressive disorders per 100,000 population (under 20 years of age) |

## Boys, 2023



| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with depressive disorders per 100,000 population (under 20 years of age) |


## Girls, 2023



| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with depressive disorders per 100,000 population (under 20 years of age) |


# Mental health - anxiety disorders

## Children, 2023




| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with anxiety disorders per 100,000 population (under 20 years of age) |

## Boys, 2023



| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with anxiety disorders per 100,000 population (under 20 years of age) |

## Girls, 2023



| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with anxiety disorders per 100,000 population (under 20 years of age) |

*PDF created on October 12, 2026*