

Report card Indien



Nationales Adipositasrisiko *7/10 This is a composite 'obesity risk' score (out of 10, the highest risk) based on obesity prevalence, rate of increase, likelihood of meeting the 2025 target, treatment indicator and childhood stunting levels.


Adipositasrisiko bei Kindern *4/11 This is a 'risk score' for each country's likelihood of having or acquiring a major childhood obesity problem during the 2020s, taking account of current prevalence levels and risk for future obesity (based on stunting among infants, maternal obesity, maternal smoking, and breastfeeding rates).

*Basierend auf geschätzten Daten. Weitere Informationen finden Sie in den Veröffentlichungen



Adipositasprävalenz

Erwachsene, 2019-2021



Umfragetyp:	Gemessen
Alter:	15-49
Stichprobengröße:	744791
Geltungsbereich:	National




Referenzen: International Institute for Population Sciences (IIPS) and ICF. 2021. National Family Health Survey (NFHS-5), 2019-21:

Anmerkungen (nur in englischer Sprache verfügbar):

NB. Combined adult data estimated. These estimates were calculated by weighting male and female survey results. Weighting based on World Bank Population % total female 2022 (https://data.worldbank.org/indicator/SP.POP.TOTL.FE.ZS accessed 24.07.24)



Kinder, 2016-2018




Umfragetyp:	Gemessen
Alter:	10-19
Stichprobengröße:	32120
Geltungsbereich:	National
Referenzen:	Kumar, P., Srivastava, S., Mishra, P.S. et al. Prevalence of pre-diabetes/type 2 diabetes among adolescents (10-19 years) and its association with different measures of overweight/obesity in India: a gendered perspective. BMC Endocr Disord 21, 146 (2021). https://doi.org/10.1186/s12902-021-00802-w



Anmerkungen (nur in englischer Sprache verfügbar):	Sample size. Girls = 15602. Boys = 16518. NB. Combined chulddata estimated. These estimates were calculated by weighting male and female survey results. Weighting based on World Bank Population % total female 2019 (https://data.worldbank.org/indicator/SP.POP.TOTL.FE.ZS - accessed 19.05.21)
Definitionen (nur in englischer Sprache verfügbar):	BMI for age. Overweight or obesity = BMI $> + 1$ SD
Cutoffs:	wно



Infants, 2019-2021



Alter:	0-5
Stichprobengröße:	197475
Referenzen:	DHS: National Family Health Survey (NFHS-5), 2019-21: India. Mumbai: IIPS
Anmerkungen (nur in englischer Sprache verfügbar):	UNICEF/WHO/World Bank Joint Child Malnutrition Estimates Expanded Database: Overweight (Survey Estimates), May 2023, New York. For more information about the methodology, please consult https://data.unicef.org/resources/jme-2023-country-consultations/ Percentage of children under 5 years of age falling above 2 standard deviations (moderate and severe) from the median weight-for-height of the reference population.



Definitionen (nur in englischer Sprache verfügbar):


=>+2SD



Übergewicht/Adipositas nach Bildung

Männer, 2015-2016

Adipositas Übergewicht




Umfragetyp:	Gemessen
Alter:	15-49
Stichprobengröße:	754,697
Geltungsbereich:	National
Referenzen:	International Institute for Population Sciences - IIPS/India and ICF. 2017. National Family Health Survey NFHS-4, 2015-16: India. Mumbai: IIPS. Available at: https://dhsprogram.com/pubs/pdf/FR339/FR339.pdf (Accessed 6 March 2019).
Anmerkungen (nur in englischer Sprache verfügbar):	Demographic Health Survey data includes ever married women aged 15-49 years only and may include males aged 15-59.



Frauen, 2015-2016






Umfragetyp:	Gemessen
Alter:	15-49
Stichprobengröße:	754,697
Geltungsbereich:	National
Referenzen:	International Institute for Population Sciences - IIPS/India and ICF. 2017. National Family Health Survey NFHS-4, 2015-16: India. Mumbai: IIPS. Available at: https://dhsprogram.com/pubs/pdf/FR339/FR339.pdf (Accessed 6 March 2019).
Anmerkungen (nur in	Demographic Health Survey data includes ever married women aged 15-49 years only and may include males aged 15-



Kinder, 2016-2018



Umfragetyp:	Gemessen
Alter:	10-19
Stichprobengröße:	112316 (0-19 years)
Geltungsbereich:	National
Referenzen:	Ministry of Health and Family Welfare (MoHFW), Government of India, UNICEF and Population Council. 2019. Comprehensive National Nutrition Survey (CNNS) National Report. New Delhi.




Anmerkungen (nur in englischer Sprache verfügbar):

Overweight BMI-for-age \geq 1SD \leq 2SD Obesity BMI-for-age \geq 2SD

Cutoffs: WHO



Infants, 2019-2021



Stichprobengröße: 197475

Referenzen:

DHS: National Family Health Survey (NFHS-5), 2019-21: India. Mumbai: IIPS

Anmerkungen (nur in englischer Sprache verfügbar):

UNICEF/WHO/World Bank Joint Child Malnutrition Estimates Expanded Database: Overweight (Survey Estimates), May 2023, New York. For more information about the methodology, please consult https://data.unicef.org/resources/jme-2023-country-consultations/ Percentage of children under 5 years of age falling above 2 standard deviations (moderate and severe) from the median weight-for-height of the reference population.



Definitionen (nur in englischer Sprache verfügbar):


=>+2SD



Übergewicht/Adipositas nach Alter

Erwachsene, 2015-2016





 Umfragetyp:
 Gemessen

 Stichprobengröße:
 754,697

 Geltungsbereich:
 National

 Referenzen:
 International Institute for Population Sciences - IIPS/India and ICF. 2017. National Family Health Survey NFHS-4, 2015-16: India. Mumbai: IIPS.

Anmerkungen (nur in englischer Sprache verfügbar):


Demographic Health Survey data includes ever married women aged 15-49 years only and may include males aged 15-59.



Übergewicht/Adipositas nach Region

Männer, 2019-2021

Übergewicht oder Adipositas




5%20India%20and%20State%20Factsheet%20Compendium_Phase-II.pdf (Accessed 26.11.2021)




Frauen, 2019-2021

Übergewicht oder Adipositas





Kinder, 2016-2018



Umfragetyp:	Gemessen
Alter:	5-9
Stichprobengröße:	112316 (0-19 years)
Geltungsbereich:	National
Referenzen:	Ministry of Health and Family Welfare (MoHFW), Government of India, UNICEF and Population Council. 2019. Comprehensive National Nutrition Survey (CNNS) National Report. New Delhi.




Anmerkungen (nur in englischer Sprache verfügbar):

Overweight BMI-for-age \geq 1SD \leq 2SD Obesity BMI-for-age \geq 2SD

Cutoffs: WHO



Infants, 2019-2021



Stichprobengröße: 197475

Referenzen:

DHS: National Family Health Survey (NFHS-5), 2019-21: India. Mumbai: IIPS

Anmerkungen (nur in englischer Sprache verfügbar):

UNICEF/WHO/World Bank Joint Child Malnutrition Estimates Expanded Database: Overweight (Survey Estimates), May 2023, New York. For more information about the methodology, please consult https://data.unicef.org/resources/jme-2023-country-consultations/ Percentage of children under 5 years of age falling above 2 standard deviations (moderate and severe) from the median weight-for-height of the reference population.



Definitionen (nur in englischer Sprache verfügbar):


=>+2SD



Übergewicht/Adipositas nach sozioökonomischer Gruppe

Männer, 2015-2016





Umfragetyp:	Gemessen
Alter:	15-49
Stichprobengröße:	754,697
Geltungsbereich:	National
Referenzen:	International Institute for Population Sciences - IIPS/India and ICF. 2017. National Family Health Survey NFHS-4, 2015-16: India. Mumbai: IIPS. Available at: https://dhsprogram.com/pubs/pdf/FR339/FR339.pdf (Accessed 6 March 2019).
Anmerkungen (nur in englischer Sprache verfügbar):	Demographic Health Survey data includes ever married women aged 15-49 years only and may include males aged 15-59.




Anmerkungen (nur in

englischer Sprache verfügbar):

Frauen, 2015-2016






Wenn nicht anders angegeben, bezieht sich Übergewicht auf einen BMI zwischen 25 kg und 29,9 kg/m², Adipositas auf einen BMI über 30 kg/m².

Demographic Health Survey data includes ever married women aged 15-49 years only and may include males aged 15-



Kinder, 2016-2018



Umfragetyp:	Gemessen
Alter:	10-19
Stichprobengröße:	112316 (0-19 years)
Geltungsbereich:	National
Referenzen:	Ministry of Health and Family Welfare (MoHFW), Government of India, UNICEF and Population Council. 2019. Comprehensive National Nutrition Survey (CNNS) National Report. New Delhi.




Anmerkungen (nur in englischer Sprache verfügbar):

Overweight BMI-for-age \geq 1SD \leq 2SD Obesity BMI-for-age \geq 2SD

Cutoffs: WHO



Infants, 2019-2021



Stichprobengröße: 197475

Referenzen:

DHS: National Family Health Survey (NFHS-5), 2019-21: India. Mumbai: IIPS

Anmerkungen (nur in englischer Sprache verfügbar):

UNICEF/WHO/World Bank Joint Child Malnutrition Estimates Expanded Database: Overweight (Survey Estimates), May 2023, New York. For more information about the methodology, please consult https://data.unicef.org/resources/jme-2023-country-consultations/ Percentage of children under 5 years of age falling above 2 standard deviations (moderate and severe) from the median weight-for-height of the reference population.




Definitionen (nur in englischer Sprache verfügbar):

=>+2SD



Unzureichende körperliche Aktivität

Erwachsene, 2016




Referenzen:

Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X http://dx.doi.org/10.1016/S2214-109X




Männer, 2016



Referenzen:

Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X (18)30357-7

Frauen, 2016




Referenzen:

Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X(18)30357-7



Kinder, 2016



Offinagetyp.

Alter: 11-17

Referenzen:

 $\label{lem:continuous} Global \ \ Health \ Observatory \ data \ repository, \ World \ Health \ Organisation, \\ \underline{https://apps.who.int/gho/data/node.main.A893ADO?lang=en} \ (last \ accessed \ 16.03.21)$


Anmerkungen (nur in englischer % of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 Sprache verfügbar): minutes of moderate- to vigorous-intensity physical activity daily.

Definitionen (nur in englischer Sprache verfügbar):

% Adolescents insufficiently active (age standardised estimate)



Jungen, 2016



Umfragetyp: Selbst berichtet

Alter: 11-17

Referenzen:

 $\label{lem:continuous} Global \ \ Health \ Observatory \ data \ repository, \ World \ Health \ Organisation, \\ \underline{https://apps.who.int/gho/data/node.main.A893ADO?lang=en} \ (last \ accessed \ 16.03.21)$


Anmerkungen (nur in englischer % of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 Sprache verfügbar): minutes of moderate- to vigorous-intensity physical activity daily.

Definitionen (nur in englischer Sprache verfügbar):

% Adolescents insufficiently active (age standardised estimate)



Mädchen, 2016



Alter: 11-17

Referenzen:

 $\label{lem:continuous} Global \ \ Health \ Observatory \ data \ repository, \ World \ Health \ Organisation, \\ \underline{https://apps.who.int/gho/data/node.main.A893ADO?lang=en} \ (last \ accessed \ 16.03.21)$

Anmerkungen (nur in englischer % of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 Sprache verfügbar): minutes of moderate- to vigorous-intensity physical activity daily.


Definitionen (nur in englischer Sprache verfügbar):

% Adolescents insufficiently active (age standardised estimate)



Estimated per capita fruit intake


Erwachsene, 2017





Geschätzter Verzehr von verarbeitetem Fleisch pro Kopf

Erwachsene, 2017






Estimated per capita whole grains intake

Erwachsene, 2017

Definitionen (nur in englischer Sprache verfügbar):




Estimated per-capita whole grains intake (g/day)



Psychische Gesundheit - Depressionsstörungen

Erwachsene, 2015



Referenzen:


Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0

Definitionen (nur in englischer Sprache verfügbar): % of population with depression disorders



Psychische Gesundheit - Angststörungen

Erwachsene, 2015



Referenzen:


Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0

Definitionen (nur in englischer Sprache verfügbar): % of population with anxiety disorders



% der Kleinkinder, die ausschließlich von 0-5 Monaten gestillt wurden

Infants, 2015-2022



Referenzen:

National Family Health Survey (NFHS-5), 2019-21: India. Mumbai: IIPS


Anmerkungen (nur in englischer Sprache verfügbar):

Full details are available. Original citation United Nations Children's Fund, Division of Data, Analysis, Planning and Monitoring (2023). Global UNICEF Global Databases: Infant and Young Child Feeding: Exclusive breastfeeding, New York,
October 2023.



Speiseröhrenkrebs

Männer, 2022



Alter: 20+

Geltungsbereich: National


Referenzen:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]



Indicence per 100,000





Alter: 20+
Geltungsbereich: National

Referenzen:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]




Indicence per 100,000



Brustkrebs

Frauen, 2022



Geltungsbereich: National

Referenzen:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:


https://gco.iarc.who.int/today, accessed [16.07.24]





Dickdarmkrebs

Männer, 2022



Alter: 20+


Geltungsbereich: National

Referenzen:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]







Alter: 20+
Geltungsbereich: National

Referenzen:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:


https://gco.iarc.who.int/today, accessed [16.07.24]





Bauchspeicheldrüsenkrebs

Männer, 2022



Alter: 20+


Geltungsbereich: National

Referenzen:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]







Alter: 20+

Geltungsbereich: National

Referenzen:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global

Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:


https://gco.iarc.who.int/today, accessed [16.07.24]





Gallenblasenkrebs

Männer, 2022



Alter: 20+

Geltungsbereich: National


Referenzen:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]



Indicence per 100,000





Alter: 20+

Geltungsbereich: National

Referenzen: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]




Indicence per 100,000



Nierenkrebs

Männer, 2022



Alter: 20+


Geltungsbereich: National

Referenzen:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]







Alter: 20+

Geltungsbereich: National

Referenzen:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global

Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:


https://gco.iarc.who.int/today, accessed [16.07.24]





Gebärmutterkrebs

Frauen, 2022



Alter: 20+

Referenzen:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]





Erhöhter Blutdruck

Erwachsene, 2015



Referenzen:


Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A875?lang=en

Definitionen (nur in englischer Sprache verfügbar):

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



Männer, 2015




Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A875?lang=en

Definitionen (nur in englischer Sprache verfügbar):

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).





Referenzen:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A875?lang=en


Definitionen (nur in englischer Sprache verfügbar):

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



Erhöhtes Cholesterin

Erwachsene, 2008



Referenzen:


Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885

Definitionen (nur in englischer Sprache verfügbar):

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).




Männer, 2008



Definitionen (nur in englischer Sprache verfügbar):

http://apps.who.int/gho/data/node.main.A885
% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).





Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885


Definitionen (nur in englischer Sprache verfügbar):

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).



Erhöhter Nüchternblutzucker

Männer, 2014




Referenzen:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A869?lang=en

Definitionen (nur in englischer Sprache verfügbar):

Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication).





Referenzen:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A869?lang=en


Definitionen (nur in englischer Sprache verfügbar):

Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication).



Diabetes-Prävalenz

Erwachsene, 2021



Geltungsbereich: National

Referenzen:

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 10th edn. Brussels, Belgium:International Diabetes Federation, 2021. http://www.diabetesatlas.org

Definitionen (nur in englischer Sprache verfügbar):

Age-adjusted comparative prevalence of diabetes, %



Contextual factors

Disclaimer: These contextual factors should be interpreted with care. Results are updated as regularly as possible and use very specific criteria. The criteria used and full definitions are available for download at the bottom of this page.



Labelling

Is there mandatory nutrition labelling?	~
Front-of-package labelling?	×
Back-of-pack nutrition declaration?	~
Color coding?	✓ _v
Warning label?	×





Regulation and marketing

Are there fiscal policies on unhealthy products?	~
Tax on unhealthy foods?	~
Tax on unhealthy drinks?	~
Are there fiscal policies on healthy products?	×
Subsidy on fruits?	X
Subsidy on vegetables?	×
Subsidy on other healthy products?	X
Mandatory limit or ban of trans fat (all settings)?	~
Mandatory limit of trans fats in place (all settings)?	~
Ban on trans-fats or phos in place (all settings)?	×
Are there any mandatory policies/marketing restrictions on the promotion of unhealthy food/drinks to children?	~
Mandatory restriction on broadcast media?	~
Mandatory restriction on non-broadcast media?	~
Voluntary policies/marketing restrictions on the promotion of unhealthy food/drinks to children?	✓v
Are there mandatory standards for food in schools?	×
Are there any mandatory nutrient limits in any manufactured food products?	×
Nutrition standards for public sector procurement?	X





Political will and support

National obesity strategy or nutrition and physical activity national strategy?	/
National obesity strategy?	×
National childhood obesity strategy?	X
Comprehensive nutrition strategy?	~
Comprehensive physical activity strategy?	~
Evidence-based dietary guidelines and/or RDAs?	~
National target(s) on reducing obesity?	~
Guidelines/policy on obesity treatment?	X
Promotion of breastfeeding?	~
Monitoring and surveillance	
Monitoring of the prevalence and incidence for the main obesity-related NCDs and risk factors?	~
Within 5 years?	~
Governance and resource	
Multi-sectoral national co-ordination mechanism for obesity or nutrition (including obesity)?	~
Present Present V (voluntary) Incoming Absent Unknown	

Last updated March 20, 2024

PDF created on August 17, 2024