



L-IndoneÅ¹/₄ja



Country report card - adults

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.

View the latest version of this report on the Global Obesity Observatory at <https://data.worldobesity.org/country/indonesia-96/>.

Riskju nazzjonali tal-obezità *7.5/10 This is a composite obesity risk score (out of 10, the highest risk) based on obesity prevalence, rate of increase, likelihood of meeting the 2025 target, treatment indicator and childhood stunting levels.


Riskju ta' obezità fit-tfal *7/11 This is a risk score for each country's likelihood of having or acquiring a major childhood obesity problem during the 2020s, taking account of current prevalence levels and risk for future obesity (based on stunting among infants, maternal obesity, maternal smoking, and breastfeeding rates).

* Ibbażat fuq dejta stmata. Għal aktar informazzjoni ara l-Pubblikazzjonijiet

Prevalenza tal-obezità

Adulti, 2018

■ Piż żejjed jew obeżità



Tip ta' stessarri:

Imkejjel

Età :

19+

Id-daqs tal-kampjun:

624563

Erja Koperta:

Nazzjonali

Referenzi:

Riskedas 2018 available at http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf (last accessed 11.05.2022)

Definizzjonijiet (disponibbli bl-Ingliż biss):

Overweight classified as BMI 25-26.9 Obesity classified as BMI = or > 27 Obesity

Cutoffs:


Other

Sakemm ma jiġix indikat mod ieġor, il-piż żejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obezità tirreferi għal BMI akbar minn 30kg/m².

Piż żejjed/obeżità skont l-edukazzjoni

Irġiel, 2018

■ Piż żejjed jew obeżità



Tip ta' stazzjoni: Imkejjel

Età : 19+

Id-daqs tal-kampjun: 624563

Erja Koperta: Nazzjonali


Referenzi: Riskesdas 2018 available at http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf (last accessed 11.05.2022)

Noti: Different Cut off

Definizzjonijiet (disponibbli bl-Ingliż biss): Overweight BMI 25-<27 Kg/m2 Obesity BMI => 27 Kg/m2

Sakemm ma jiġix indikat mod ieġor, il-piż żejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Nisa, 2018



Tip ta' stAġarriA:	Imkejjel
EtA :	19+
Id-daqs tal-kampjun:	624563
Erja Koperta:	Nazzjonali

Referenzi:

http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf (last accessed 11.05.2022)

Noti:

Different Cut off


**Definizzjonijiet
(disponibbli
bl-Ingliż
biss):**

Overweight BMI 25-<27 Kg/m² Obesity BMI => 27 Kg/m²

Sakemm ma jiġix indikat mod ieġor, il-piż u l-ogħoġ jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obesità tirreferi għal BMI akbar minn 30kg/m².

Piż żejjed/obeżità skont l-età

Adulti, 2018



Tip ta' stazzjoni:

Imkejjel

Id-daqs tal-kampjun:

624563

Erja Koperta:

Nazzjonali

Referenzi:

Riskedas 2018 available at http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf (last accessed 11.05.2022)

Noti:

Not standard cut off


Definizzjonijiet (disponibbli bl-Ingliż biss):

Overweight BMI 25-<27 Kg/m² Obesity => 27 Kg/m²

Sakemm ma jiġix indikat mod ieġor, il-piż żejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Piż żejjed/obeżità skont ir-reġjun

Adulti, 2018



Tip ta' stazzjonar: Imkejjel

Età : 19+

Id-daqs tal-kampjun: 624563

Erja Koperta: Nazzjonali


Referenzi: Riskesdas 2018 available at http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf (last accessed 11.05.2022)

Noti: Please note different cut off

Definizzjonijiet (disponibbli bl-Ingliż biss): Overweight BMI 25-<27 Kg/m² Obesity BMI => 27 Kg/m²

Sakemm ma jiġix indikat mod ieġor, il-piż żejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

IrÄjiel, 2018



Tip ta' stÄsarriÄ:	Imkejjel
EtÄ :	19+
Id-daqs tal-kampjun:	624563
Erja Koperta:	Nazzjonali

Referenzi:

http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf (last accessed 11.05.2022)

Noti:


Please note different cut off

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Overweight BMI 25-<27 Kg/m² Obesity BMI => 27 Kg/m²

Sakemm ma jiġix indikat mod ieġor, il-piż u l-ogħla jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obesità tirreferi għal BMI akbar minn 30kg/m².

Nisa, 2018



Tip ta' stAġarriÄ:	Imkejjel
EtÄ :	19+
Id-daqs tal-kampjun:	624563
Erja Koperta:	Nazzjonali

Referenzi:

http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf (last accessed 11.05.2022)

Noti:


Please note different cut off

**Definizzjonijiet
(disponibbli
bl-Ingliż
biss):**

Overweight BMI 25-<27 Kg/m² Obesity BMI => 27 Kg/m²

Sakemm ma jiġix indikat mod ieġor, il-piż u l-ogħla jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obesità tirreferi għal BMI akbar minn 30kg/m².

Piżżejjed/obeżità skont il-grupp soċjoekonomiku Irġiel, 2013



Tip ta' stazzjonar: Imkejjel

Età : 18+

Id-daqs tal-kampjun: 649549


Erja Koperta: Nazzjonali

Referenzi: Riskesdas 2013. Reanalysis: Atmarita, National Institute of Health Research and Development/NIHRD, MOH of Indonesia.

Noti: Indonesian cut off's also available

Sakemm ma jiġix indikat mod ieġor, il-piżżejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Nisa, 2013



Tip ta' stAġarriA:	Imkejjel
EtA :	18+
Id-daqs tal-kampjun:	649549
Erja Koperta:	Nazzjonali
Referenzi:	Riskesdas 2013. Reanalysis: Atmarita, National Institute of Health Research and Development/NIHRD, MOH of Indonesia.


Noti:

Indonesian cut off's also available

Sakemm ma jiġix indikat mod ieġor, il-piż ½ ½ ejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità ttrreferi għal BMI akbar minn 30kg/m².

Double burden of underweight & overweight

Adulti, 2022



Tip ta' stAşarriÄj:

Imkejjel

EtÄ :

20+


Referenzi:

NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. [https://doi.org/10.1016/S0140-6736\(23\)02750-2](https://doi.org/10.1016/S0140-6736(23)02750-2).

Noti:	Age Standardised estimates
Definizzjonijiet (disponibbli bl-Ingliż biss):	Combined prevalence of BMI<18.5 kg/m ² and BMI≥30 kg/m ² (double burden of underweight and obesity)

Attività fiżika insuffiċjenti

Adulti, 2022



Tip ta' stazzjonar:

Irrappurtat mill-persuna nnifisha

Età :

18+


Erja Koperta:

Nazzjonali

Referenzi: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

Definizzjonijiet (disponibbli bl-Ingliż u bl-Indoneżja): Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

IrÄiel, 2022



Tip ta' stÄsarriÄi:

Irrappurtat mill-persuna nnifisha

EtÄ :

18+

Erja Koperta:

Nazzjonali


Referenzi:

WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Nisa, 2022



Tip ta' stAşarriÄ:

Irrappurtat mill-persuna nnifisha

EtÄ :

18+

Erja Koperta:

Nazzjonali

Referenzi:


WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Estimated per capita fruit intake

Adulti, 2017



Tip ta'
stAġarriÄġ:

Imkejjel

EtÄ :

25+

Referenzi:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Estimated per-capita fruit intake (g/day)

Konsum stmat ta' la-Åšam ipprova essat per capita

Adulti, 2017



Tip ta' st-Åšarri-Åŷ:

Imkejjel

Et-Åŷ :

25+

Referenzi:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Estimated per-capita processed meat intake (g per day)

Estimated per capita whole grains intake

Adulti, 2017



Tip ta'
stAġarriÄġ:

Imkejjel

EtÄġ :

25+

Referenzi:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Estimated per-capita whole grains intake (g/day)

Saġġa mentali - disturbi tad-depressjoni

Adulti, 2021



Età : 20+


Erja Koperta: Nazzjonali

Referenzi: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Number living with depression per 100,000 population (adults 20+ years)

IrÄiel, 2021



EtÄ : 20+


Erja Koperta: Nazzjonali

Referenzi: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Number living with depression per 100,000 population (adults 20+ years)

Nisa, 2021



Etã : 20+

Erja Koperta: Nazzjonali


Referenzi: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Number living with depression per 100,000 population (adults 20+ years)

Saġġa mentali - disturbi ta' ansjetà

Adulti, 2021




Età : 20+

Referenzi: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**


Number living with anxiety per 100,000 population

IrÄiel, 2021



EtÄ :	20+
Referenzi:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25).
Definizzjonijiet (disponibbli bl-IngliÅ¼ biss):	Number living with anxiety per 100,000 population


Nisa, 2021



Età :	20+
Referenzi:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25).
Definizzjonijiet (disponibbli bl-Ingliż u biżżejjet):	Number living with anxiety per 100,000 population

Percent of population who cannot afford a healthy diet

Adulti, 2022



Erja Koperta:


Nazzjonali

Referenzi:

The Food Systems Dashboard. The Global Alliance for Improved Nutrition (GAIN), The Columbia Climate School, and Cornell University College of Agriculture and Life Sciences. 2024. Geneva, Switzerland.
<https://www.foodsystemsdashboard.org>. DOI: <https://doi.org/10.36072/db>.

Kanċer tal-esofagu

Irġiel, 2022




Età :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Nisa, 2022



EtÀ : 20+

Erja Koperta: Nazzjonali


Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Indicence per 100,000

KanĊer tas-sider

Nisa, 2022



Erja Koperta:

Nazzjonali

Referenzi:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Incidence per 100,000

Kanċer kolorettali

Irġiel, 2022




Età :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Nisa, 2022




EtÀ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):

Incidence per 100,000

Kanċer tal-frixa

Irġiel, 2022




Età :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Nisa, 2022




EtÀ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Incidence per 100,000

KanĊer tal-marrara

Irġiel, 2022




Età :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Indicence per 100,000

Nisa, 2022




EtÀ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Indicence per 100,000

Kanċer tal-kliwi

Irġiel, 2022




Età :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Nisa, 2022




Etã :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Incidence per 100,000

KanĊer tal-utru

Nisa, 2022



Età : 20+


Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Incidence per 100,000

Pressjoni gÄšolja tad-demm

Adulti, 2015




Referenzi:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

IrÄiel, 2015




Referenzi:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definizzjonijiet (disponibbli bl-Ingliż biss):

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Nisa, 2015



Referenzi:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definizzjonijiet (disponibbli bl-Ingliż u biss):

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Kolesterol gÅšoli


Adulti, 2008



Referenzi: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>


Definizzjonijiet (disponibbli bl-IngliÅ¼ biss): % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

IrÄiel, 2008



Referenzi:	Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885
Definizzjonijiet (disponibbli bl-Ingliż u bl-Indoneżja):	% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Nisa, 2008




Referenzi: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definizzjonijiet (disponibbli bl-Ingliż u bl-Indoneżja): % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Zokkor fid-demmm gÄšoli waqt is-sawm

IrÄġiel, 2014




Referenzi:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Nisa, 2014



Referenzi:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definizzjonijiet (disponibbli bl-Ingliż u biss):

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Prevalenza tad-dijabete


Adulti, 2024

**Referenzi:**

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. <http://www.diabetesatlas.org>

Ovarian Cancer

Nisa, 2022



EtÄ : 20+


Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Incidence per 100,000

Leukemia

IrÄiel, 2022



EtÄ : 20+


Erja Koperta: Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-IngliÅ¼ biss): Incidence per 100,000


Sakemm ma jiÄix indikat mod ieÄšor, il-piÄ¼ Ä¼ejjed jirreferi gÄšal BMI bejn 25kg u 29.9kg/mÄ², l-obeÄ¼itÄ tirreferi gÄšal BMI akbar minn 30kg/mÄ².

Nisa, 2022



Leukemia

IrÄjiet, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Sakemm ma jiġix indikat mod ieġor, il-piżż il-ewwel jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżitá tirreferi għal BMI akbar minn 30kg/m².

Nisa, 2022



EtÀ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


**Definizzjonijiet
(disponibbli
bl-Ingliż
biss):**

Incidence per 100,000

Sakemm ma jiġix indikat mod ieġor, il-piż u l-ogħla jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Liver and intrahepatic bile duct Cancer

IrÄiel, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Nisa, 2022




EtÀ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Incidence per 100,000

Multiple Myeloma

IrÄjiel, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Indicence per 100,000

Sakemm ma jiġix indikat mod ieġor, il-piżż il-ewwel jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżitá tirreferi għal BMI akbar minn 30kg/m².

Nisa, 2022



EtÀ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


**Definizzjonijiet
(disponibbli
bl-Ingliż
biss):**

Indicence per 100,000

Sakemm ma jiġix indikat mod ieġor, il-piż u l-ogħla jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Non Hodgkin Lymphoma

IrÄiel, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizzjonijiet (disponibbli bl-Ingliż biss): Incidence per 100,000

Sakemm ma jiġix indikat mod ieġor, il-piżż il-ewwel jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżitá tirreferi għal BMI akbar minn 30kg/m².

Nisa, 2022



Etã :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


**Definizzjonijiet
(disponibbli
bl-Ingliż
biss):**

Incidence per 100,000

Sakemm ma jiġix indikat mod ieġor, il-piż u l-ogħla jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Thyroid Cancer

IrÄiel, 2022




EtÄ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Incidence per 100,000

Nisa, 2022



EtÀ :	20+
Erja Koperta:	Nazzjonali
Referenzi:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definizzjonijiet
(disponibbli
bl-Ingliż u
biss):**

Incidence per 100,000

PDF created on July 19, 2025