



Kazakhstan



Country report card - adults

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.


View the latest version of this report on the Global Obesity Observatory at <https://data.worldobesity.org/country/kazakhstan-111/>

National fedmerisiko *7/10 This is a composite "obesity risk" score (out of 10, the highest risk) based on obesity prevalence, rate of increase, likelihood of meeting the 2025 target, treatment indicator and childhood stunting levels. Risiko for fedme i barndommen *5,5/11 This is a "risk score" for each country's likelihood of having or acquiring a major childhood obesity problem during the 2020s, taking account of current prevalence levels and risk for future obesity (based on stunting among infants, maternal obesity, maternal smoking, and breastfeeding rates).

* Baseret på estimerede data. For mere information se Publikationer

Fedmeprævalens

Voksne, 2012



Undersøgelsestype: Målt

Alder: 15+

Prævalens størrelse: 3736


Area covered: National

Referencer: Kazakh Academy of Nutrition, data from Kazakhstan Health Household Survey 2012

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Overvægt/fedme efter uddannelse

Kvinder, 1999



Undersøgelsestype: Målt

Prøvens størrelse: 2238

Area covered: National


Referencer: Academy of Preventive Medicine/Kazakhstan and Macro International. 1999. Kazakhstan Demographic and Health Survey 1999. Calverton, Maryland, USA: Academy of Preventive Medicine/Kazakhstan and Macro International.

Noter (kun tilgængelige på engelsk): Demographic Health Survey data includes ever married women aged 15-49 years only and may include males aged 15-59. Prevalence of those living with obesity only available

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Overvægt/fedme efter region


Voksne, 2021-2022

**Undersøgelsestype:** Målt**Alder:** 18-69**Prøvens størrelse:** 6720**Area covered:** National**Referencer:** Nursultanova L, Kabulbayev K, Ospanova D, Tazhiyeva A, Datkhayev U, Saliev T, Tanabayeva S, Fakhradiyev I. Prevalence of chronic kidney disease in Kazakhstan: evidence from a national cross-sectional study. Sci Rep. 2023 Sep 7;13(1):14710. doi: 10.1038/s41598-023-42031-2. PMID: 37679536; PMCID: PMC10485008.**Noter (kun tilgængelige på engelsk):** The STEPs questionnaire was used.

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Overvægt/fedme efter socioøkonomisk gruppe

Maj, 2001



Undersøgelsestype: Selvrappporteret

Alder: 18+

Prævalensår: 2000


Area covered: National

Referencer: Suhrcke M, Walters S, Mazzucco S, Pomerleau J, McKee M and Haerpfer CW. Socioeconomic differences in health, health behaviour and access to health care in Armenia, Belarus, Georgia, Kazakhstan, Kyrgyzstan, the Republic of Moldova, the Russian Federation and Ukraine. World Health Organisation 2008. http://www.un.org/development/desa/policy/2008/20080420/SocioEconomicDifferences_eng.pdf (last accessed 19 April 2016)

Noter (kun tilgængelige på engelsk): Prevalence of overweight and obesity by asset quintiles. Socioeconomic quintiles are defined on the basis of assets and household characteristics, rather than income or consumption.

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Kvinder, 2001



Undersøgelstypen:	Selvrapporteret
Alder:	18+
Prøvens størrelse:	2000
Area covered:	National

Referencer:

Suhrcke M, Walters S, Mazzucco S, Pomerleau J, McKee M and Haerpfer CW. Socioeconomic differences in health, health behaviour and access to health care in Armenia, Belarus, Georgia, Kazakhstan, Kyrgyzstan, the Republic of Moldova, the Russian Federation and Ukraine. World Health Organisation 2008. http://www.un.am/up/library/Socio%20Economic%20Differences_eng.pdf (last accessed 19 April 2016)


Noter (kun tilgængelige på engelsk):

Prevalence of overweight and obesity by asset quintiles. Socioeconomic quintiles are defined on the basis of assets and household characteristics, rather than income or consumption.

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Double burden of underweight & overweight

Voksne, 2022



UndersĂ_gelsestype:

MĂ¥lt

Alder:

20+

Referencer:

NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. [https://doi.org/10.1016/S0140-6736\(23\)02750-2](https://doi.org/10.1016/S0140-6736(23)02750-2).

**Noter (kun
tilgǎngelige pǎŋ
engelsk):**


Age Standardised estimates

**Definitioner (kun
tilgǎngelig pǎŋ
engelsk):**

Combined prevalence of BMI<18.5 kg/m² and BMI≥30 kg/m² (double burden of underweight and obesity)

Utilstr  kkelig fysisk aktivitet


Voksne, 2022



Unders��gelsestype:	Selvrapporteret
Alder:	18+
Area covered:	National

Referencer:	WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-)
Definitioner (kun tilgængelig på engelsk):	Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Mānd, 2022




UndersÄ_gelsestype:	Selvrappporteret
Alder:	18+
Area covered:	National
Referencer:	WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-)

**Definitioner (kun
tilgængelig på
engelsk):**

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Kvinder, 2022



Undersøgelstypen:

Selvrapporteret

Alder:

18+

Area covered:

National

Referencer:


WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

**Definitioner (kun
tilgængelig på
engelsk):**

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Estimated per capita fruit intake

Voksne, 2017



Undersøgelstype:

Målt

Alder:

25+

Referencer:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitioner (kun tilgængelig på engelsk):

Estimated per-capita fruit intake (g/day)

Ansl  t indtag af forarbejdet k  d pr. indbygger

Voksne, 2017



Unders  gelsestype:

M  lt

Alder:

25+

Referencer:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitioner (kun
tilg  ngelig p  
engelsk):

Estimated per-capita processed meat intake (g per day)

Estimated per capita whole grains intake

Voksne, 2017



Undersøgelstype:

Målt

Alder:

25+

Referencer:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitioner (kun tilgængelig på engelsk):

Estimated per-capita whole grains intake (g/day)

Psykkisk sundhed og depressionssygdomme

Voksne, 2021

**Alder:** 20+**Area covered:** National**Referencer:** Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

Definitioner
(kun
tilgængelig
på engelsk):

Number living with depression per 100,000 population (adults 20+ years)

March, 2021



Alder: 20+

Area covered: National

Referencer: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

Definitioner
(kun
tilg ngelig
p  engelsk):

Number living with depression per 100,000 population (adults 20+ years)

Kvinder, 2021



Alder: 20+

Area covered: National


Referencer: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

Definitioner
(kun
tilgængelig
på engelsk):

Number living with depression per 100,000 population (adults 20+ years)

Psyisk sundhed â angstlidelser


Voksne, 2021

**Alder:** 20+**Referencer:** Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).


Definitioner
(kun
tilg ngelig
p  engelsk):

Number living with anxiety per 100,000 population

MÃnd, 2021

**Alder:** 20+**Referencer:** Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).**Definitioner**
(kun
tilgÃngelig
pÃ¥ engelsk): Number living with anxiety per 100,000 population

Kvinder, 2021




Alder: 20+

Referencer: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

Definitioner (kun tilgængelig på engelsk): Number living with anxiety per 100,000 population

Percent of population who cannot afford a healthy diet

Voksne, 2022



Area covered:


National

Referencer:

The Food Systems Dashboard. The Global Alliance for Improved Nutrition (GAIN), The Columbia Climate School, and Cornell University College of Agriculture and Life Sciences. 2024. Geneva, Switzerland.
<https://www.foodsystemsdashboard.org>. DOI: <https://doi.org/10.36072/db>.

Kræft i spiseret

Månd, 2022




Alder:	20+
Area covered:	National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk): Indicence per 100,000

Kvinder, 2022




Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definitioner
(kun
tilg ngelig
p  engelsk):

Indicence per 100,000

Brystkræft

Kvinder, 2022

**Area covered:**

National

Referencer:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilg ngelig
p  engelsk):

Incidence per 100,000

Tarmkræft

MÅnd, 2022




Alder:	20+
Area covered:	National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk): Incidence per 100,000

Kvinder, 2022




Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk):

Incidence per 100,000

KrÃ¼ft i bugspytkirtlen

MÃ¼nd, 2022




Alder:	20+
Area covered:	National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk): Incidence per 100,000

Kvinder, 2022




Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definitioner
(kun
tilg ngelig
p  engelsk):

Incidence per 100,000

Kraft i galdebliken

Månd, 2022




Alder:	20+
Area covered:	National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk): Incidence per 100,000

Kvinder, 2022




Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk):

Indicence per 100,000

Nyrekraft

Månd, 2022




Alder:	20+
Area covered:	National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk): Incidence per 100,000

Kvinder, 2022




Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definitioner
(kun
tilg ngelig
p  engelsk):

Incidence per 100,000

Livmoderkraft

Kvinder, 2022



Alder:

20+

Referencer:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilg ngelig
p  engelsk):

Incidence per 100,000

Forhøjet blodtryk

Voksne, 2015




Referencer:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitioner
(kun
tilgængelig
på engelsk):

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

MÄnd, 2015




Referencer:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

**Definitioner
(kun
tilgÄngelig
på engelsk):**

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Kvinder, 2015



Referencer:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitioner (kun tilgængelig på engelsk):

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Forh jet kolesterol


Voksne, 2008



Referencer: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>


Definitioner
(kun tilg ngelig p  engelsk): % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

MÃnd, 2008



Referencer:	Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885
Definitioner (kun tilgÃngelig pÃ¥ engelsk):	% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Kvinder, 2008




Referencer: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definitioner
(kun
tilgængelig
på engelsk): % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Forh jet fasteblodsukkerniveau

M nd, 2014




Referencer:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definitioner
(kun
tilgængelig
på engelsk):

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Kvinder, 2014



Referencer:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definitioner (kun tilgængelig på engelsk):

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Diabetes prevalence


Adults, 2024

**Reference:**

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. <http://www.diabetesatlas.org>

Ovarian Cancer

Kvinder, 2022



Alder: 20+


Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilg ngelig
p  engelsk):

Incidence per 100,000

Leukemia

Mid, 2022



Alder: 20+


Area covered: National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner (kun tilgængelig på engelsk): Incidence per 100,000


Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Kvinder, 2022



Leukemia

Mid, 2022




Alder:	20+
Area covered:	National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner (kun tilgængelig på engelsk): Incidence per 100,000

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Kvinder, 2022



Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


Definitioner
(kun
tilgængelig
på engelsk):

Incidence per 100,000

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Liver and intrahepatic bile duct Cancer

Mid, 2022




Age:	20+
Area covered:	National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk): Incidence per 100,000

Kvinder, 2022




Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk):

Incidence per 100,000

Multiple Myeloma

MÄnd, 2022



Alder:	20+
Area covered:	National


Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

**Definitioner
(kun
tilgængelig
på engelsk):**

Indicence per 100,000

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Kvinder, 2022



Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


Definitioner
(kun
tilgængelig
på engelsk):

Indicence per 100,000

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Non Hodgkin Lymphoma

MAjnd, 2022




Alder:	20+
Area covered:	National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner (kun tilgængelig på engelsk): Incidence per 100,000

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Kvinder, 2022



Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


Definitioner
(kun
tilgængelig
på engelsk):

Incidence per 100,000

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Thyroid Cancer

March, 2022




Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk):

Incidence per 100,000

Kvinder, 2022



Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definitioner
(kun
tilg ngelig
p  engelsk):

Incidence per 100,000

PDF created on June 21, 2025