WØRLD ØBESITY

Report card Marshall Islands

Upper-middle income

Contents	Page
Obesity prevalence	2
Overweight/obesity by education	5
Overweight/obesity by age	7
Overweight/obesity by region	9
Overweight/obesity by socio-economic group	11
Insufficient physical activity	12
Estimated per capita fruit intake	15
Estimated per-capita processed meat intake	16
Estimated per capita whole grains intake	17
% Infants exclusively breastfed 0-5 months	18
Raised blood pressure	19
Raised cholesterol	22
Raised fasting blood glucose	25
Diabetes prevalence	27
Contextual factors	28






Obesity prevalence

Adults, 2017-2018

Obesity Overweight




Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Children, 2020


Overweight or obesity





Infants, 2017

Overweight or obesity




Definitions:



Overweight/obesity by education

Adults, 2017-2018


Overweight or obesity



5



Infants, 2017






Overweight/obesity by age

Adults, 2017-2018

Overweight or obesity




Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Children, 2017-2018

Obesity Overweight






Overweight/obesity by region

Women, 2016-2017

Obesity Overweight




Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Infants, 2017

Overweight or obesity






Overweight/obesity by socio-economic group

Infants, 2017

Overweight or obesity



References: MICS-Style: Republic of the Marshall Islands Integrated Child Health and Nutrition Survey 2017, Final Report. Majuro, Republic of the Marshall Islands: RMI Ministry of Health and Human Services, RMI Economic, Policy Planning and Statistic Office, 2017


Notes: UNICEF/WHO/World Bank Joint Child Malnutrition Estimates Expanded Database: Overweight (Survey Estimates), May 2023, New York. For more information about the methodology, please consult <u>https://data.unicef.org/resources/jme-2023-country-</u> <u>consultations/</u> Percentage of children under 5 years of age falling above 2 standard deviations (moderate and severe) from the median weight-for-height of the reference population.

Definitions: =>+2SD




Insufficient physical activity

Adults, 2016



References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X (18)30357-7


Men, 2016



analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 <u>http://dx.doi.org/10.1016/S2214-109X</u> (18)30357-7




Women, 2016



(18)30357-7




Estimated per capita fruit intake






Estimated per-capita processed meat intake






Estimated per capita whole grains intake





% Infants exclusively breastfed 0-5 months

Infants, 2007-2022




Notes: Full details are available. Original citation United Nations Children's Fund, Division of Data, Analysis, Planning and Monitoring (2023). Global UNICEF Global Databases: Infant and Young Child Feeding: Exclusive breastfeeding, New York, October 2023.



Raised blood pressure

Adults, 2015




Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).




Men, 2015





Women, 2015




Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



Raised cholesterol


Adults, 2008



Definitions:


% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).

Men, 2008






Women, 2008






Raised fasting blood glucose

Men, 2014




Women, 2014





Diabetes prevalence





Contextual factors

Disclaimer: These contextual factors should be interpreted with care. Results are updated as regularly as possible and use very specific criteria. The criteria used and full definitions are available for download at the bottom of this page.



Labelling

Is there mandatory nutrition labelling?	×
Front-of-package labelling?	×
Back-of-pack nutrition declaration?	×
Color coding?	×
Warning label?	×

Regulation and marketing	
Are there fiscal policies on unhealthy products?	X
Tax on unhealthy foods?	X
Tax on unhealthy drinks?	X
Are there fiscal policies on healthy products?	X
Subsidy on fruits?	×
Subsidy on vegetables?	X
Subsidy on other healthy products?	×
Mandatory limit or ban of trans fat (all settings)?	X
Mandatory limit of trans fats in place (all settings)?	×
Ban on trans-fats or phos in place (all settings)?	×
Are there any mandatory policies/marketing restrictions on the promotion of unhealthy food/drinks to children?	×
Mandatory restriction on broadcast media?	X
Mandatory restriction on non-broadcast media?	X
Voluntary policies/marketing restrictions on the promotion of unhealthy food/drinks to children?	X
Are there mandatory standards for food in schools?	X
Are there any mandatory nutrient limits in any manufactured food products?	X
Nutrition standards for public sector procurement?	×





National obesity strategy or nutrition and physical activity national strategy?	×
National obesity strategy?	×
National childhood obesity strategy?	×
Comprehensive nutrition strategy?	×
Comprehensive physical activity strategy?	×
Evidence-based dietary guidelines and/or RDAs?	×
National target(s) on reducing obesity?	×
Guidelines/policy on obesity treatment?	×
Promotion of breastfeeding?	 Image: A start of the start of

Monitoring and surveillance

Monitoring of the prevalence and incidence for the main obesity-related NCDs and risk factors?	\checkmark
Within 5 years?	~



Governance and resource

