# Marshall Islands



## Country report card - children


*This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for children, including adolescents (aged 5 to 18 years). Where available, data on common and relevant obesity drivers and comorbidities are also presented.*

*View the latest version of this report on the Global Obesity Observatory at https://data.worldobesity.org/country/marshall-islands-134/.*

| Contents | Page |
|---|---|
| **Obesity prevalence** | 3 |
| **Overweight/obesity by age** | 6 |
| **Double burden of underweight & obesity** | 9 |
| **Mental health - depression disorders** | 12 |
| **Mental health - anxiety disorders** | 16 |

## Obesity prevalence

## Children, 2024




| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 15-16 |
| **Sample size:** | 1243 |
| **Area covered:** | National |
| **References:** | Marshall Islands Rapid Youth Survey 2024. https://www.pihoa.org/wp-content/uploads/2025/08/2024-RMI-Rapid_Endorsed-14July25.pdf [Accessed 26.08.25] |

| | |
|---|---|
| **Notes:** | Data for all high school students, including those above age 17, available in report |
| **Definitions:** | CDC BMI percentiles were used to determine BMI categories for those students under 17 years old |
| **Cutoffs:** | CDC |

## Overweight/obesity by age

## Children, 2017-2018




| | |
|---|---|
| **Survey type:** | Measured |
| **Sample size:** | 3271 |
| **Area covered:** | Subnational |
| **References:** | Passmore, E. and Smith, T., 2019. Dual Burden of Stunting and Obesity Among Elementary School Children on Majuro, Republic of Marshall Islands. Hawai'i Journal of Health & Social Welfare, 78(8), p.262. |
| **Notes:** | CDC Cut-offs |

| | |
|---|---|
| **Cutoffs:** | CDC |

## Double burden of underweight & obesity

## Children, 2022




| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 5-19 |
| **References:** | NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. https://doi.org/10.1016/S0140-6736(23)02750-2. |
| **Notes:** | Age standardised estimates |

| | |
|---|---|
| **Definitions:** | Combined prevalence of BMI < -2SD and BMI > 2SD (double burden of thinness and obesity) |
| **Cutoffs:** | BMI < -2SD and BMI > 2SD |


## Mental health - depression disorders

## Children, 2023




| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with depressive disorders per 100,000 population (under 20 years of age) |

## Boys, 2023



| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with depressive disorders per 100,000 population (under 20 years of age) |


## Girls, 2023



| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with depressive disorders per 100,000 population (under 20 years of age) |


# Mental health - anxiety disorders

## Children, 2023




| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with anxiety disorders per 100,000 population (under 20 years of age) |

## Boys, 2023



| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with anxiety disorders per 100,000 population (under 20 years of age) |

## Girls, 2023



| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with anxiety disorders per 100,000 population (under 20 years of age) |

*PDF created on August 21, 2026*