

Condutores Marrocos



Lower-middle income

Report cards

Our report cards collate all the most-recent graphics for this country. If you would like to produce a custom report based on selected graphics, just tap the Add to custom PDF button below the graphics you would like to use.


[Report card \(adult data\)](#)

[Report card \(child data\)](#)

[Report card \(under-5s data\)](#)

Atividade física insuficiente

Adultos, 2022



**Tipo de
inquérito:**

Autorreportado

Idade:

18+


**Área
abrangida:**

Nacional

Referências: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

Definições (disponível apenas em inglês): Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Homens, 2022



Tipo de inquérito:

Autorreportado

Idade:

18+

Área abrangida:

Nacional


Referências:

WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

**Definições
(disponível
apenas em
inglês):**

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Mulheres, 2022



Tipo de inquérito:

Autorreportado

Idade:

18+

Área abrangida:

Nacional


Referências:

WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

**Definições
(disponível
apenas em
inglês):**

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Crianças, 2016



Tipo de inquérito:

Autorreportado

Idade:

11-17

Referências:

Global Health Observatory data repository, World Health Organisation, <https://apps.who.int/gho/data/node.main.A893ADO?lang=en> (last accessed 16.03.21)


Notas:

% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

**Definições
(disponível
apenas em
inglês):**

% Adolescents insufficiently active (age standardised estimate)

Rapazes, 2016



Tipo de inquérito:

Autorreportado

Idade:

11-17

Referências:

Global Health Observatory data repository, World Health Organisation, <https://apps.who.int/gho/data/node.main.A893ADO?lang=en> (last accessed 16.03.21)


Notas:

% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

**Definições
(disponível
apenas em
inglês):**

% Adolescents insufficiently active (age standardised estimate)

Raparigas, 2016



Tipo de inquérito:

Autorreportado

Idade:

11-17

Referências:

Global Health Observatory data repository, World Health Organisation, <https://apps.who.int/gho/data/node.main.A893ADO?lang=en> (last accessed 16.03.21)

Notas:


% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

**Definições
(disponível
apenas em
inglês):**

% Adolescents insufficiently active (age standardised estimate)

Frequência média diária de consumo de refrigerantes

Crianças, 2009-2015



**Tipo de
inquérito:**

Medido

Idade:


12-17

Referências:

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. <https://doi.org/10.1177/0379572119848287> sourced from Food Systems Dashboard <http://www.foodsystemsdashboard.org/food-system>

Estimated per capita fruit intake

Adultos, 2017



**Tipo de
inquérito:**

Medido

Idade:

25+

Referências:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definições
(disponível
apenas em
inglês):**

Estimated per-capita fruit intake (g/day)

Prevalência inferior ao consumo diário de fruta

Crianças, 2008-2015



**Tipo de
inquérito:**

Medido

Idade:

12-17

Referências:


Global School-based Student Health Surveys. Beal et al (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. <https://doi.org/10.1177/0379572119848287>. Sourced from Food Systems Dashboard <http://www.foodsystemsdashboard.org/food-system>

**Definições
(disponível
apenas em
inglês):**

Prevalence of less-than-daily fruit consumption (% less-than-daily fruit consumption)

Prevalência inferior ao consumo diário de vegetais

Crianças, 2008-2015



Tipo de inquérito:

Medido

Idade:

12-17

Referências:


Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. <https://doi.org/10.1177/0379572119848287> sourced from Food Systems Dashboard <http://www.foodsystemsdashboard.org/food-system>

Definições (disponível apenas em inglês):

Prevalence of less-than-daily vegetable consumption (% less-than-daily vegetable consumption)

Frequência semanal média de consumo de comida rápida

Crianças, 2009-2015



Idade:


12-17

Referências:

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. <https://doi.org/10.1177/0379572119848287> sourced from Food Systems Dashboard <http://www.foodsystemsdashboard.org/food-system>

Estimativa de ingestão de carne processada per capita

Adultos, 2017



Tipo de inquérito:

Medido

Idade:

25+

Referências:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definições
(disponível
apenas em
inglês):**

Estimated per-capita processed meat intake (g per day)

Estimated per capita whole grains intake

Adultos, 2017



Tipo de inquérito:

Medido

Idade:

25+

Referências:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definições (disponível apenas em inglês):

Estimated per-capita whole grains intake (g/day)

Saúde mental - transtornos depressivos

Adultos, 2021



Idade:

20+

Área
abrangida:

Nacional


Referências:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definições
(disponível
apenas em
inglês):**

Number living with depression per 100,000 population (adults 20+ years)

Homens, 2021



Idade: 20+


Área abrangida: Nacional

Referências: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definições
(disponível
apenas em
inglês):**

Number living with depression per 100,000 population (adults 20+ years)

Mulheres, 2021



Idade:

20+

Área abrangida:

Nacional


Referências:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definições
(disponível
apenas em
inglês):**

Number living with depression per 100,000 population (adults 20+ years)

Crianças, 2021



Área abrangida:

Nacional


Referências:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definições
(disponível
apenas em
inglês):**

Number living with depressive disorder per 100,000 population (Under 20 years of age)

Rapazes, 2021



Área abrangida:

Nacional


Referências:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definições
(disponível
apenas em
inglês):**

Number living with depressive disorder per 100,000 population (Under 20 years of age)

Raparigas, 2021



Área abrangida:

Nacional

Referências:


Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definições
(disponível
apenas em
inglês):**

Number living with depressive disorder per 100,000 population (Under 20 years of age)

Saúde mental - transtornos de ansiedade

Adultos, 2021



Idade:

20+


Referências:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

**Definições
(disponível
apenas em
inglês):**

Number living with anxiety per 100,000 population

Homens, 2021




Idade: 20+

Referências: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

Definições (disponível apenas em inglês): Number living with anxiety per 100,000 population

Mulheres, 2021



Idade:

20+


Referências:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

**Definições
(disponível
apenas em
inglês):**

Number living with anxiety per 100,000 population


Crianças, 2021



Referências:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)


Rapazes, 2021



Referências:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

Raparigas, 2021




Referências:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

% de bebés entre os 0 e 5 meses exclusivamente amamentados

0-5 years, 2010-2023



Referências:


Enquête Nationale sur la Population et la Santé Familiale (ENPSF) -2017-2018

Notas:

Full details are available. Original citation United Nations Children's Fund, Division of Data, Analysis, Planning and Monitoring (2023). Global UNICEF Global Databases: Infant and Young Child Feeding: Exclusive breastfeeding, New York, October 2023.

Percent of population who cannot afford a healthy diet

Adultos, 2022



Área abrangida:

Nacional

Referências:

The Food Systems Dashboard. The Global Alliance for Improved Nutrition (GAIN), The Columbia Climate School, and Cornell University College of Agriculture and Life Sciences. 2024. Geneva, Switzerland. <https://www.foodsystemsdashboard.org>. DOI: <https://doi.org/10.36072/db>.

