# North Korea



## Country report card


*This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity . Where available, data on common and relevant obesity drivers and comorbidities are also presented.*

*View the latest version of this report on the Global Obesity Observatory at https://data.worldobesity.org/country/north-korea-161/.*

| Contents | Page |
|---|---|
| Obesity prevalence | 3 |
| Overweight/obesity by region | 6 |
| Double burden of underweight & obesity | 9 |
| Insufficient physical activity | 16 |
| Mental health - depression disorders | 23 |
| Mental health - anxiety disorders | 30 |
| % Infants exclusively breastfed 0-5 months | 37 |
| Oesophageal cancer | 39 |
| Breast cancer | 42 |
| Colorectal cancer | 44 |
| Pancreatic cancer | 47 |
| Gallbladder cancer | 50 |
| Kidney cancer | 53 |
| Cancer of the uterus | 56 |
| Raised blood pressure | 58 |
| Raised cholesterol | 62 |
| Raised fasting blood glucose | 65 |
| Diabetes prevalence | 67 |
| Ovarian Cancer | 68 |
| Leukemia | 70 |
| Liver and intrahepatic bile duct Cancer | 75 |
| Multiple Myeloma | 78 |
| Non Hodgkin Lymphoma | 83 |
| Thyroid Cancer | 88 |

## Obesity prevalence

## 0-5 years, 2017




| | |
|---|---|
| **Age:** | 0-5 |
| **Sample size:** | 2270 |
| **References:** | MICS: DPR Korea Multiple Indicator Cluster Survey 2017, Survey Findings Report. Pyongyang, DPR Korea: Central Bureau of Statistics and UNICEF |
| **Notes:** | UNICEF/WHO/World Bank Joint Child Malnutrition Estimates Expanded Database: Overweight (Survey Estimates), May 2023, New York. For more information about the methodology, please consult https://data.unicef.org/resources/jme-2023-country-consultations/ Percentage of children under 5 years of age falling above 2 standard deviations (moderate and severe) from the median weight-for-height of the reference population. |

| Definitions: | =>+2SD |
|---|---|

## Overweight/obesity by region

## 0-5 years, 2017




| | |
|---|---|
| **Sample size:** | 2270 |
| **References:** | MICS: DPR Korea Multiple Indicator Cluster Survey 2017, Survey Findings Report. Pyongyang, DPR Korea: Central Bureau of Statistics and UNICEF |
| **Notes:** | UNICEF/WHO/World Bank Joint Child Malnutrition Estimates Expanded Database: Overweight (Survey Estimates), May 2023, New York. For more information about the methodology, please consult https://data.unicef.org/resources/jme-2023-country-consultations/ Percentage of children under 5 years of age falling above 2 standard deviations (moderate and severe) from the median weight-for-height of the reference population. |

| Definitions: | =>+2SD |
|---|---|

## Double burden of underweight & obesity


## Adults, 2022



| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 20+ |
| **References:** | NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. https://doi.org/10.1016/S0140-6736(23)02750-2. |
| **Notes:** | Age Standardised estimates |

| | |
|---|---|
| **Definitions:** | Combined prevalence of BMI<18.5 kg/m² and BMI>=30 kg/m² (double burden of underweight and obesity) |


## Children, 2022



| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 5-19 |
| **References:** | NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. https://doi.org/10.1016/S0140-6736(23)02750-2. |
| **Notes:** | Age standardised estimates |

| | |
|---|---|
| **Definitions:** | Combined prevalence of BMI < -2SD and BMI > 2SD (double burden of thinness and obesity) |
| **Cutoffs:** | BMI < -2SD and BMI > 2SD |

## 0-5 years, 2002




| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 0-5 |
| **References:** | United Nations Children's Fund, Division of Data, Analysis, Planning and Monitoring (2025). Global UNICEF Global Databases: Overlapping Stunting, Wasting and Overweight (Survey Estimates), 2025, New York. For more information, visit: https://data.unicef.org/topic/nutrition/malnutrition/ [Accessed 06.08.25] |
| **Notes:** | Nutrition assessment 2002 D.P.R. Korea. Pyongyang: Government of D.P.R. Korea, United Nations Children's Fund and World Food Programme, 2003 |

| | |
|---|---|
| **Definitions:** | Combined percentage of children under 5 years of age who are either wasted, stunted, or overweight (falling below -2 standard deviations from the median weight-for-height, falling below -2 standard deviations from the median height for age, or falling at or above +2 standard deviations from the median weight-for-height of the reference population) |
| **Cutoffs:** | WHZ <-2, HAZ <-2 and WHZ >+2 |

## Insufficient physical activity


## Adults, 2022



| | |
|---|---|
| **Survey type:** | Self-reported |
| **Age:** | 18+ |
| **Area covered:** | National |
| **References:** | WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-) |

| | |
|---|---|
| **Definitions:** | Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent. |


## Men, 2022



| | |
|---|---|
| **Survey type:** | Self-reported |
| **Age:** | 18+ |
| **Area covered:** | National |
| **References:** | WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-) |

| | |
|---|---|
| **Definitions:** | Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent. |

## Women, 2022




| | |
|---|---|
| **Survey type:** | Self-reported |
| **Age:** | 18+ |
| **Area covered:** | National |
| **References:** | WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-) |

| | |
|---|---|
| **Definitions:** | Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent. |


## Mental health - depression disorders

## Adults, 2023




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with depressive disorders per 100,000 population (20+ years of age) |

## Men, 2023




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with depressive disorders per 100,000 population (20+ years of age) |

## Women, 2023




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with depressive disorders per 100,000 population (20+ years of age) |

## Children, 2023




| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with depressive disorders per 100,000 population (under 20 years of age) |

## Boys, 2023



| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with depressive disorders per 100,000 population (under 20 years of age) |


## Girls, 2023



| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with depressive disorders per 100,000 population (under 20 years of age) |


## Mental health - anxiety disorders

## Adults, 2023




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with anxiety disorders per 100,000 population (20+ years of age) |

## Men, 2023




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with anxiety disorders per 100,000 population (20+ years of age) |

## Women, 2023




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with anxiety disorders per 100,000 population (20+ years of age) |

## Children, 2023




| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with anxiety disorders per 100,000 population (under 20 years of age) |

## Boys, 2023



| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with anxiety disorders per 100,000 population (under 20 years of age) |


## Girls, 2023



| | |
|---|---|
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26] |
| **Definitions:** | Estimated number living with anxiety disorders per 100,000 population (under 20 years of age) |

## % Infants exclusively breastfed 0-5 months


## 0-5 years, 2015-2023



| | |
|---|---|
| **Area covered:** | National |
| **References:** | DPR Korea Multiple Indicator Cluster Survey 2017, Survey Findings Report. Pyongyang, DPR Korea: Central Bureau of Statistics and UNICEF |
| **Notes:** | Full details available at source: United Nations Children's Fund, Division of Data, Analysis, Planning and Monitoring (2025). Global UNICEF Global Databases: Infant and Young Child Feeding: Exclusive breastfeeding, New York, November 2025. |
| **Definitions:** | Infants 0-5 months of age who received only breast milk during the previous day. The definition allows for medicines, vitamins and oral re-hydration solution to have been given. These infants would not have received water-based liquids, milk based-liquids or food. |


## Oesophageal cancer

## Men, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Indicence per 100,000 |


## Women, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Indicence per 100,000 |

## Breast cancer


## Women, 2022



| | |
|---|---|
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |


## Colorectal cancer

## Men, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |


## Women, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |


## Pancreatic cancer

## Men, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |


## Women, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |


## Gallbladder cancer

## Men, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Indicence per 100,000 |


## Women, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Indicence per 100,000 |


## Kidney cancer

## Men, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |


## Women, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

## Cancer of the uterus


## Women, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |


## Raised blood pressure

## Adults, 2019




| | |
|---|---|
| **Age:** | 30-79 |
| **References:** | World Health Organization. 2024. Hypertension: raised blood pressure (uncontrolled hypertension) among adults aged 30-79 years (%). Global Health Observatory. https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-raised-blood-pressure-among-adults-30-79-years [Accessed 16.03.26] |
| **Definitions:** | Prevalence of raised blood pressure (defined as having systolic blood pressure ≥140 mmHg or diastolic blood pressure ≥90 mmHg) among adults aged 30-79. |

## Men, 2019



| | |
|---|---|
| **Age:** | 30-79 |
| **References:** | World Health Organization. 2024. Hypertension: raised blood pressure (uncontrolled hypertension) among adults aged 30-79 years (%). Global Health Observatory. https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-raised-blood-pressure-among-adults-30-79-years [Accessed 16.03.26] |
| **Definitions:** | Prevalence of raised blood pressure (defined as having systolic blood pressure ≥140 mmHg or diastolic blood pressure ≥90 mmHg) among adults aged 30-79. |


## Women, 2019



| | |
|---|---|
| **Age:** | 30-79 |
| **References:** | World Health Organization. 2024. Hypertension: raised blood pressure (uncontrolled hypertension) among adults aged 30-79 years (%). Global Health Observatory. https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-raised-blood-pressure-among-adults-30-79-years [Accessed 16.03.26] |
| **Definitions:** | Prevalence of raised blood pressure (defined as having systolic blood pressure ≥140 mmHg or diastolic blood pressure ≥90 mmHg) among adults aged 30-79. |


## Raised cholesterol

### Adults, 2008




| | |
|---|---|
| **References:** | Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885 |
| **Definitions:** | % Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate). |

## Men, 2008



| | |
|---|---|
| **References:** | Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885 |
| **Definitions:** | % Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate). |


## Women, 2008



| | |
|---|---|
| **References:** | Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885 |
| **Definitions:** | % Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate). |


## Raised fasting blood glucose

### Men, 2014



| | |
|---|---|
| **References:** | Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A869?lang=en |
| **Definitions:** | Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication). |


## Women, 2014



| | |
|---|---|
| **References:** | Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A869?lang=en |
| **Definitions:** | Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication). |

## Diabetes prevalence


### Adults, 2024



**References:** Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. http://www.diabetesatlas.org

## Ovarian Cancer


## Women, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

## Leukemia


## Men, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*


## Liver and intrahepatic bile duct Cancer

## Men, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |


## Women, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

## Multiple Myeloma


## Men, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Indicence per 100,000 |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Indicence per 100,000 |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

## Non Hodgkin Lymphoma


## Men, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*


## Thyroid Cancer

## Men, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

## Women, 2022



| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

*PDF created on August 20, 2026*