

Drivers Norway




	Page
Insufficient physical activity	2
Prevalence of at least daily carbonated soft drink consumption	8
Estimated per capita fruit intake	9
Prevalence of less than daily fruit consumption	10
Prevalence of less than daily vegetable consumption	11
Estimated per-capita processed meat intake	12
Estimated per capita whole grains intake	13
Mental health - depression disorders	14
Mental health - anxiety disorders	15



Insufficient physical activity


Adults, 2016



References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X
(18)30357-7




Men, 2016



References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X (18)30357-7




Women, 2016



References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X (18)30357-7




Children, 2016






Boys, 2016



Survey	Seti-reported
type:	
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)
Notes:	% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.
Definitions:	% Adolescents insufficiently active (age standardised estimate)




Girls, 2016





Prevalence of at least daily carbonated soft drink consumption

Children, 2010-2014



Survey Measured type:

References:

World Health Organization. (2017). Adolescent obesity and related behaviours: Trends and inequalities in the who european region, 2002-2014: observations from the Health Behavior in School-aged Children (HBSC) WHO collaborative crossnational study (J. Inchley, D. Currie, J. Jewel, J. Breda, & V. Barnekow, Eds.). World Health Organization. Sourced from Food Systems Dashboard http://www.foodsystemsdashboard.org


Notes: 15-year-old adolescents

Definitions: Prevalence of at least daily carbonated soft drink consumption (% of at least daily carbonated soft drink consumption)



Estimated per capita fruit intake

Adults, 2017



Survey type:

Age:

Clobal Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/


Definitions:

Estimated per-capita fruit intake (g/day)



Prevalence of less than daily fruit consumption

Children, 2010-2014



Survey Measured type:

References:

Global School-based Student Health Surveys. Beal et al (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. https://doi.org/10.1177/0379572119848287. Sourced from Food Systems Dashboard

http://www.foodsystemsdashboard.org/food-system


Definitions:

Prevalence of less-than-daily fruit consumption (% less-than-daily fruit consumption)



Prevalence of less than daily vegetable consumption

Children, 2010-2014



Survey Measured type:

Age: 12-17

References: Beal et al. (2019). Global Patterns of Adolescent Fruit, Vega

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.

https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard

 $\underline{\text{http://www.foodsystemsdashboard.org/food-system}}$


Definitions:

Prevalence of less-than-daily vegetable consumption (% less-than-daily vegetable consumption)



Estimated per-capita processed meat intake

Adults, 2017






Estimated per capita whole grains intake

Adults, 2017

Definitions:




Estimated per-capita whole grains intake (g/day)



Mental health - depression disorders

Adults, 2015



References: Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0


IGO.

Definitions: % of population with depression disorders



Mental health - anxiety disorders

Adults, 2015



References: Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0

Definitions: % of population with anxiety disorders

PDF created on May 24, 2024

IGO.