

Report card Norway



High income


	Page
Obesity prevalence	3
Trend: % Adults living with obesity in Norway 1979-1994	5
Trend: % Adults living with overweight or obesity in Norway 1979-1994	6
Trend: Trend adult overweight obesity 2014 2019	7
Trend: Trends Norway Adult Obesity 2014 2019	9
Overweight/obesity by age and education	11
Overweight/obesity by education	14
Overweight/obesity by age	17
Overweight/obesity by region	19
Overweight/obesity by age and region	22
Overweight/obesity by age and socio-economic group	24
Overweight/obesity by socio-economic group	27
Overweight/obesity by age and limited activity	31
Insufficient physical activity	34
Prevalence of at least daily carbonated soft drink consumption	40
Estimated per capita fruit intake	41
Prevalence of less than daily fruit consumption	42
Prevalence of less than daily vegetable consumption	43
Estimated per-capita processed meat intake	44
Estimated per capita whole grains intake	45
Mental health - depression disorders	46
Mental health - anxiety disorders	47
Oesophageal cancer	48
Breast cancer	50
Colorectal cancer	51
Pancreatic cancer	53
Gallbladder cancer	55
Kidney cancer	57
Cancer of the uterus	59
Raised blood pressure	60
Raised cholesterol	63
Raised fasting blood glucose	66
Diabetes prevalence	68
Ovarian Cancer	69
Leukemia	70
Leukemia	72
Liver and intrahepatic bile duct Cancer	74

Contents	Page
Multiple Myeloma	%%
Non Hodgkin Lymphoma	%%
Thyroid Cancer	%%
Contextual factors	%%



Obesity prevalence


Adults, 2019





Children, 2021-2022

Overweight or obesity



Survey Self-reported type:

Age: 13

References: Rakic JG, Hamrik Z, Dzielska A, Felder-Puig R, Oja L, Bakalár P et al. A focus on adolescent physical activity, eating behaviours, weight status and body image in Europe, central Asia and Canada. Health Behaviour in School-aged Children (HBSC) international report from the 2021/2022 survey. Volume 4. Copenhagen: WHO Regional Office for Europe; 2024. 'Any translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition'


Notes: HBSC aims to survey approximately 1500 pupils per age group in each country or region (totaling around 4500)

Cutoffs: +2SD



% Adults living with obesity in Norway 1979-1994





Survey Measured

type:

References: Jacobsen BK, Njolstad I, Thune I, Wilsgaard T, Lochen ML, Schirmer H. Increase in weight of all birth cohorts in a general population. Arch InternMed 2001;166:466-472Jacobsen BK, Njolstad I, Thune I, Wilsgaard T, Lochen ML, Schirmer H. Increase in weight of all birth cohorts in a general population. Arch InternMed 2001;166:466-472Jacobsen BK, Njolstad I, Thune I, Wilsgaard T, Lochen ML, Schirmer H. Increase in weight of all birth cohorts in a general population. Arch InternMed 2001;166:466-472

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².




% Adults living with overweight or obesity in Norway 1979-1994



Trend adult overweight obesity 2014 2019

Men

Overweight or obesity



Survey type: Self-reported

References:

2014: 2014 Eurostat Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last accessed 25.08.20

2017: 2017 - EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_hch10&lang=en (last


accessed 25.08.20)

2019: Eurostat 2019. Data available at

https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21)



Overweight or obesity



Survey type: Self-reported

References:

2014: 2014 Eurostat Database:http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en

(last accessed 25.08.20

 $2017: 2017 - EUROSTAT\ Database\ \underline{\text{http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_hch10\&lang=en}}\ (last toldown)$

accessed 25.08.20)

2019: Eurostat 2019. Data available at


https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21)



Trends Norway Adult Obesity 2014 2019

Men

Obesity



Survey type: Self-reported

References:

2014: 2014 Eurostat Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last accessed 25.08.20

(1031 00003300 23.00.20

2017: 2017 - EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_hch10&lang=en (last


accessed 25.08.20)

2019: Eurostat 2019. Data available at

https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21)







Survey type: Self-reported

References:

2014: 2014 Eurostat Database:http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en

(last accessed 25.08.20

 $2017: 2017 - EUROSTAT\ Database\ \underline{\text{http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_hch10\&lang=en}}\ (last toldown)$

accessed 25.08.20)


2019: Eurostat 2019. Data available at

https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21)



Overweight/obesity by age and education

Adults, 2019



Survey type: Self-reported

Area National

covered:


References:

Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last

accessed 09.08.21).



Men, 2019



Survey type: Self-reported

Area National


covered:

References: Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last

accessed 09.08.21).

 $Unless \ otherwise \ noted, \ overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$





Survey type: Self-reported

Area National

covered:

 $References: Eurostat\ 2019.\ Available\ at\ \underline{https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e\&lang=en}\ (last below the following and the following properties of the follow$


accessed 09.08.21).

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$




Overweight/obesity by education

Men, 2014




 $Unless \ otherwise \ noted, \ overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$








Children, 2010





Overweight/obesity by age

Adults, 2019




Survey type: Self-reported
Sample size: 7913
Area covered: National
References: Statistics Norway 2019. https://www.ssb.no/en/statbank/table/11277/tableViewLayout1/ (last accessed 13.07.21)



Children, 2021-2022

Overweight or obesity



Survey Self-reported type:

Area See Report

References:

covered:

RakiÃ?â?¡ JG, Hamrik Z, Dzielska A, Felder-Puig R, Oja L, Bakalár P et al. A focus on adolescent physical activity, eating behaviours, weight status and body image in Europe, central Asia and Canada. Health Behaviour in School-aged Children (HBSC) international report from the 2021/2022 survey. Volume 4. Copenhagen: WHO Regional Office for Europe; 2024. 'Any translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition'

Notes: HBSC aims to survey approximately 1500 pupils per age group in each country or region (totaling around 4500)


Cutoffs: +2SD



Overweight/obesity by region

Men, 2019

References:




Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Statistics Norway 2019. Available at https://www.ssb.no/en/statbank/table/11277/tableViewLayout1/ (last accessed

13.07.21)



References:




Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Statistics Norway 2019. Available at https://www.ssb.no/en/statbank/table/11277/tableViewLayout1/ (last accessed

13.07.21)



Children, 2017



Survey	Measured
type:	
Age:	13
Sample	1838
size:	
Area	National
covered:	

References:

Øvrebø, B., Bergh, I. H., Stea, T. H., Bere, E., Surén, P., Magnus, P. M., Juliusson, P. B., & Wills, A. K. (2021). Overweight, obesity, and thinness among a nationally representative sample of Norwegian adolescents and changes from childhood:

Associations with sex, region, and population density. PloS one, 16(8), e0255699.


https://doi.org/10.1371/journal.pone.0255699

Cutoffs: IOTF



Overweight/obesity by age and region

Men, 2014




Survey type: Self-reported

Area National covered:

References: 2014 Eurostat - Urbanisation - http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1u&lang=en (last accessed 25.08.20)





Survey type: Self-reported

Area National

covered:

References: 2014 Eurostat - Urbanisation - http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1u&lang=en (last


accessed 25.08.20)

 $Unless \ otherwise \ noted, \ overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Overweight/obesity by age and socio-economic group

Adults, 2019



Survey type: Self-reported

Area National covered:


References:

Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last

accessed 09.08.21).



Men, 2019



Survey type:


Area
Area
Covered:

References: Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

accessed 09.08.21).





Survey type:

Area
Covered:


References: Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21).



Overweight/obesity by socio-economic group

Men, 2014





Survey type:

Age:

Area

covered:

Self-reported


National

References: 2014 Eurostat - Socio economic - http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 25.08.20))

Notes: 1st Quintile (lowest income), 5th Quintile (highest income) Please note where data = zero, there were insufficient data.







Survey type: Self-reported
Age: 18+

Area National

covered:


References: 2014 Eurostat - Socio economic - http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 25.08.20))

Notes: 1st Quintile (lowest income), 5th Quintile (highest income) Please note where data = zero, there were insufficient data.



Boys, 2021-2022





Survey Self-reported type:

Age: 11-15

References: Raki? JG, Hamrik Z, Dzielska A, Felder-Puig R, Oja L, Bakalár P et al. A focus on adolescent physical activity, eating behaviours, weight status and body image in Europe, central Asia and Canada. Health Behaviour in School-aged Children (HBSC) international report from the 2021/2022 survey. Volume 4. Copenhagen: WHO Regional Office for Europe; 2024. 'Any translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition'


Notes: Family affluence scaleHBSC aims to survey approximately 1500 pupils per age group in each country or region (totaling around 4500)

Cutoffs: +2SD



Girls, 2021-2022

Overweight or obesity



Survey	Self-reported
type:	
Age:	11-15

References: Raki? JG, Hamrik Z, Dzielska A, Felder-Puig R, Oja L, Bakalár P et al. A focus on adolescent physical activity, eating behaviours, weight status and body image in Europe, central Asia and Canada. Health Behaviour in School-aged Children (HBSC) international report from the 2021/2022 survey. Volume 4. Copenhagen: WHO Regional Office for Europe; 2024. 'Any translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition'


Notes: Family affluence scaleHBSC aims to survey approximately 1500 pupils per age group in each country or region (totaling around 4500)

Cutoffs: +2SD



Overweight/obesity by age and limited activity

Adults, 2014



Survey type: Self-reported


Area covered: National

References:

Eurostat 2014 available at https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do (last accessed 06.10.21)



Men, 2014




Survey type: Self-reported

Area covered: National

References:

Eurostat 2014 available at https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do (last accessed 06.10.21)





Survey type: Self-reported

Area covered: National


References:

Eurostat 2014 available at https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do (last accessed 06.10.21)




Insufficient physical activity

Adults, 2022






Men, 2022







covered:


References: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-

among-adults-aged-18-years-(age-standardized-estimate)-(-)

Definitions: Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.




Children, 2016






Boys, 2016



type:	Sett reported
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)
Notes:	% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.
Definitions:	% Adolescents insufficiently active (age standardised estimate)




Girls, 2016





Prevalence of at least daily carbonated soft drink consumption

Children, 2010-2014



Survey Measured type:

References:

World Health Organization. (2017). Adolescent obesity and related behaviours: Trends and inequalities in the who european region, 2002-2014: observations from the Health Behavior in School-aged Children (HBSC) WHO collaborative crossnational study (J. Inchley, D. Currie, J. Jewel, J. Breda, & V. Barnekow, Eds.). World Health Organization. Sourced from Food Systems Dashboard http://www.foodsystemsdashboard.org


Notes: 15-year-old adolescents

Definitions: Prevalence of at least daily carbonated soft drink consumption (% of at least daily carbonated soft drink consumption)



Estimated per capita fruit intake

Adults, 2017



Survey type:

Age:

Clobal Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/


Definitions:

Estimated per-capita fruit intake (g/day)



Prevalence of less than daily fruit consumption

Children, 2010-2014



Survey Measured type:

References:

Global School-based Student Health Surveys. Beal et al (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. https://doi.org/10.1177/0379572119848287. Sourced from Food Systems Dashboard

http://www.foodsystemsdashboard.org/food-system


Definitions:

Prevalence of less-than-daily fruit consumption (% less-than-daily fruit consumption)



Prevalence of less than daily vegetable consumption

Children, 2010-2014



Survey Measured

type:

Age: 12-17

References:

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.

https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard

 $\underline{\text{http://www.foodsystemsdashboard.org/food-system}}$


Definitions:

Prevalence of less-than-daily vegetable consumption (% less-than-daily vegetable consumption)



Estimated per-capita processed meat intake


Adults, 2017





Estimated per capita whole grains intake

Adults, 2017



Age:

References:

Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/


Definitions:

Estimated per-capita whole grains intake (g/day)



Mental health - depression disorders

Adults, 2015



References: Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0


IGO.

Definitions: % of population with depression disorders



Mental health - anxiety disorders

Adults, 2015



References: Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0

IGO.

Definitions: % of population with anxiety disorders



Oesophageal cancer

Men, 2022










Breast cancer

Women, 2022





Area National

covered:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]


Definitions: Incidence per 100,000



Colorectal cancer

Men, 2022

Definitions:



Incidence per 100,000

51








Pancreatic cancer

Men, 2022










Gallbladder cancer

Men, 2022


Definitions:



Indicence per 100,000

55







Kidney cancer

Men, 2022










Cancer of the uterus

Women, 2022



Age: 20+

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:


https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000



Raised blood pressure

Adults, 2015



References:

Global Health Observatory data repository, World Health Organisation,


http://apps.who.int/gho/data/node.main.A875?lang=en

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



Men, 2015



References:


Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A875?lang=en

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).





References:

Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A875?lang=en


Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



Raised cholesterol

Adults, 2008



References:


Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885

Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).



Men, 2008




References:

 $Global\ Health\ Observatory\ data\ repository,\ World\ Health\ Organisation,\ \underline{http://apps.who.int/gho/data/node.main.A885}$

Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).





References:

 $Global\ Health\ Observatory\ data\ repository,\ World\ Health\ Organisation,\ \underline{http://apps.who.int/gho/data/node.main.A885}$


Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).



Raised fasting blood glucose

Men, 2014



References:


Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A869?lang=en

Definitions:

Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication).





References:

Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A869?lang=en


Definitions:

Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication).



Diabetes prevalence

Adults, 2021



Area National

covered:

References: Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 10th edn. Brussels,


Belgium:International Diabetes Federation, 2021. http://www.diabetesatlas.org

Definitions: Age-adjusted comparative prevalence of diabetes, %



Ovarian Cancer

Women, 2022



Age: 20+

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000



Leukemia

Men, 2022	<u>.</u>								
4									
3									
2									
1									
0									
⁻¹ _1	0	1	2	3	4	5	6		
Age:							20+		
Area covered:							National		
References:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]								
Definitions:						Incidence per	100,000		
Unle	ess otherwise note	ed, overweight refer	rs to a BMI between	25kg and 29.9kg/ı	m², obesity refers to	a BMI greater than	30kg/m².		




Wome	n, 2022						
4							
3							
2							
1							
0							
⁻¹ _1	0	1	2	3	4	5	6
Age:							20+
Area covered:							National
References			nne M, Colombet M, ncer Today. Lyon, Fr	ance: International		ch on Cancer. Availa	able from:
Definitions	:					Incidence per	r 100,000
	Unless otherwise not	ed, overweight refe	rs to a BMI between	25kg and 29.9kg/r	m², obesity refers to	a BMI greater than	30kg/m².



Leukemia

Men, 2022



Age: 20+

Area National covered:

References:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$





References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:


https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000



Liver and intrahepatic bile duct Cancer

Men, 2022



20+ Age:

Area National


covered:

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000






https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000



Multiple Myeloma

Men, 2022



Age: 20+

Area National covered:


References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Indicence per 100,000





References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:


https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Indicence per 100,000



Non Hodgkin Lymphoma

Men, 2022



Age: 20+

Area National covered:

References:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².





covered:

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:


https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000



Thyroid Cancer

Men, 2022




References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000





Definitions: Incidence per 100,000



Contextual factors

Disclaimer: These contextual factors should be interpreted with care. Results are updated as regularly as possible and use very specific criteria. The criteria used and full definitions are available for download at the bottom of this page.



Labelling

Is there mandatory nutrition labelling?	~
Front-of-package labelling?	×
Back-of-pack nutrition declaration?	~
Color coding?	×
Warning label?	×





Regulation and marketing

Are there fiscal policies on unhealthy products?	V
Tax on unhealthy foods?	X
Tax on unhealthy drinks?	~
Are there fiscal policies on healthy products?	X
Subsidy on fruits?	×
Subsidy on vegetables?	X
Subsidy on other healthy products?	X
Mandatory limit or ban of trans fat (all settings)?	~
Mandatory limit of trans fats in place (all settings)?	~
Ban on trans-fats or phos in place (all settings)?	X
Are there any mandatory policies/marketing restrictions on the promotion of unhealthy food/drinks to children?	~
Mandatory restriction on broadcast media?	~
Mandatory restriction on non-broadcast media?	X
Voluntary policies/marketing restrictions on the promotion of unhealthy food/drinks to children?	~
Are there mandatory standards for food in schools?	X
Are there any mandatory nutrient limits in any manufactured food products?	X
Nutrition standards for public sector procurement?	X





Political will and support

National obesity strategy or nutrition and physical activity national strategy?	~
National obesity strategy?	X
National childhood obesity strategy?	X
Comprehensive nutrition strategy?	~
Comprehensive physical activity strategy?	~
Evidence-based dietary guidelines and/or RDAs?	~
National target(s) on reducing obesity?	\
Guidelines/policy on obesity treatment?	X
Promotion of breastfeeding?	~
Monitoring and surveillance	
Monitoring of the prevalence and incidence for the main obesity-related NCDs and risk factors?	~
Within 5 years?	~
Governance and resource	
Multi-sectoral national co-ordination mechanism for obesity or nutrition (including obesity)?	X
Key	
Present Present Incoming Absent Unknown	
(voluntary)	

Last updated July 3, 2023