




Portugal



Country report card - under-5s

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for children under 5. Where available, data on common and relevant obesity drivers and comorbidities are also presented.


View the latest version of this report on the Global Obesity Observatory at <https://data.worldobesity.org/country/portugal-174/>.

Contents	Page
Obesity prevalence	3
Overweight/obesity by ethnicity	4
Double burden of underweight & overweight	5

Obesity prevalence

0-5 years, 2015-2016

■ Overweight or obesity



Age:

0-5

Sample size:

315401

References:

Other: Inquérito Alimentar Nacional e de Atividade Física, IAN-AF 2015-2016

Notes: UNICEF/WHO/World Bank Joint Child Malnutrition Estimates Expanded Database: Overweight (Survey Estimates), May 2023, New York.
 For more information about the methodology, please consult <https://data.unicef.org/resources/jme-2023-country-consultations/>
 Percentage of children under 5 years of age falling above 2 standard deviations (moderate and severe) from the median weight-for-height of the reference population.

Definitions:

=>+2SD

Overweight/obesity by ethnicity

Ethnic groups are as defined by publication of origin and are not as defined by WOF. In some instances ethnicity is conflated with nationality and/or race.

Double burden of underweight & overweight

0-5 years, 2015-2016



Survey type:

Measured

Age:

0-5

References:

United Nations Children's Fund, Division of Data, Analysis, Planning and Monitoring (2025). Global UNICEF Global Databases: Overlapping Stunting, Wasting and Overweight (Survey Estimates), 2025, New York. For more information, visit: <https://data.unicef.org/topic/nutrition/malnutrition/> [Accessed 06.08.25]

Notes:

Inquérito Alimentar Nacional e de Atividade Física, IAN-AF 2015-2016

Definitions:

Combined percentage of children under 5 years of age who are either wasted, stunted, or overweight (falling below -2 standard deviations from the median weight-for-height, falling below -2 standard deviations from the median height for age, or falling at or above +2 standard deviations from the median weight-for-height of the reference population)

Cutoffs:

WHZ <-2, HAZ <-2 and WHZ >+2

PDF created on January 29, 2026