

# Report card


## Qatar



| Contents   | Page |
|--|------|
| Obesity prevalence   | 2    |
| Overweight/obesity by education                              | 5    |
| Overweight/obesity by age                                    | 7    |
| Insufficient physical activity                               | 9    |
| Average daily frequency of carbonated soft drink consumption | 15   |
| Estimated per capita fruit intake                            | 16   |
| Prevalence of less than daily fruit consumption              | 17   |
| Prevalence of less than daily vegetable consumption          | 18   |
| Average weekly frequency of fast food consumption            | 19   |
| Estimated per-capita processed meat intake                   | 20   |
| Estimated per capita whole grains intake                     | 21   |
| Mental health - depression disorders                         | 22   |
| Mental health - anxiety disorders                            | 23   |
| % Infants exclusively breastfed 0-5 months                   | 24   |
| Oesophageal cancer   | 25   |
| Breast cancer  | 27   |
| Colorectal cancer  | 28   |
| Pancreatic cancer  | 30   |
| Gallbladder cancer   | 35   |
| Kidney cancer  | 37   |
| Cancer of the uterus   | 42   |
| Raised blood pressure  | 43   |
| Raised cholesterol   | 46   |
| Raised fasting blood glucose                                 | 49   |
| Diabetes prevalence  | 51   |
| Contextual factors   | 52   |

## Obesity prevalence


Adults, 2012



|               |   |
|---------------|---|
| Survey type:  | Measured  |
| Age:          | 18-64   |
| Sample size:  | 2384  |
| Area covered: | National  |
| References:   | WHO STEPS Qatar 2012 Fact Sheet, available at <a href="https://www.who.int/ncds/surveillance/steps/Qatar_FactSheet_2012.pdf">https://www.who.int/ncds/surveillance/steps/Qatar_FactSheet_2012.pdf</a><br>(last accessed 19.10.20) |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m<sup>2</sup>, obesity refers to a BMI greater than 30kg/m<sup>2</sup>.*


## Children, 2015-2016



|               |   |
|---------------|---|
| Survey type:  | Measured  |
| Age:          | 5-19  |
| Sample size:  | 168011  |
| Area covered: | National  |
| References:   | M. Al-Thani, A. Al-Thani, S. Alyafei, W. Al-Chetachi, S.E. Khalifa, A. Ahmed, A. Ahmad, B. Vinodson, H. Akram, The prevalence and characteristics of overweight and obesity among students in Qatar. Public Health(2018);160:143-149 ISSN 0033-3506 |
| Notes:        | WHO Cut Off   |
| Cutoffs:      | WHO   |

## Infants, 1995

█ Overweight or obesity



Age: 0-5

Sample size: 1180

References: Other: Nutritional assessment in Qatar. Assignment report EM/NUT169/E/R/01.96/27. Alexandria: World Health Organization Regional Office, 1996


Notes: UNICEF/WHO/World Bank Joint Child Malnutrition Estimates Expanded Database: Overweight (Survey Estimates), May 2023, New York. For more information about the methodology, please consult <https://data.unicef.org/resources/jme-2023-country-consultations/> Percentage of children under 5 years of age falling above 2 standard deviations (moderate and severe) from the median weight-for-height of the reference population.

Definitions: =>+2SD

## Overweight/obesity by education

Boys, 2003-2004


■ Obesity ■ Overweight



|               |  |
|---------------|--|
| Survey type:  | Measured   |
| Age:          | 12-17  |
| Sample size:  | 3923   |
| Area covered: | Urban and Semi-urban   |
| References:   | Prevalence of obesity, overweight, and underweight in Qatari adolescents. <a href="https://pubmed.ncbi.nlm.nih.gov/16572718/">https://pubmed.ncbi.nlm.nih.gov/16572718/</a> (last accessed 06.06.2022) |
| Notes:        | Father's education   |

## Girls, 2003-2004


■ Obesity ■ Overweight



|               |  |
|---------------|--|
| Survey type:  | Measured   |
| Age:          | 12-17  |
| Sample size:  | 3923   |
| Area covered: | Urban and Semi-urban   |
| References:   | Prevalence of obesity, overweight, and underweight in Qatari adolescents. <a href="https://pubmed.ncbi.nlm.nih.gov/16572718/">https://pubmed.ncbi.nlm.nih.gov/16572718/</a> (last accessed 06.06.2022) |
| Notes:        | Father's education   |

## Overweight/obesity by age

Adults, 2012




|               |   |
|---------------|---|
| Survey type:  | Measured  |
| Sample size:  | 2384  |
| Area covered: | National  |
| References:   | WHO STEPS Qatar 2012 Fact Sheet, available at <a href="https://www.who.int/ncds/surveillance/steps/Qatar_FactSheet_2012.pdf">https://www.who.int/ncds/surveillance/steps/Qatar_FactSheet_2012.pdf</a><br>(last accessed 19.10.20) |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m<sup>2</sup>, obesity refers to a BMI greater than 30kg/m<sup>2</sup>.*

## Children, 2015-2016


█ Obesity   █ Overweight



|               |   |
|---------------|---|
| Survey type:  | Measured  |
| Sample size:  | 168011  |
| Area covered: | National  |
| References:   | M. Al-Thani, A. Al-Thani, S. Alyafei, W. Al-Chetachi, S.E. Khalifa, A. Ahmed, A. Ahmad, B. Vinodson, H. Akram, The prevalence and characteristics of overweight and obesity among students in Qatar. Public Health;160:143-149 ISSN 0033-3506 |
| Notes:        | WHO Cut Off   |
| Cutoffs:      | WHO   |


## Insufficient physical activity

Adults, 2016




References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 [http://dx.doi.org/10.1016/S2214-109X\(18\)30357-7](http://dx.doi.org/10.1016/S2214-109X(18)30357-7)

## Men, 2016




References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 [http://dx.doi.org/10.1016/S2214-109X\(18\)30357-7](http://dx.doi.org/10.1016/S2214-109X(18)30357-7)

## Women, 2016



References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 [http://dx.doi.org/10.1016/S2214-109X\(18\)30357-7](http://dx.doi.org/10.1016/S2214-109X(18)30357-7)

## Children, 2016



Survey

Self-reported

type:

Age:

11-17

References:

Global Health Observatory data repository, World Health Organisation,

<https://apps.who.int/gho/data/node.main.A893ADO?lang=en> (last accessed 16.03.21)


Notes:

% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

Definitions:

% Adolescents insufficiently active (age standardised estimate)

## Boys, 2016



Survey

Self-reported

type:

Age:

11-17

References:

Global Health Observatory data repository, World Health Organisation,

<https://apps.who.int/gho/data/node.main.A893ADO?lang=en> (last accessed 16.03.21)


Notes:

% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

Definitions:

% Adolescents insufficiently active (age standardised estimate)

## Girls, 2016



Survey

Self-reported

type:

Age:

11-17

References:

Global Health Observatory data repository, World Health Organisation,

<https://apps.who.int/gho/data/node.main.A893ADO?lang=en> (last accessed 16.03.21)

Notes:


% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

Definitions:

% Adolescents insufficiently active (age standardised estimate)

## Average daily frequency of carbonated soft drink consumption

Children, 2009-2015



Survey

Measured

type:

Age:

12-17

References:

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A


meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.

<https://doi.org/10.1177/0379572119848287> sourced from Food Systems Dashboard

<http://www.foodsystemsdashboard.org/food-system>

## Estimated per capita fruit intake

Adults, 2017



Survey type:

Measured

Age:

25+

References:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitions:

Estimated per-capita fruit intake (g/day)

## Prevalence of less than daily fruit consumption

Children, 2008-2015



Survey

Measured

type:

Age:

12-17


References: Global School-based Student Health Surveys. Beal et al (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. <https://doi.org/10.1177/0379572119848287>. Sourced from Food Systems Dashboard <http://www.foodsystemsdashboard.org/food-system>

Definitions:

Prevalence of less-than-daily fruit consumption (% less-than-daily fruit consumption)

## Prevalence of less than daily vegetable consumption

Children, 2008-2015



Survey

Measured

type:

Age:

12-17

References:


Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. *Food and Nutrition Bulletin*.  
<https://doi.org/10.1177/0379572119848287> sourced from Food Systems Dashboard  
<http://www.foodsystemsdashboard.org/food-system>

Definitions:

Prevalence of less-than-daily vegetable consumption (% less-than-daily vegetable consumption)

## Average weekly frequency of fast food consumption

Children, 2009-2015




Age: 12-17

References: Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. *Food and Nutrition Bulletin*.  
<https://doi.org/10.1177/0379572119848287> sourced from Food Systems Dashboard  
<http://www.foodsystemsdashboard.org/food-system>

## Estimated per-capita processed meat intake

Adults, 2017



Survey type:

Measured

Age:

25+

References:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitions:

Estimated per-capita processed meat intake (g per day)

## Estimated per capita whole grains intake

Adults, 2017



Survey type:

Measured

Age:

25+

References:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitions:

Estimated per-capita whole grains intake (g/day)

## Mental health - depression disorders

Adults, 2015




References: Prevalence data from Global Burden of Disease study 2015 (<http://ghdx.healthdata.org>) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva:World Health Organization; 2017. Licence: CC BY-NC-SA 3.0 IGO.

Definitions:

% of population with depression disorders

## Mental health - anxiety disorders

Adults, 2015




References: Prevalence data from Global Burden of Disease study 2015 (<http://ghdx.healthdata.org>) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva:World Health Organization; 2017. Licence: CC BY-NC-SA 3.0 IGO.

Definitions:

% of population with anxiety disorders

## % Infants exclusively breastfed 0-5 months

Infants, 2010-2023




References: Multiple Indicator Cluster Survey (MICS) : 2012 Doha – Qatar, Ministry Of Development Planning and Statistics, 2014.

Notes: Full details are available. Original citation United Nations Children's Fund, Division of Data, Analysis, Planning and Monitoring (2023). Global UNICEF Global Databases: Infant and Young Child Feeding: Exclusive breastfeeding, New York, October 2023.

## Oesophageal cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

## Women, 2022




|               |   |
|---------------|---|
| Age:          | 20+   |
| Area covered: | National  |
| References:   | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <a href="https://gco.iarc.who.int/today">https://gco.iarc.who.int/today</a> , accessed [16.07.24] |
| Definitions:  | Indicence per 100,000   |

## Breast cancer

Women, 2022

Age 20    Age 20+



Area covered:

National

References:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions:

Incidence per 100,000

## Colorectal cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

## Women, 2022



Age:

20+

Area  
covered:

National


References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions:

Incidence per 100,000


## Pancreatic cancer

**Men, 2022**

|               |   |
|---------------|---|
| Age:          | 20+   |
| Area covered: | National  |
| References:   | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <a href="https://gco.iarc.who.int/today">https://gco.iarc.who.int/today</a> , accessed [16.07.24] |

Definitions:

Incidence per 100,000

**Women, 2022**


|               |   |
|---------------|---|
| Age:          | 20+   |
| Area covered: | National  |
| References:   | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <a href="https://gco.iarc.who.int/today">https://gco.iarc.who.int/today</a> , accessed [16.07.24] |

Definitions:

Incidence per 100,000

## Gallbladder cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]


Definitions: Incidence per 100,000

## Women, 2022



|               |   |
|---------------|---|
| Age:          | 20+   |
| Area covered: | National  |
| References:   | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <a href="https://gco.iarc.who.int/today">https://gco.iarc.who.int/today</a> , accessed [16.07.24] |
| Definitions:  | Indicence per 100,000   |


## Kidney cancer

**Men, 2022**

|               |   |
|---------------|---|
| Age:          | 20+   |
| Area covered: | National  |
| References:   | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <a href="https://gco.iarc.who.int/today">https://gco.iarc.who.int/today</a> , accessed [16.07.24] |

Definitions:

Incidence per 100,000

**Women, 2022**


|               |   |
|---------------|---|
| Age:          | 20+   |
| Area covered: | National  |
| References:   | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <a href="https://gco.iarc.who.int/today">https://gco.iarc.who.int/today</a> , accessed [16.07.24] |

Definitions:

Incidence per 100,000

## Cancer of the uterus

Women, 2022



Age:

20+

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global

Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:


<https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions:

Incidence per 100,000

## Raised blood pressure

Adults, 2015



References:


Global Health Observatory data repository, World Health Organisation,

<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).

## Men, 2015



References:


Global Health Observatory data repository, World Health Organisation,

<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).

## Women, 2015



References:

Global Health Observatory data repository, World Health Organisation,


<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).

## Raised cholesterol

Adults, 2008




References:

Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definitions:

% Raised total cholesterol ( $\geq 5.0 \text{ mmol/L}$ ) (age-standardized estimate).


**Men, 2008**



References: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definitions: % Raised total cholesterol ( $\geq 5.0 \text{ mmol/L}$ ) (age-standardized estimate).

## Women, 2008




References: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definitions: % Raised total cholesterol ( $\geq 5.0 \text{ mmol/L}$ ) (age-standardized estimate).

## Raised fasting blood glucose

Men, 2014



References:


Global Health Observatory data repository, World Health Organisation,

<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definitions:

Age Standardised % raised fasting blood glucose ( $\geq 7.0$  mmol/L or on medication).

## Women, 2014



References:

Global Health Observatory data repository, World Health Organisation,


<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definitions:

Age Standardised % raised fasting blood glucose ( $\geq 7.0$  mmol/L or on medication).

## Diabetes prevalence

Adults, 2021



Age:

20-79

Area

National

covered:

References:

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 10th edn. Brussels, Belgium:International Diabetes Federation, 2021. <http://www.diabetesatlas.org>

Definitions:

Age-adjusted comparative prevalence of diabetes, %

## Contextual factors

**Disclaimer:** These contextual factors should be interpreted with care. Results are updated as regularly as possible and use very specific criteria. The criteria used and full definitions are available for download at the bottom of this page.



### Labelling

|   |   |
|---|---|
| Is there mandatory nutrition labelling? | ✓ |
| Front-of-package labelling?             | ✗ |
| Back-of-pack nutrition declaration?     | ✓ |
| Color coding?                           | ✗ |
| Warning label?                          | ✗ |



## Regulation and marketing

|   |   |
|---|---|
| <b>Are there fiscal policies on unhealthy products?</b>   | ✓ |
| Tax on unhealthy foods?   | ✗ |
| Tax on unhealthy drinks?  | ✓ |
| <b>Are there fiscal policies on healthy products?</b>   | ✗ |
| Subsidy on fruits?  | ✗ |
| Subsidy on vegetables?  | ✗ |
| Subsidy on other healthy products?  | ✗ |
| <b>Mandatory limit or ban of trans fat (all settings)?</b>  | ✗ |
| Mandatory limit of trans fats in place (all settings)?  | ✗ |
| Ban on trans-fats or phos in place (all settings)?  | ✗ |
| <b>Are there any mandatory policies/marketing restrictions on the promotion of unhealthy food/drinks to children?</b> | ✗ |
| Mandatory restriction on broadcast media?   | ✗ |
| Mandatory restriction on non-broadcast media?   | ✗ |
| Voluntary policies/marketing restrictions on the promotion of unhealthy food/drinks to children?                      | ✓ |
| <b>Are there mandatory standards for food in schools?</b>   | ✓ |
| <b>Are there any mandatory nutrient limits in any manufactured food products?</b>                                     | ✓ |
| <b>Nutrition standards for public sector procurement?</b>   | ✗ |



## Political will and support

National obesity strategy or nutrition and physical activity national strategy? ✓

National obesity strategy? ✗

National childhood obesity strategy? ✗

Comprehensive nutrition strategy? ✓

Comprehensive physical activity strategy? ✓

Evidence-based dietary guidelines and/or RDAs? ✓

National target(s) on reducing obesity? ✓

Guidelines/policy on obesity treatment? ✓

Promotion of breastfeeding? ✓

## Monitoring and surveillance

Monitoring of the prevalence and incidence for the main obesity-related NCDs and risk factors? ✓

Within 5 years? ✗



## Governance and resource

Multi-sectoral national co-ordination mechanism for obesity or nutrition (including obesity)? ✓

### Key

✓ Present

✓ Present

✓ Incoming

✗ Absent

? Unknown

(voluntary)