

Report card Romania



High income


	Page
Obesity prevalence	3
Trend: Trend adult obesity 2000 2019	6
Trend: Trend overweight obesity adult Romania 2000 2019	8
Overweight/obesity by age and education	10
Overweight/obesity by education	13
Overweight/obesity by age	15
Overweight/obesity by region	17
Overweight/obesity by age and region	21
Overweight/obesity by age and socio-economic group	23
Overweight/obesity by socio-economic group	26
Overweight/obesity by age and limited activity	30
Insufficient physical activity	33
Sugar consumption	39
Estimated per capita sugar sweetened beverages intake	40
Prevalence of at least daily carbonated soft drink consumption	41
Prevalence of confectionery consumption	42
Prevalence of sweet/savoury snack consumption	43
Estimated per capita fruit intake	44
Prevalence of less than daily fruit consumption	45
Prevalence of less than daily vegetable consumption	46
Estimated per-capita processed meat intake	47
Estimated per capita whole grains intake	48
Mental health - depression disorders	49
Mental health - anxiety disorders	50
% Infants exclusively breastfed 0-5 months	51
Oesophageal cancer	52
Breast cancer	54
Colorectal cancer	55
Pancreatic cancer	57
Gallbladder cancer	59
Kidney cancer	61
Cancer of the uterus	63
Raised blood pressure	64
Raised cholesterol	67
Raised fasting blood glucose	70
Diabetes prevalence	72
Ovarian Cancer	73

Contents	Page
Leukemia	%%
Leukemia	%%
Liver and intrahepatic bile duct Cancer	%%
Multiple Myeloma	%%
Non Hodgkin Lymphoma	%%
Thyroid Cancer	%%
Contextual factors	%%



Obesity prevalence

Adults, 2019






Cutoffs:

Children, 2018-2020






Age:	8
Sample size:	4055
Area covered:	National
References:	Report on the fifth round of data collection, 2018–2020: WHO European Childhood Obesity Surveillance Initiative (COSI). Copenhagen: WHO Regional Office for Europe; 2022. Licence: CC BY-NC-SA 3.0 IGO.

WHO 2007



Infants, 2002

Overweight or obesity



Age: 0-5
Sample 15456

size:

References: Surveillance: National nutritional surveillance programme, 1993-2002. Bukarest, Romania, 2003 (2002 Extract)

Notes:

UNICEF/WHO/World Bank Joint Child Malnutrition Estimates Expanded Database: Overweight (Survey Estimates), May 2023, New York. For more information about the methodology, please consult https://data.unicef.org/resources/jme-2023-country-consultations/ Percentage of children under 5 years of age falling above 2 standard deviations (moderate and severe) from the median weight-for-height of the reference population.


Definitions: =>+2SD



Trend adult obesity 2000 2019

Men

Obesity



Survey Self-reported

type:

References:

2000: Eurostat Yearbook 2006/07. A goldmine of statistical information. Available at

(last accessed 09.08.21)

https://ec.europa.eu/eurostat/documents/2995521/5059290/1-20022007-BP-EN.PDF.pdf/edab8c31-b9f3-4c8e-b4db-edab8c31-b9f3-6c8e-b4db-edab8c31-b9f3-6c8e-b4 4137bd045efa?t=1414683510000 (last accessed 04.11.21)

2014: 2014 Eurostat Database:http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last accessed 25.08.20)

2017: 2017 - EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_hch10&lang=en (last accessed 25.08.20)


2019: Eurostat 2019. Data available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please

check with original data sources for methodologies used.



Obesity



Survey Self-reported

References:

type:

2000: Eurostat Yearbook 2006/07. A goldmine of statistical information. Available at

(last accessed 09.08.21)

https://ec.europa.eu/eurostat/documents/2995521/5059290/1-20022007-BP-EN.PDF.pdf/edab8c31-b9f3-4c8e-b4db-4137bd045efa?t=1414683510000 (last accessed 04.11.21)

2014: 2014 Eurostat Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last accessed 25.08.20)

2017: 2017 - EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_hch10&lang=en (last accessed 25.08.20)

2019: Eurostat 2019. Data available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en/


Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.



Trend overweight obesity adult Romania 2000 2019

Men

Overweight or obesity



Survey Self-reported

type:

References:

2000: Eurostat Yearbook 2006/07. A goldmine of statistical information. Available at

2014: 2014 Eurostat Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last accessed 25.08.20)

2017: 2017 - EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_hch10&lang=en (last accessed 25.08.20)


2019: Eurostat 2019. Data available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en

(last accessed 09.08.21)

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.



Overweight or obesity



Survey Self-reported

References:

type:

2000: Eurostat Yearbook 2006/07. A goldmine of statistical information. Available at

(last accessed 09.08.21)

https://ec.europa.eu/eurostat/documents/2995521/5059290/1-20022007-BP-EN.PDF.pdf/edab8c31-b9f3-4c8e-b4db-4137bd045efa?t=1414683510000 (last accessed 04.11.21)

2014: 2014 Eurostat Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last accessed 25.08.20)

2017: 2017 - EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_hch10&lang=en (last accessed 25.08.20)


2019: Eurostat 2019. Data available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en/

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.



Overweight/obesity by age and education

Adults, 2019



Survey type: Self-reported

Area National


covered:

 $References: Eurostat\ 2019.\ Available\ at\ \underline{https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e\&lang=en}\ (last below the following and the following$

accessed 09.08.21).



Men, 2019



Survey type: Self-reported

Area National


covered:

References: Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last

accessed 09.08.21).

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$





Survey type: Self-reported

Area National

covered:

References: Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last

accessed 09.08.21).




Overweight/obesity by education

Men, 2014

Survey type:






Age:	18+
Area covered:	National
References:	2014 Eurostat Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e⟨=en (last accessed 25.08.20)
Notes:	Less than primary, primary and lower secondary education (levels 0-2) Upper secondary and post-secondary non-tertiary education (levels 3 and 4) Tertiary education (levels 5-8)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Self-reported








Overweight/obesity by age

Adults, 2019



Survey type: Self-reported

Area National covered:

References:

Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last


accessed 09.08.21).

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Children, 2018-2020






Survey type:	Measured
Sample size:	8166
Area covered:	National
References:	Report on the fifth round of data collection, 2018–2020: WHO European Childhood Obesity Surveillance Initiative (COSI). Copenhagen: WHO Regional Office for Europe; 2022. Licence: CC BY-NC-SA 3.0 IGO.
Cutoffs:	WHO 2007



Overweight/obesity by region

Adults, 2017-2018





Survey type:	Self-reported
Age:	18+
Sample size:	751
Area covered:	National


References: Bacârea, Anca, et al. "Demographic, Anthropometric and Food Behavior Data towards Healthy Eating in Romania." Foods, vol. 10, no. 3, 24 Feb. 2021, p. 487, 10.3390/foods10030487. Accessed 1 June 2021.

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Boys, 2010-2011





Age:	7-18
Sample size:	3626
Area covered:	Regional - Western Romania
References:	Emandi AC, Puiu M, Gafencu M, and Pienar C. Overweight and Obesity in School Age Children in Western Romania. 2013.


Rev. Med. Chir.Soc.Med.Nat, Iasi-2013 - vol.117, no.1

Cutoffs: IOTF



Girls, 2010-2011

Cutoffs:




IOTF



Infants, 2002





Sample 15456 size:

References:

Surveillance: National nutritional surveillance programme, 1993-2002. Bukarest, Romania, 2003 (2002 Extract)

Notes:


UNICEF/WHO/World Bank Joint Child Malnutrition Estimates Expanded Database: Overweight (Survey Estimates), May 2023, New York. For more information about the methodology, please consult https://data.unicef.org/resources/jme-2023-country-consultations/ Percentage of children under 5 years of age falling above 2 standard deviations (moderate and severe) from the median weight-for-height of the reference population.

Definitions: =>+2SD



Overweight/obesity by age and region

Men, 2014




Survey type: Self-reported

Area National

covered:

References: 2014 Eurostat Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last accessed 25.08.20)





Survey type:


Area
Covered:

References: 2014 Eurostat Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last accessed 25.08.20)



Overweight/obesity by age and socio-economic group

Adults, 2019



Survey type: Self-reported

Area National


covered:

References: Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last

accessed 09.08.21).



Men, 2019



Survey type: Self-reported

Area National


covered:

References: Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last

accessed 09.08.21).

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$





Survey type:

Area

Covered:

Self-reported

National


References: Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21).



Overweight/obesity by socio-economic group

Men, 2014






Survey type:	Self-reported
Age:	18+
Area covered:	National
References:	2014 Eurostat Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e⟨=en (last accessed 25.08.20)
Notes:	1st Quintile (lowest income), 5th Quintile (highest income) Please note where data = zero, there were insufficient data.







Survey type:

Age:

Area

National covered:


References: 2014 Eurostat Database: http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en (last accessed 25.08.20)

Notes: 1st Quintile (lowest income), 5th Quintile (highest income) Please note where data = zero, there were insufficient data.



Boys, 2017-2018





Survey	Self-reported
type:	
Age:	11-15
Sample size:	4520
Area	National

covered:
References:

World Health Organization (2020). Spotlight on adolescent health and well-being - Findings from the 2017/2018 Health Behaviour in School-aged Children (HBSC) survey in Europe and Canada. Available at:

https://apps.who.int/iris/bitstream/handle/10665/332091/9789289055000-eng.pdf. Last accessed: 25.05.21.

Notes:

HBSC Family Affluence Scale (FAS) - "HBSC uses an alternative measure, the Family Affluence Scale, which asks young people about material assets such as family cars, number of foreign holidays, computers, bathrooms and dishwashers in the household, holidays and having a bedroom to oneself. The scale, which enables users to add up how many of these assets a young person has in their home compared with other adolescents in their country/region, has been shown to provide a valid indicator of relative affluence."


Definitions: HBSC Family Affluence Scale (FAS)

Cutoffs: WHO



Girls, 2017-2018

Overweight or obesity



Survey	Self-reported
type:	
Age:	11-15
Sample size:	4520
Area covered:	National

References:

World Health Organization (2020). Spotlight on adolescent health and well-being - Findings from the 2017/2018 Health Behaviour in School-aged Children (HBSC) survey in Europe and Canada. Available at:

https://apps.who.int/iris/bitstream/handle/10665/332091/9789289055000-eng.pdf. Last accessed: 25.05.21.

Notes:

HBSC Family Affluence Scale (FAS) - "HBSC uses an alternative measure, the Family Affluence Scale, which asks young people about material assets such as family cars, number of foreign holidays, computers, bathrooms and dishwashers in the household, holidays and having a bedroom to oneself. The scale, which enables users to add up how many of these assets a young person has in their home compared with other adolescents in their country/region, has been shown to provide a valid indicator of relative affluence."

Definitions:

HBSC Family Affluence Scale (FAS)


Cutoffs:

WHO



Overweight/obesity by age and limited activity

Adults, 2014



Survey type: Self-reported


Area covered: National

References:

Eurostat 2014 available at https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do (last accessed 06.10.21)



Men, 2014




Survey type: Self-reported

Area covered: National

References:

 $Eurostat\ 2014\ available\ at\ \underline{https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do}\ (last\ accessed\ 06.10.21)$





Survey type: Self-reported

Area covered: National


References:

Eurostat 2014 available at https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do (last accessed 06.10.21)




Insufficient physical activity

Adults, 2022





Men, 2022




Survey	Self-reported
type:	
Age:	18+
Area	National
covered:	

References: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at <a href="https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-

among-adults-aged-18-years-(age-standardized-estimate)-(-)

Definitions: Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.





National Area covered:


WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. References: Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activityamong-adults-aged-18-years-(age-standardized-estimate)-(-)

Definitions: Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.



Children, 2016

Definitions:




Self-reported
11-17
Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)
% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

% Adolescents insufficiently active (age standardised estimate)



Boys, 2016

Notes:



type:	
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation,


% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)

Definitions: % Adolescents insufficiently active (age standardised estimate)



Girls, 2016




Survey	Self-reported
type:	
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)
Notes:	% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.
Definitions:	% Adolescents insufficiently active (age standardised estimate)



Sugar consumption

Adults, 2016




References: Source: Euromonitor International

Definitions: Sugar consumption (Number of 500g sugar portions/person/month)



Estimated per capita sugar sweetened beverages intake

Adults, 2016




References:

Source: Euromonitor International



Prevalence of at least daily carbonated soft drink consumption

Children, 2014



Survey Measured type:

References:

World Health Organization. (2017). Adolescent obesity and related behaviours: Trends and inequalities in the who european region, 2002-2014: observations from the Health Behavior in School-aged Children (HBSC) WHO collaborative crossnational study (J. Inchley, D. Currie, J. Jewel, J. Breda, & V. Barnekow, Eds.). World Health Organization. Sourced from Food Systems Dashboard http://www.foodsystemsdashboard.org


Notes: 15-year-old adolescents

Definitions: Prevalence of at least daily carbonated soft drink consumption (% of at least daily carbonated soft drink consumption)



Prevalence of confectionery consumption

Adults, 2016



References:

Source: Euromonitor International


Definitions:

 $Prevalence\ of\ confectionery\ consumption\ (Number\ of\ 50g\ confectionery\ portions/person/month)$



Prevalence of sweet/savoury snack consumption

Adults, 2016




References: Source: Euromonitor International

Definitions: Prevalence of sweet/savoury snack consumption (Number of 35g sweet/savoury snack portions/person/month)



Estimated per capita fruit intake

Adults, 2017



Survey type:

Age:

Clobal Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/


Definitions:


Estimated per-capita fruit intake (g/day)



Prevalence of less than daily fruit consumption

Children, 2014





Survey Measured type:

References:

Global School-based Student Health Surveys. Beal et al (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. https://doi.org/10.1177/0379572119848287. Sourced from Food Systems Dashboard

http://www.foodsystemsdashboard.org/food-system


Definitions:

Prevalence of less-than-daily fruit consumption (% less-than-daily fruit consumption)



Prevalence of less than daily vegetable consumption

Children, 2014



Survey Measured

type:

Age: 12-17

References:

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.

https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard

http://www.foodsystemsdashboard.org/food-system


Definitions:

Prevalence of less-than-daily vegetable consumption (% less-than-daily vegetable consumption)



Estimated per-capita processed meat intake

Adults, 2017




Survey type:	Measured
Age:	25+
References:	Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/
Definitions:	Estimated per-capita processed meat intake (g per day)



Estimated per capita whole grains intake

Adults, 2017




Survey type:	Measured
Age:	25+
References:	Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/
Definitions:	Estimated per-capita whole grains intake (g/day)



Mental health - depression disorders

Adults, 2015



References:

Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0 IGO.


Definitions:

% of population with depression disorders



Mental health - anxiety disorders

Adults, 2015




References: Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0 IGO.

Definitions: % of population with anxiety disorders



% Infants exclusively breastfed 0-5 months

Infants, 1996-2004



References:

Romania Reproductive Health Survey 2004.


Notes:

Full details are available. Original citation United Nations Children's Fund, Division of Data, Analysis, Planning and Monitoring (2023). Global UNICEF Global Databases: Infant and Young Child Feeding: Exclusive breastfeeding, New York, October 2023.



Oesophageal cancer

Men, 2022










Breast cancer

Women, 2022





Area National

covered:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000



Colorectal cancer

Men, 2022










Pancreatic cancer

Men, 2022

Definitions:



Incidence per 100,000







Gallbladder cancer

Men, 2022



Definitions: Indicence per 100,000







Kidney cancer

Men, 2022










Cancer of the uterus

Women, 2022



Age: 20+

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:


https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000



Raised blood pressure

Adults, 2015



References:

Global Health Observatory data repository, World Health Organisation,


http://apps.who.int/gho/data/node.main.A875?lang=en

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



Men, 2015



References:


Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A875?lang=en

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).





References:

Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A875?lang=en


Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



Raised cholesterol

Adults, 2008



References:


Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885

Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).



Men, 2008




References:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885

Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).





References: Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885


Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).



Raised fasting blood glucose

Men, 2014



References:


Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A869?lang=en

Definitions:

Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication).





References:

Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A869?lang=en


Definitions:

Age Standardised % raised fasting blood glucose (\geq 7.0 mmol/L or on medication).



Diabetes prevalence

Adults, 2021



Age: 20-79

Area National covered:

References: Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 10th edn. Brussels,


Belgium:International Diabetes Federation, 2021. http://www.diabetesatlas.org

Definitions: Age-adjusted comparative prevalence of diabetes, %



Ovarian Cancer

Women, 2022



Age: 20+

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]



Leukemia

Men, 2022							
4							
3							
2							
1							
0-							
⁻¹ 1	0	1	2	3	4	5	6
Age:							20+
Area covered:							National
References:			nne M, Colombet M, ncer Today. Lyon, Fr	ance: International	Agency for Researc		able from:
Definitions:						Incidence pe	r 100,000
Unle	ss otherwise note	ed, overweight refe	rs to a BMI between	25kg and 29.9kg/n	n², obesity refers to	a BMI greater than	n 30kg/m².




Wome	n, 2022						
4							
3							
2							
1							
0							
⁻¹ _1	0	1	2	3	4	5	6
Age:							20+
Area covered:							National
References			nne M, Colombet M, ncer Today. Lyon, Fr	ance: International		ch on Cancer. Availa	able from:
Definitions	:					Incidence per	r 100,000
	Unless otherwise not	ed, overweight refe	rs to a BMI between	25kg and 29.9kg/r	m², obesity refers to	a BMI greater than	30kg/m².



Leukemia

Men, 2022



Age: 20+

Area National covered:

References:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$





Area National covered:

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:


https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000



Liver and intrahepatic bile duct Cancer

Men, 2022



Age: 20+


Area National covered:

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]





Area National

covered:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]



Multiple Myeloma

Men, 2022



Age: 20+

Area National covered:


References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Indicence per 100,000





Age: 20+

Area National

covered:

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:


https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Indicence per 100,000



Non Hodgkin Lymphoma

Men, 2022



Age: 20+

Area National covered:


References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000





Area National

covered:

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]


Definitions: Incidence per 100,000

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Thyroid Cancer

Men, 2022




Area National

covered:

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]





References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:

https://gco.iarc.who.int/today, accessed [16.07.24]



Contextual factors

Disclaimer: These contextual factors should be interpreted with care. Results are updated as regularly as possible and use very specific criteria. The criteria used and full definitions are available for download at the bottom of this page.



Labelling

Is there mandatory nutrition labelling?	✓
Front-of-package labelling?	×
Back-of-pack nutrition declaration?	✓
Color coding?	×
Warning label?	×





Regulation and marketing

Are there fiscal policies on unhealthy products?	~
Tax on unhealthy foods?	~
Tax on unhealthy drinks?	~
Are there fiscal policies on healthy products?	X
Subsidy on fruits?	×
Subsidy on vegetables?	×
Subsidy on other healthy products?	×
Mandatory limit or ban of trans fat (all settings)?	~
Mandatory limit of trans fats in place (all settings)?	~
Ban on trans-fats or phos in place (all settings)?	×
Are there any mandatory policies/marketing restrictions on the promotion of unhealthy food/drinks to children?	~
Mandatory restriction on broadcast media?	~
Mandatory restriction on non-broadcast media?	×
Voluntary policies/marketing restrictions on the promotion of unhealthy food/drinks to children?	×
Are there mandatory standards for food in schools?	~
Are there any mandatory nutrient limits in any manufactured food products?	X
Nutrition standards for public sector procurement?	X





Political will and support

National obesity strategy or nutrition and physical activity national strategy?	V
National obesity strategy?	~
National childhood obesity strategy?	×
Comprehensive nutrition strategy?	~
Comprehensive physical activity strategy?	~
Evidence-based dietary guidelines and/or RDAs?	~
National target(s) on reducing obesity?	X
Guidelines/policy on obesity treatment?	~
Promotion of breastfeeding?	~
Monitoring and surveillance	
Monitoring of the prevalence and incidence for the main obesity-related NCDs and risk factors?	~
Within 5 years?	~
Governance and resource	
Multi-sectoral national co-ordination mechanism for obesity or nutrition (including obesity)?	X
Key	
Present Present Incoming Absent Tunknown	ı

Last updated July 2, 2024

PDF created on September 11, 2024