


Report card Samoa




Prevalenza tal-obeżità

Nisa, 2019-2020



Tip ta' stħarrig:	Imkejjel
Età:	15-49
Id-daqs tal-kampjun:	3771
Erja Koperta:	Nazzjonali
Referenzi:	Samoa Bureau of Statistics. 2021. Samoa Demographic and Health – Multiple Indicator Cluster Survey 2019-20, Survey Findings Report. Apia, Samoa: Samoa Bureau of Statistics. https://washdata.org/sites/default/files/2022-02/Samoa%202019-20%20DHS-MICS_sm.pdf (Accessed 20.07.23)
<i>Sakemm ma jigix indikat mod ieħor, il-piż żejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².</i>	


Tfal, 2017



Tip ta' stharrig:	Irrappurtat mill-persuna nnifisha
Età:	13-17
Id-daqs tal-kampjun:	1955
Erja Koperta:	Nazzjonali
Referenzi:	Samoa - Global School-Based Student Health Survey 2017 https://www.who.int/ncds/surveillance/gshs/samoa/en/ (Last accessed 20.10.2020)
Definizzjonijiet (disponibbli bl-Ingliż biss):	WHO
Cutoffs:	WHO

Piż żejjed/obeżità skont l-edukazzjoni

Nisa, 2019-2020



Tip ta' stharrig:

Imkejjel

Età:

15-49

Id-daqs tal-kampjun:

3771

Erja Koperta:


Nazzjonali

Referenzi: Samoa Bureau of Statistics. 2021. Samoa Demographic and Health – Multiple Indicator Cluster Survey 2019-20, Survey Findings Report. Apia, Samoa: Samoa Bureau of Statistics. https://washdata.org/sites/default/files/2022-02/Samoa%202019-20%20DHS-MICS_sm.pdf (Accessed 20.07.23)

Sakemm ma jigix indikat mod ieħor, il-piż żejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Piż żejjed/obeżità skont l-età

Nisa, 2019-2020



Tip ta' stharrig:

Imkejjel

Id-daqs tal-kampjun:

3771


Erja Koperta:

Nazzjonali

Referenzi: Samoa Bureau of Statistics. 2021. Samoa Demographic and Health – Multiple Indicator Cluster Survey 2019-20, Survey Findings Report. Apia, Samoa: Samoa Bureau of Statistics. https://washdata.org/sites/default/files/2022-02/Samoa%202019-20%20DHS-MICS_sm.pdf (Accessed 20.07.23)

Sakemm ma jġix indikat mod ieħor, il-piż żejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Tfal, 2017



Tip ta' stħarrig:

Irrappurtat mill-persuna nnifisha

Id-daqs tal-kampjun:

1955

Erja Koperta:


Nazzjonali

Referenzi:

Samoa - Global School-Based Student Health Survey 2017. Available at: https://cdn.who.int/media/docs/default-source/ncds/ncd-surveillance/data-reporting/samoa/gshs/2017wsh-fact-sheet.pdf?sfvrsn=c05366e0_2&download=true, Accessed 04.10.21

Piż żejjed/obeżità skont ir-reġjun

Nisa, 2019-2020



Tip ta' stharrig:	Imkejjel
Età:	15-49
Id-daqs tal-kampjun:	3771

Erja Koperta:


Nazzjonali

Referenzi: Samoa Bureau of Statistics. 2021. Samoa Demographic and Health – Multiple Indicator Cluster Survey 2019-20, Survey Findings Report. Apia, Samoa: Samoa Bureau of Statistics. https://washdata.org/sites/default/files/2022-02/Samoa%202019-20%20DHS-MICS_sm.pdf (Accessed 20.07.23)

Sakemm ma jigix indikat mod ieħor, il-piż żejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².

Piż żejjed/obežità skont il-grupp soċjoekonomiku

Nisa, 2019-2020



Tip ta' stharrig:	Imkejjel
Età:	15-49
Id-daqs tal-kampjun:	3771

Erja Koperta:


Nazzjonali

Referenzi: Samoa Bureau of Statistics. 2021. Samoa Demographic and Health – Multiple Indicator Cluster Survey 2019-20, Survey Findings Report. Apia, Samoa: Samoa Bureau of Statistics. https://washdata.org/sites/default/files/2022-02/Samoa%202019-20%20DHS-MICS_sm.pdf (Accessed 20.07.23)

Sakemm ma jigix indikat mod ieħor, il-piż żejjed jirreferi għal BMI bejn 25kg u 29.9kg/m², l-obeżità tirreferi għal BMI akbar minn 30kg/m².


Attività fisica insufficienti

Adulti, 2016




Referenzi: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 [http://dx.doi.org/10.1016/S2214-109X\(18\)30357-7](http://dx.doi.org/10.1016/S2214-109X(18)30357-7)

Irgjel, 2016




Referenzi: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 [http://dx.doi.org/10.1016/S2214-109X\(18\)30357-7](http://dx.doi.org/10.1016/S2214-109X(18)30357-7)

Nisa, 2016



Referenzi: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 [http://dx.doi.org/10.1016/S2214-109X\(18\)30357-7](http://dx.doi.org/10.1016/S2214-109X(18)30357-7)

Tfal, 2016



Tip ta' stharrig:

Irrappurtat mill-persuna nnifisha

Età:

11-17

Referenzi:

Global Health Observatory data repository, World Health Organisation,
<https://apps.who.int/gho/data/node.main.A893ADO?lang=en> (last accessed 16.03.21)


Noti:

% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

Definizzjonijiet (disponibbli
bl-Ingliż biss):

% Adolescents insufficiently active (age standardised estimate)

Subien, 2016



Tip ta' stharrig:

Irrappurtat mill-persuna nnifisha

Età:

11-17

Referenzi:

Global Health Observatory data repository, World Health Organisation,
<https://apps.who.int/gho/data/node.main.A893ADO?lang=en> (last accessed 16.03.21)


Noti:

% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

Definizzjonijiet (disponibbli
bl-Ingliż biss):

% Adolescents insufficiently active (age standardised estimate)

Bniet, 2016



Tip ta' stharrig:

Irrappurtat mill-persuna nnifisha

Età:

11-17

Referenzi:

Global Health Observatory data repository, World Health Organisation,
<https://apps.who.int/gho/data/node.main.A893ADO?lang=en> (last accessed 16.03.21)

Noti:


% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

Definizzjonijiet (disponibbli
bl-Ingliż biss):

% Adolescents insufficiently active (age standardised estimate)

Frekwenza medja ta' kuljum tal-konsum ta' xorb minerali bil-gass

Tfal, 2010-2015



Tip ta' stharrig:

Imkejjel


Età:

12-17

Referenzi: Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. <https://doi.org/10.1177/0379572119848287> sourced from Food Systems Dashboard <http://www.foodsystemsdashboard.org/food-system>

Estimated per capita fruit intake

Adulti, 2017



Tip ta' stharrig:

Imkejjel

Età:

25+

Referenzi:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definizzjonijiet (disponibbli bl-Ingliż biss):

Estimated per-capita fruit intake (g/day)

Prevalenza ta' inqas minn konsum ta' frott ta' kuljum

Tfal, 2010-2015



Tip ta' stharrig:

Imkejjel

Età:


12-17

Referenzi: Global School-based Student Health Surveys. Beal et al (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. <https://doi.org/10.1177/0379572119848287>. Sourced from Food Systems Dashboard <http://www.foodsystemsdashboard.org/food-system>

Definizzjonijiet (disponibbli bl-Ingliż biss): Prevalence of less-than-daily fruit consumption (% less-than-daily fruit consumption)

Prevalenza ta' inqas minn konsum veġetali ta' kuljum

Tfal, 2010-2015



Tip ta' stharrig:

Imkejjel

Età:

12-17

Referenzi:


Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. <https://doi.org/10.1177/0379572119848287>
sourced from Food Systems Dashboard <http://www.foodsystemsdashboard.org/food-system>

Definizzjonijiet
(disponibbli bl-Ingliż
biss):

Prevalence of less-than-daily vegetable consumption (% less-than-daily vegetable consumption)

Frekwenza medja ta' kull ġimgħa ta' konsum ta' fast food

Tfal, 2010-2015




Età:

12-17

Referenzi: Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. <https://doi.org/10.1177/0379572119848287> sourced from Food Systems Dashboard <http://www.foodsystemsdashboard.org/food-system>

Konsum stmat ta' laħam ipproċessat per capita

Adulti, 2017



Tip ta' stħarrig:

Imkejjel

Età:

25+

Referenzi:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definizzjonijiet (disponibbli bl-Ingliż biss):

Estimated per-capita processed meat intake (g per day)

Estimated per capita whole grains intake

Adulti, 2017



Tip ta' stharrig:

Imkejjel

Età:

25+

Referenzi:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definizzjonijiet (disponibbli bl-Ingliż biss):

Estimated per-capita whole grains intake (g/day)

Saħħa mentali - disturbi tad-depressjoni

Adulti, 2015




Referenzi: Prevalence data from Global Burden of Disease study 2015 (<http://ghdx.healthdata.org>) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva:World Health Organization; 2017. Licence: CC BY-NC-SA 3.0 IGO.

Definizzjonijiet
(disponibbli bl-Ingliż biss):

% of population with depression disorders

Saħħa mentali - disturbi ta' ansjetà

Adulti, 2015




Referenzi: Prevalence data from Global Burden of Disease study 2015 (<http://ghdx.healthdata.org>) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva:World Health Organization; 2017. Licence: CC BY-NC-SA 3.0 IGO.

Definizzjonijiet
(disponibbli bl-Ingliż biss):

% of population with anxiety disorders

% ta' trabi ta' bejn 0-5 xhur imreddgħa biss

Tfal, 2004-2020



Erja Koperta:

Nazzjonali

Referenzi:

Samoa Demographic and Health Survey 2014

Noti:


See UNICEF website for further survey information. Available at : <https://data.unicef.org/resources/dataset/infant-young-child-feeding/> (last accessed 28.9.21) Citation: United Nations Children's Fund, Division of Data, Analysis, Planning and Monitoring (2021). Global UNICEF Global Databases: Infant and Young Child Feeding: Exclusive breastfeeding, New York, September 2021.

Definizzjonijiet
(disponibbli bl-Ingliż
biss):

% exclusively breastfed 0-5 months

Kanċer tal-esofagu

Irġiel, 2020



Età: 20+


Erja Koperta: Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.fr/today>, accessed 10.01.2303

Definizzjonijiet
(disponibbli bl-Ingliż biss):

Age-standardized incidence rates per 100 000

Nisa, 2020



Età: 20+


Erja Koperta: Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.fr/today>, accessed 10.01.2303

Definizzjonijiet (disponibbli bl-Ingliż biss): Age-standardized incidence rates per 100 000

Kanċer tas-sider

Nisa, 2020



Età: 20+

Erja Koperta: Nazzjonali


Referenzi: Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.fr/today>, accessed 10.01.2303

Definizzjonijiet
(disponibbli bl-Ingliż biss):

Age-standardized incidence rates per 100 000

Kanċer kolorettali

Irġiel, 2020



Età: 20+


Erja Koperta: Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.fr/today>, accessed 10.01.2303

Definizzjonijiet
(disponibbli bl-Ingliż biss):

Age-standardized incidence rates per 100 000

Nisa, 2020



Età: 20+


Erja Koperta: Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.fr/today>, accessed 10.01.2303

Definizzjonijiet (disponibbli bl-Ingliż biss): Age-standardized incidence rates per 100 000

Kanċer tal-frixa

Irġiel, 2020



Età: 20+


Erja Koperta: Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.fr/today>, accessed 10.01.2303

Definizzjonijiet
(disponibbli bl-Ingliż biss):

Age-standardized incidence rates per 100 000

Nisa, 2020



Età: 20+


Erja Koperta: Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.fr/today>, accessed 10.01.2303

Definizzjonijiet (disponibbli bl-Ingliż biss): Age-standardized incidence rates per 100 000

Kanċer tal-marrara

Irġiel, 2020



Età: 20+


Erja Koperta: Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.fr/today>, accessed 10.01.2303

Definizzjonijiet
(disponibbli bl-Ingliż biss):

Age-standardized incidence rates per 100 000

Nisa, 2020



Età: 20+


Erja Koperta: Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.fr/today>, accessed 10.01.2303

Definizzjonijiet (disponibbli bl-Ingliż biss): Age-standardized incidence rates per 100 000

Kanċer tal-kliwi

Irġiel, 2020



Età: 20+


Erja Koperta: Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.fr/today>, accessed 10.01.2303

Definizzjonijiet
(disponibbli bl-Ingliż biss):

Age-standardized incidence rates per 100 000

Nisa, 2020



Età: 20+


Erja Koperta: Nazzjonali

Referenzi: Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.fr/today>, accessed 10.01.2303

Definizzjonijiet (disponibbli bl-Ingliż biss): Age-standardized incidence rates per 100 000

Kanċer tal-utru

Nisa, 2020



Età: 20+

Erja Koperta: Nazzjonali


Referenzi: Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2020). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.fr/today>, accessed 10.01.2303

Definizzjonijiet
(disponibbli bl-Ingliż biss):

Age-standardized incidence rates per 100 000

Pressjoni għolja tad-demmm

Adulti, 2015




Referenzi:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definizzjonijiet (disponibbli bl-Ingliż
biss):

Age Standardised estimated % Raised blood pressure 2015 (SBP \geq 140 OR DBP \geq 90).

Irgjel, 2015




Referenzi:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definizzjonijiet (disponibbli bl-Ingliż
biss):

Age Standardised estimated % Raised blood pressure 2015 (SBP \geq 140 OR DBP \geq 90).

Nisa, 2015



Referenzi:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definizzjonijiet (disponibbli bl-Ingliż
biss):

Age Standardised estimated % Raised blood pressure 2015 (SBP \geq 140 OR DBP \geq 90).

Kolesterol għoli

Adulti, 2008




Referenzi:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A885>

Definizzjonijiet (disponibbli bl-Ingliż
biss):

% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Irgiel, 2008




Referenzi:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A885>

Definizzjonijiet (disponibbli bl-Ingliż
biss):

% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Nisa, 2008



Referenzi:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A885>

Definizzjonijiet (disponibbli bl-Ingliż
biss):

% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Zokkor fid-demmm għoli waqt is-sawm

Irgjel, 2014




Referenzi:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definizzjonijiet (disponibbli bl-Ingliż
biss):

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Nisa, 2014



Referenzi:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definizzjonijiet (disponibbli bl-Ingliż
biss):

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Prevalenza tad-dijabete

Adulti, 2021



Età: 20-79

Erja Koperta: Nazzjonali

Referenzi: Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 10th edn. Brussels, Belgium:International Diabetes Federation, 2021. <http://www.diabetesatlas.org>

Definizzjonijiet (disponibbli bl-
Ingliz biss):

Age-adjusted comparative prevalence of diabetes, %

Contextual factors

Disclaimer: These contextual factors should be interpreted with care. Results are updated as regularly as possible and use very specific criteria. The criteria used and full definitions are available for download at the bottom of this page.



Labelling

Is there mandatory nutrition labelling?	X
Front-of-package labelling?	X
Back-of-pack nutrition declaration?	X
Color coding?	X
Warning label?	X



Regulation and marketing

Are there fiscal policies on unhealthy products?	✓
Tax on unhealthy foods?	✗
Tax on unhealthy drinks?	✓
Are there fiscal policies on healthy products?	✗
Subsidy on fruits?	✗
Subsidy on vegetables?	✗
Subsidy on other healthy products?	✗
Mandatory limit or ban of trans fat (all settings)?	✗
Mandatory limit of trans fats in place (all settings)?	✗
Ban on trans-fats or phos in place (all settings)?	✗
Are there any mandatory policies/marketing restrictions on the promotion of unhealthy food/drinks to children?	✗
Mandatory restriction on broadcast media?	✗
Mandatory restriction on non-broadcast media?	✗
Voluntary policies/marketing restrictions on the promotion of unhealthy food/drinks to children?	✗
Are there mandatory standards for food in schools?	✗
Are there any mandatory nutrient limits in any manufactured food products?	✗
Nutrition standards for public sector procurement?	✗



Political will and support

National obesity strategy or nutrition and physical activity national strategy?	✓
National obesity strategy?	✓
National childhood obesity strategy?	✗
Comprehensive nutrition strategy?	✓
Comprehensive physical activity strategy?	✗
Evidence-based dietary guidelines and/or RDAs?	✗
National target(s) on reducing obesity?	✓
Guidelines/policy on obesity treatment?	✗
Promotion of breastfeeding?	✓



Monitoring and surveillance

Monitoring of the prevalence and incidence for the main obesity-related NCDs and risk factors?	✓
Within 5 years?	✓




Governance and resource

Multi-sectoral national co-ordination mechanism for obesity or nutrition (including obesity)?	✗
--	---

Key



Present



Present
(voluntary)



Incoming



Absent



Unknown

Last updated September 13, 2022

PDF created on June 4, 2024