# Senegal

## Country report card - adults

*This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.*

*View the latest version of this report on the Global Obesity Observatory at https://data.worldobesity.org/country/senegal-187/.*

| Contents | Page |
|---|---|
| Obesity prevalence | 3 |
| Trend: % Adults living with obesity in Senegal 1992-2010 | 4 |
| Trend: % Adults living with overweight or obesity in Senegal 1992-2010 | 5 |
| Overweight/obesity by education | 6 |
| Overweight/obesity by age | 8 |
| Overweight/obesity by region | 9 |
| Double burden of underweight & overweight | 10 |
| Insufficient physical activity | 11 |
| Estimated per capita fruit intake | 14 |
| Estimated per-capita processed meat intake | 15 |
| Estimated per capita whole grains intake | 16 |
| Mental health - depression disorders | 17 |
| Mental health - anxiety disorders | 20 |
| Percent of population who cannot afford a healthy diet | 23 |
| Oesophageal cancer | 24 |
| Breast cancer | 26 |
| Colorectal cancer | 27 |
| Pancreatic cancer | 29 |
| Gallbladder cancer | 31 |
| Kidney cancer | 33 |
| Cancer of the uterus | 35 |
| Raised blood pressure | 36 |
| Raised cholesterol | 39 |
| Raised fasting blood glucose | 42 |
| Diabetes prevalence | 44 |
| Ovarian Cancer | 45 |
| Leukemia | 46 |
| Liver and intrahepatic bile duct Cancer | 48 |
| Multiple Myeloma | 50 |
| Non Hodgkin Lymphoma | 52 |
| Thyroid Cancer | 54 |

# Obesity prevalence

## Adults, 2015




| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 18-69 |
| **Sample size:** | 5134 |
| **Area covered:** | National |
| **References:** | STEPS Senegal 2015, https://www.who.int/ncds/surveillance/steps/RAP_RAPPORT_PRELIMINAIRE_STEPS_2015.pdf?ua=1 (accessed 08.04.20) |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

# % Adults living with obesity in Senegal 1992-2010

## Women




| | |
|---|---|
| **Survey type:** | Measured |
| **References:** | 1992: Martorell R, Khan LK, Hughes ML, Grummer Strawn LM. Obesity in women from developing countries. EJCN (2000) 54;247-252<br>2005: Ndiaye, Salif, and Mohamed Ayad. 2006. Enquête Démographique et de Santé au Sénégal 2005. Calverton, Maryland, USA: Centre de Recherche pour le Développement Humain/Sénégal and ORC Macro.<br>2010: Agence Nationale de la Statistique et de la Démographie - ANSD/Sénégal and ICF International. 2012. Enquête Démographique et de Santé à Indicateurs Multiples Sénégal (EDS-MICS) 2010-2011. Calverton, Maryland, USA: ANSD and ICF International. |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

*Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.*

# % Adults living with overweight or obesity in Senegal 1992-2010

## Women




| | |
|---|---|
| **Survey type:** | Measured |
| **References:** | 1992: Martorell R, Khan LK, Hughes ML, Grummer Strawn LM. Obesity in women from developing countries. EJCN (2000) 54;247-252<br>2005: Ndiaye, Salif, and Mohamed Ayad. 2006. Enquête Démographique et de Santé au Sénégal 2005. Calverton, Maryland, USA: Centre de Recherche pour le Développement Humain/Sénégal and ORC Macro.<br>2010: Agence Nationale de la Statistique et de la Démographie - ANSD/Sénégal and ICF International. 2012. Enquête Démographique et de Santé à Indicateurs Multiples Sénégal (EDS-MICS) 2010-2011. Calverton, Maryland, USA: ANSD and ICF International. |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

*Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.*

# Overweight/obesity by education

## Men, 2010-2011




| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 15-49 |
| **Sample size:** | 9656 |
| **Area covered:** | National |
| **References:** | Agence Nationale de la Statistique et de la Démographie - ANSD/Sénégal and ICF International. 2012. Enquête Démographique et de Santé à Indicateurs Multiples Sénégal (EDS-MICS) 2010-2011. Calverton, Maryland, USA: ANSD and ICF International. |
| **Notes:** | Demographic Health Survey data includes ever married women aged 15-49 years only and may include males aged 15-59. |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

## Women, 2010-2011




| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 15-49 |
| **Sample size:** | 9656 |
| **Area covered:** | National |
| **References:** | Agence Nationale de la Statistique et de la Démographie - ANSD/Sénégal and ICF International. 2012. Enquête Démographique et de Santé à Indicateurs Multiples Sénégal (EDS-MICS) 2010-2011. Calverton, Maryland, USA: ANSD and ICF International. |
| **Notes:** | Demographic Health Survey data includes ever married women aged 15-49 years only and may include males aged 15-59. |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

# Overweight/obesity by age

## Adults, 2015




| | |
|---|---|
| **Survey type:** | Measured |
| **Sample size:** | 5134 |
| **Area covered:** | National |
| **References:** | STEPS Senegal 2015, https://www.who.int/ncds/surveillance/steps/RAP_RAPPORT_PRELIMINAIRE_STEPS_2015.pdf?ua=1 (accessed 08.04.20) |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

# Overweight/obesity by region

## Adults, 2015




| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 20+ |
| **Sample size:** | 1000 |
| **Area covered:** | Subnational |
| **References:** | Macia E, Cohen E, Gueye L, Boetsch G and Duboz P. 2017. Prevalence of obesity and body size perceptions in urban and rural Senegal: new insight on the epidemiological transition in West Africa. Cardiovascular Journal of Africa. 28(5) pp 324-330. |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

# Double burden of underweight & overweight

## Adults, 2022




| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 20+ |
| **References:** | NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. https://doi.org/10.1016/S0140-6736(23)02750-2. |
| **Notes:** | Age Standardised estimates |
| **Definitions:** | Combined prevalence of BMI<18.5 kg/m² and BMI>=30 kg/m² (double burden of underweight and obesity) |

# Insufficient physical activity

## Adults, 2022




| | |
|---|---|
| **Survey type:** | Self-reported |
| **Age:** | 18+ |
| **Area covered:** | National |
| **References:** | WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-) |
| **Definitions:** | Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent. |

## Men, 2022




| | |
|---|---|
| **Survey type:** | Self-reported |
| **Age:** | 18+ |
| **Area covered:** | National |
| **References:** | WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-) |
| **Definitions:** | Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent. |

## Women, 2022




| | |
|---|---|
| **Survey type:** | Self-reported |
| **Age:** | 18+ |
| **Area covered:** | National |
| **References:** | WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-) |
| **Definitions:** | Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent. |

# Estimated per capita fruit intake

## Adults, 2017




| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 25+ |
| **References:** | Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/ |
| **Definitions:** | Estimated per-capita fruit intake (g/day) |

# Estimated per-capita processed meat intake

## Adults, 2017




| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 25+ |
| **References:** | Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/ |
| **Definitions:** | Estimated per-capita processed meat intake (g per day) |

# Estimated per capita whole grains intake

## Adults, 2017




| | |
|---|---|
| **Survey type:** | Measured |
| **Age:** | 25+ |
| **References:** | Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/ |
| **Definitions:** | Estimated per-capita whole grains intake (g/day) |

# Mental health - depression disorders

## Adults, 2021




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare. (Last accessed 23.04.25) |
| **Definitions:** | Number living with depression per 100,000 population (adults 20+ years) |

## Men, 2021




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare. (Last accessed 23.04.25) |
| **Definitions:** | Number living with depression per 100,000 population (adults 20+ years) |

## Women, 2021




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare. (Last accessed 23.04.25) |
| **Definitions:** | Number living with depression per 100,000 population (adults 20+ years) |

# Mental health - anxiety disorders

## Adults, 2021




| | |
|---|---|
| **Age:** | 20+ |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare. (Last accessed 23.04.25). |
| **Definitions:** | Number living with anxiety per 100,000 population |

## Men, 2021




| | |
|---|---|
| **Age:** | 20+ |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare. (Last accessed 23.04.25). |
| **Definitions:** | Number living with anxiety per 100,000 population |

## Women, 2021




| | |
|---|---|
| **Age:** | 20+ |
| **References:** | Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare. (Last accessed 23.04.25). |
| **Definitions:** | Number living with anxiety per 100,000 population |

# Percent of population who cannot afford a healthy diet

## Adults, 2022




| | |
|---|---|
| **Area covered:** | National |
| **References:** | The Food Systems Dashboard. The Global Alliance for Improved Nutrition (GAIN), The Columbia Climate School, and Cornell University College of Agriculture and Life Sciences. 2024. Geneva, Switzerland. https://www.foodsystemsdashboard.org. DOI: https://doi.org/10.36072/db. |

# Oesophageal cancer

## Men, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Indicence per 100,000 |

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Indicence per 100,000 |

# Breast cancer

## Women, 2022




| | |
|---|---|
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

# Colorectal cancer

## Men, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

# Pancreatic cancer

## Men, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

# Gallbladder cancer

## Men, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Indicence per 100,000 |

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Indicence per 100,000 |

# Kidney cancer

## Men, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

# Cancer of the uterus

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

# Raised blood pressure

## Adults, 2015




**References:** Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A875?lang=en

**Definitions:** Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).

## Men, 2015




| | |
|---|---|
| **References:** | Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A875?lang=en |
| **Definitions:** | Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90). |

## Women, 2015




| | |
|---|---|
| **References:** | Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A875?lang=en |
| **Definitions:** | Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90). |

# Raised cholesterol

## Adults, 2008




| | |
|---|---|
| **References:** | Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885 |
| **Definitions:** | % Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate). |

## Men, 2008




| | |
|---|---|
| **References:** | Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885 |
| **Definitions:** | % Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate). |

## Women, 2008




| | |
|---|---|
| **References:** | Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885 |
| **Definitions:** | % Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate). |

# Raised fasting blood glucose

## Men, 2014




| | |
|---|---|
| **References:** | Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A869?lang=en |
| **Definitions:** | Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication). |

## Women, 2014




| | |
|---|---|
| **References:** | Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A869?lang=en |
| **Definitions:** | Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication). |

# Diabetes prevalence

## Adults, 2024




**References:** Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. http://www.diabetesatlas.org

# Ovarian Cancer

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

# Leukemia

## Men, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

# Liver and intrahepatic bile duct Cancer

## Men, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

# Multiple Myeloma

## Men, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Indicence per 100,000 |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Indicence per 100,000 |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

# Non Hodgkin Lymphoma

## Men, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

*Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².*

# Thyroid Cancer

## Men, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

## Women, 2022




| | |
|---|---|
| **Age:** | 20+ |
| **Area covered:** | National |
| **References:** | Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24] |
| **Definitions:** | Incidence per 100,000 |

*PDF created on June 17, 2025*