Serbia




Country report card - adults

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.

View the latest version of this report on the Global Obesity Observatory at https://data.worldobesity.org/country/serbia-188/.

Obesity prevalence

Adults, 2025



Survey type:	Self-reported
Age:	18+
Area covered:	National


Đ¡Đ¿Đ¸Ñ□
Đ¾Đº Đ»Đ¸Ñ
□ ĐµÑ□ Đ°Ñ□
Ñ□ Ñ□ Ñ□ :

Eurostat 2025. Person distribution by body mass index, educational attainment level, sex and age. https://doi.org/10.2908/ILC_HCH10 [Accessed 05.06.26]

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

% Adults living with obesity (measured), 1985-2019

Men




Survey type:	Measured

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¸ ĐµÑ Đ°Ñ Ñ Ñ Ñ :	1985: WHO Infobase accessed 3rd May 2006. Data from 1985 CINDI study 2000: Health status and health needs in Serbia. Expert team of the Institute of Public Health of Serbia. 2002. Dr Ljiljana T. WHO Infobase. 2013: Maksimović MŽ, Gudelj Rakić JM, Vlajinac HD, Vasiljević ND, Nikić MI, Marinković JM. Comparison of different anthropometric measures in the adult population in Serbia as indicators of obesity: data from the National Health Survey 2013. Public Health Nutr. 2016 Feb 11:1-10. 2019: Statistical Office of the Republic of Serbia, Institute of Public Health of Serbia (2021). THE 2019 SERBIAN NATIONAL HEALTH SURVEY. Available at https://publikacije.stat.gov.rs/G2021/pdfE/G20216003.pdf (last accessed 08.06.21)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Women




Survey type:	Measured
Ð¡Ð¸Ð¾Ñ Ð¾Ð»Ð¸Ñ ÐµÑ Ð°Ñ Ñ Ñ :	1985: WHO Infobase accessed 3rd May 2006. Data from 1985 CINDI study 2000: Health status and health needs in Serbia. Expert team of the Institute of Public Health of Serbia. 2002. Dr Ljiljana T. WHO Infobase. 2013: Maksimović MŽ, Gudelj Rakić JM, Vlajinac HD, Vasiljević ND, Nikić MI, Marinković JM. Comparison of different anthropometric measures in the adult population in Serbia as indicators of obesity: data from the National Health Survey 2013. Public Health Nutr. 2016 Feb 11:1-10. 2019: Statistical Office of the Republic of Serbia, Institute of Public Health of Serbia (2021). THE 2019 SERBIAN NATIONAL HEALTH SURVEY. Available at https://publikacije.stat.gov.rs/G2021/pdfE/G20216003.pdf (last accessed 08.06.21)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

% Adults living with obesity (self-reported), 2017-2022


Men



Survey type:	Self-reported
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	2017: EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_hch10&lang=en (last accessed 25.08.20) 2019: Eurostat 2019. Data available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21) 2022: Eurostat 2022 Data. Available at https://ec.europa.eu/eurostat/databrowser/view/ilc_hch10/default/table?lang=en (last accessed 23.09.25)

Notes:	Eurostat
Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².	
Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.	


Women



Survey type:	Self-reported
Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¼Ñ Đ°Ñ Ñ Ñ Ñ :	2017: EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_hch10&lang=en (last accessed 25.08.20) 2019: Eurostat 2019. Data available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21) 2022: Eurostat 2022 Data. Available at https://ec.europa.eu/eurostat/databrowser/view/ilc_hch10/default/table?lang=en (last accessed 23.09.25)
Notes:	Eurostat
	Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Men and women




Survey type:	Self-reported
Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¼Ñ Đ°Ñ Ñ Ñ Ñ :	2017: EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_hch10&lang=en (last accessed 25.08.20) 2019: Eurostat 2019. Data available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21) 2022: Eurostat 2022 Data. Available at https://ec.europa.eu/eurostat/databrowser/view/ilc_hch10/default/table?lang=en (last accessed 23.09.25)
Notes:	Eurostat

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

% Adults living with overweight or obesity (measured), 1985-2019

Men




Survey type:	Measured

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¸ ĐµÑ Đ°Ñ Ñ Ñ Ñ :	1985: WHO Infobase accessed 3rd May 2006. Data from 1985 CINDI study 2000: Health status and health needs in Serbia. Expert team of the Institute of Public Health of Serbia. 2002. Dr Ljiljana T. WHO Infobase. 2013: Maksimović MŽ, Gudelj Rakić JM, Vlajinac HD, Vasiljević ND, Nikić MI, Marinković JM. Comparison of different anthropometric measures in the adult population in Serbia as indicators of obesity: data from the National Health Survey 2013. Public Health Nutr. 2016 Feb 11:1-10. 2019: Statistical Office of the Republic of Serbia, Institute of Public Health of Serbia (2021). THE 2019 SERBIAN NATIONAL HEALTH SURVEY. Available at https://publikacije.stat.gov.rs/G2021/pdfE/G20216003.pdf (last accessed 08.06.21)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Women




Survey type:	Measured
Ð¡Ð¸Ð¾Ñ Ð¾Ð»Ð¸Ñ ÐµÑ Ð°Ñ Ñ Ñ :	1985: WHO Infobase accessed 3rd May 2006. Data from 1985 CINDI study 2000: Health status and health needs in Serbia. Expert team of the Institute of Public Health of Serbia. 2002. Dr Ljiljana T. WHO Infobase. 2013: Maksimović MŽ, Gudelj Rakić JM, Vlajinac HD, Vasiljević ND, Nikić MI, Marinković JM. Comparison of different anthropometric measures in the adult population in Serbia as indicators of obesity: data from the National Health Survey 2013. Public Health Nutr. 2016 Feb 11:1-10. 2019: Statistical Office of the Republic of Serbia, Institute of Public Health of Serbia (2021). THE 2019 SERBIAN NATIONAL HEALTH SURVEY. Available at https://publikacije.stat.gov.rs/G2021/pdfE/G20216003.pdf (last accessed 08.06.21)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

% Adults living with overweight or obesity (self-reported), 2017-2022

Men




Survey type:	Self-reported

Đ¡Đ¿Đ¸Ñ Đ¾ĐºĐ»Đ¸Ñ Đ¼Ñ Ñ Ñ :	2017: EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_hch10&lang=en (last accessed 25.08.20) 2019: Eurostat 2019. Data available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21) 2022: Eurostat 2022 Data. Available at https://ec.europa.eu/eurostat/databrowser/view/ilc_hch10/default/table?lang=en (last accessed 23.09.25)
Notes:	Eurostat

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.


Women



Survey type:	Self-reported
Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¼Ñ Đ°Ñ Ñ Ñ Ñ :	2017: EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_hch10&lang=en (last accessed 25.08.20) 2019: Eurostat 2019. Data available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21) 2022: Eurostat 2022 Data. Available at https://ec.europa.eu/eurostat/databrowser/view/ilc_hch10/default/table?lang=en (last accessed 23.09.25)
Notes:	Eurostat
	Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Men and women




Survey type:	Self-reported
Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¼Ñ Đ°Ñ Ñ Ñ Ñ :	2017: EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_hch10&lang=en (last accessed 25.08.20) 2019: Eurostat 2019. Data available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21) 2022: Eurostat 2022 Data. Available at https://ec.europa.eu/eurostat/databrowser/view/ilc_hch10/default/table?lang=en (last accessed 23.09.25)
Notes:	Eurostat

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Overweight/obesity by age and education

Adults, 2025




Survey type:	Self-reported
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾ĐºĐ»Đ¸Ñ Đ¼Ñ Đ°Ñ Ñ Ñ :	Eurostat 2025. Person distribution by body mass index, educational attainment level, sex and age. https://doi.org/10.2908/ILC_HCH10 [Accessed 05.06.26]
Notes:	Some values flagged for low reliability (Level 5-8: 16-24 year old men). Interpret with caution
Definitions:	Level 0-2: Less than primary, primary and lower secondary education; Level 3-4: Upper secondary and post-secondary non-tertiary education; Level 5-8: Tertiary

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Men, 2025




Survey type:	Self-reported
Area covered:	National
Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ µÑ Đ°Ñ Ñ Ñ Ñ :	Eurostat 2025. Person distribution by body mass index, educational attainment level, sex and age. https://doi.org/10.2908/ILC_HCH10 [Accessed 05.06.26]
Notes:	Some values flagged for low reliability (Level 5-8: 16-24 year old men). Interpret with caution

Definitions:	Level 0-2: Less than primary, primary and lower secondary education; Level 3-4: Upper secondary and post-secondary non-tertiary education; Level 5-8: Tertiary

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2025




Survey type:	Self-reported
Area covered:	National
Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ µÑ Đ°Ñ Ñ Ñ Ñ :	Eurostat 2025. Person distribution by body mass index, educational attainment level, sex and age. https://doi.org/10.2908/ILC_HCH10 [Accessed 05.06.26]
Notes:	Some values flagged for low reliability (Level 5-8: 16-24 year old men). Interpret with caution

Definitions: Level 0-2: Less than primary, primary and lower secondary education; Level 3-4: Upper secondary and post-secondary non-tertiary education; Level 5-8: Tertiary

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Overweight/obesity by education

Adults, 2025




Survey type:	Self-reported
Age:	18+
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¸Ñ Đ°Ñ Ñ Ñ :	Eurostat 2025. Person distribution by body mass index, educational attainment level, sex and age. https://doi.org/10.2908/ILC_HCH10 [Accessed 05.06.26]
Definitions:	Level 0-2: Less than primary, primary and lower secondary education; Level 3-4: Upper secondary and post-secondary non-tertiary education; Level 5-8: Tertiary

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Men, 2025




Survey type:	Self-reported
Age:	18+
Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ □ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Eurostat 2025. Person distribution by body mass index, educational attainment level, sex and age. https://doi.org/10.2908/ILC_HCH10 [Accessed 05.06.26]

Definitions:	Level 0-2: Less than primary, primary and lower secondary education; Level 3-4: Upper secondary and post-secondary non-tertiary education; Level 5-8: Tertiary

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2025




Survey type:	Self-reported
Age:	18+
Area covered:	National
Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Ð¼Ñ Ð°Ñ Ñ Ñ :	Eurostat 2025. Person distribution by body mass index, educational attainment level, sex and age. https://doi.org/10.2908/ILC_HCH10 [Accessed 05.06.26]

Definitions: Level 0-2: Less than primary, primary and lower secondary education; Level 3-4: Upper secondary and post-secondary non-tertiary education; Level 5-8: Tertiary

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Overweight/obesity by age

Adults, 2025



Survey type:	Self-reported
Area covered:	National


Đ¡Đ¿Đ¸Ñ□
Đ¾Đº Đ»Đ¸Ñ
□ ĐµÑ□ Đ°Ñ□
Ñ□ Ñ□ Ñ□ :

Eurostat 2025. Person distribution by body mass index, educational attainment level, sex and age. https://doi.org/10.2908/ILC_HCH10 [Accessed 05.06.26]

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Overweight/obesity by age and socio-economic group

Adults, 2019




Survey type:	Self-reported
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾ĐºĐ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21).

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².


Men, 2019



Survey type:	Self-reported
Area covered:	National
Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¼Ñ Đ°Ñ Ñ Ñ Ñ :	Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21).

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2019




Survey type:	Self-reported
Area covered:	National
Ð¡Ð¸Ð¼ÐºÐ¾ Ð»Ð¸Ñ Ð¾ÐµÑÑ Ñ Ñ :	Eurostat 2019. Available at https://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1i&lang=en (last accessed 09.08.21).

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Overweight/obesity by socio-economic group

Adults, 2006




Survey type:	Measured
Age:	20+
Sample size:	13796
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Ñ ĐµÑ Đ°Ñ Ñ Ñ Ñ :	Grujic, V. et al. (2010) 'Overweight and obesity among adults in Serbia: Results from the National Health Survey', Eat Weight Disord, 15(1-2), pp.34-42
Notes:	Prevalence of overweight and obesity by income.

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Double burden of underweight & obesity

Adults, 2022




Survey type:	Measured
Age:	20+
Đ¡Đ¿Đ¸Ñ Đ¾ĐºĐ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ Ñ :	NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. https://doi.org/10.1016/S0140-6736(23)02750-2.

Notes:	Age Standardised estimates
Definitions:	Combined prevalence of BMI<18.5 kg/m² and BMI>=30 kg/m² (double burden of underweight and obesity)

Insufficient physical activity


Adults, 2022



Survey type:	Self-reported
Age:	18+
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-)
Definitions:	Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.


Men, 2022



Survey type:	Self-reported
Age:	18+
Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-)

Definitions:	Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Women, 2022




Survey type:	Self-reported
Age:	18+
Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-)

Definitions:	Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Average weekly frequency of fast food consumption


Adults, 2021-2024



Survey type:	Self-reported
Age:	15+
Sample size:	999
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¸ĐµÑ Đ°Ñ Ñ Ñ :	Global Diet Quality Project. 2024. “DQQ Results Dataset 2021-2024.” Harvard Dataverse. https://doi.org/doi:10.7910/DVN/KY3W8A Licence: CC BY-NC-SA 4.0. Accessed at dietquality.org on October 15, 2025.
Notes:	For more global dietary survey data, visit the Global Diet Quality Project website at https://www.dietquality.org/
Definitions:	Proportion of the population who consumed fast food during the previous day or night (self-reported)


Men, 2021-2024



Survey type:	Self-reported
Age:	15+
Sample size:	999
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¸ĐµÑ Đ°Ñ Ñ Ñ :	Global Diet Quality Project. 2024. “DQQ Results Dataset 2021-2024.” Harvard Dataverse. https://doi.org/doi:10.7910/DVN/KY3W8A Licence: CC BY-NC-SA 4.0. Accessed at dietquality.org on October 15, 2025.
Notes:	For more global dietary survey data, visit the Global Diet Quality Project website at https://www.dietquality.org/
Definitions:	Proportion of the population who consumed fast food during the previous day or night (self-reported)

Women, 2021-2024




Survey type:	Self-reported
Age:	15+
Sample size:	999
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¸Ñ Đ°Ñ Ñ Ñ :	Global Diet Quality Project. 2024. “DQQ Results Dataset 2021-2024.” Harvard Dataverse. https://doi.org/doi:10.7910/DVN/KY3W8A Licence: CC BY-NC-SA 4.0. Accessed at dietquality.org on October 15, 2025.
Notes:	For more global dietary survey data, visit the Global Diet Quality Project website at https://www.dietquality.org/
Definitions:	Proportion of the population who consumed fast food during the previous day or night (self-reported)

Mental health - depression disorders


Adults, 2023



Age:	20+
Area covered:	National


Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26]
Definitions:	Estimated number living with depressive disorders per 100,000 population (20+ years of age)

Men, 2023



Age:	20+
Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26]
Definitions:	Estimated number living with depressive disorders per 100,000 population (20+ years of age)


Women, 2023



Age:	20+
Area covered:	National
Ð¡Ð¸Ð¾ Ð»Ð¸Ñ Ð¼Ñ Ð°Ñ Ñ Ñ :	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26]
Definitions:	Estimated number living with depressive disorders per 100,000 population (20+ years of age)

Mental health - anxiety disorders


Adults, 2023



Age:	20+
Area covered:	National


Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Ñ ĐµÑ Đ°Ñ Ñ Ñ Ñ :	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26]
Definitions:	Estimated number living with anxiety disorders per 100,000 population (20+ years of age)

Men, 2023



Age:	20+
Area covered:	National
Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¼Ñ Đ°Ñ Ñ Ñ Ñ :	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26]
Definitions:	Estimated number living with anxiety disorders per 100,000 population (20+ years of age)


Women, 2023



Age:	20+
Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2023. Seattle, WA: IHME, University of Washington, 2025. Available from https://vizhub.healthdata.org/gbd-compare/ [Accessed 17.03.26]
Definitions:	Estimated number living with anxiety disorders per 100,000 population (20+ years of age)

Percent of population who cannot afford a healthy diet


Adults, 2025



Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	FAO. 2026. FAOSTAT: Cost and Affordability of a Healthy Diet (CoAHD). https://www.fao.org/faostat/en/#data/CAHD. Licence: CC-BY-4.0. [Last Accessed 12.10.26]
Notes:	The percent of the population whose food budget is below the cost of a healthy diet.

Oesophageal cancer


Men, 2022



Age:	20+
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Indicence per 100,000


Women, 2022



Age:	20+
Area covered:	National
Ð¡Ð¸Ð¾ Ð¾Ð»Ð¸ ÐµÑ Ð°Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Indicence per 100,000

Breast cancer

Women, 2022




Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions:	Incidence per 100,000

Colorectal cancer


Men, 2022



Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions:	Incidence per 100,000


Women, 2022



Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Incidence per 100,000

Pancreatic cancer


Men, 2022



Age:	20+
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Incidence per 100,000


Women, 2022



Age:	20+
Area covered:	National
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Incidence per 100,000

Gallbladder cancer


Men, 2022



Age:	20+
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Indicence per 100,000


Women, 2022



Age:	20+
Area covered:	National
Ð¡Ð¸Ð¾ Ð¾Ð»Ð¸ ÐµÑ Ð°Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Indicence per 100,000

Kidney cancer


Men, 2022



Age:	20+
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Incidence per 100,000


Women, 2022



Age:	20+
Area covered:	National
Ð¡Ð¸Ð¾ Ð³Ð»Ð¾Ð±Ð°Ð»Ð½Ð¸ ÐµÐ¿Ð¸Ð´ÐµÐ¼Ð¸Ñ˜Ðµ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Incidence per 100,000

Cancer of the uterus

Women, 2022




Age:	20+
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions:	Incidence per 100,000

Raised blood pressure


Adults, 2019



Age:	30-79
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	World Health Organization. 2024. Hypertension: raised blood pressure (uncontrolled hypertension) among adults aged 30-79 years (%). Global Health Observatory. https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-raised-blood-pressure-among-adults-30-79-years [Accessed 16.03.26]


Definitions:	Prevalence of raised blood pressure (defined as having systolic blood pressure ≥140 mmHg or diastolic blood pressure ≥90 mmHg) among adults aged 30-79.

Men, 2019



Age:	30-79
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	World Health Organization. 2024. Hypertension: raised blood pressure (uncontrolled hypertension) among adults aged 30-79 years (%). Global Health Observatory. https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-raised-blood-pressure-among-adults-30-79-years [Accessed 16.03.26]
Definitions:	Prevalence of raised blood pressure (defined as having systolic blood pressure ≥140 mmHg or diastolic blood pressure ≥90 mmHg) among adults aged 30-79.


Women, 2019



Age:	30-79
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	World Health Organization. 2024. Hypertension: raised blood pressure (uncontrolled hypertension) among adults aged 30-79 years (%). Global Health Observatory. https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-raised-blood-pressure-among-adults-30-79-years [Accessed 16.03.26]
Definitions:	Prevalence of raised blood pressure (defined as having systolic blood pressure ≥140 mmHg or diastolic blood pressure ≥90 mmHg) among adults aged 30-79.


Raised cholesterol

Adults, 2008




Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ □ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885
Definitions:	% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).

Men, 2008



Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ µÑ Đ°Ñ Ñ Ñ Ñ :	Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885
Definitions:	% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).


Women, 2008



Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ µÑ Đ°Ñ Ñ Ñ Ñ :	Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885
Definitions:	% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).


Raised fasting blood glucose

Men, 2014



Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ □ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A869?lang=en
Definitions:	Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication).


Women, 2014



Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ ĐµÑ Đ°Ñ Ñ Ñ Ñ :	Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A869?lang=en
Definitions:	Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication).

Diabetes prevalence

Adults, 2024




Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ □ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. http://www.diabetesatlas.org

Ovarian Cancer

Women, 2022




Age:	20+
Đ¡Đ¿Đ¸Ñ□ Đ¾Đº Đ»Đ¸Ñ□ ĐµÑ□ Đ°Ñ□ Ñ□ Ñ□ Ñ□ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions:	Incidence per 100,000

Leukemia

Men, 2022




Age:	20+
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Ñ ĐµÑ Đ°Ñ Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2022




Age:	20+
Area covered:	National
Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¼Ñ Đ°Ñ Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Liver and intrahepatic bile duct Cancer


Men, 2022



Age:	20+
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ ĐµÑ Đ°Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Incidence per 100,000


Women, 2022



Age:	20+
Area covered:	National
Ð¡Ð¸Ð¾ Ð³Ð»Ð¾Ð±Ð°Ð»Ð½Ð° Ð°Ð¿Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Incidence per 100,000

Multiple Myeloma

Men, 2022




Age:	20+
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Ñ ĐµÑ Đ°Ñ Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Indicence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2022




Age:	20+
Area covered:	National
Ð¡Ð¸Ð³Ð½ Ð»Ð¸Ñ Ðµ Ð°Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Indicence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Non Hodgkin Lymphoma

Men, 2022




Age:	20+
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Ñ ĐµÑ Đ°Ñ Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2022




Age:	20+
Area covered:	National
Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Đ¼Ñ Đ°Ñ Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Thyroid Cancer


Men, 2022



Age:	20+
Area covered:	National

Đ¡Đ¿Đ¸Ñ Đ¾Đº Đ»Đ¸Ñ Ñ ĐµÑ Đ°Ñ Ñ Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Incidence per 100,000

Women, 2022



Age:	20+
Area covered:	National
Ð¡Ð¸Ð¾ Ð³Ð»Ð¾Ð±Ð°Ð»Ð½Ð¾Ð³ Ð°Ñ‚Ð»Ð°Ñ :	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]
Definitions:	Incidence per 100,000

PDF created on November 4, 2026