

Report card Singapore




Contents	Page
Obesity prevalence	2
Trend: % Adults living with obesity in Singapore	5
Trend: % Adults living with overweight or obesity in Singapore	9
Overweight/obesity by education	13
Overweight/obesity by age	14
Overweight/obesity by ethnicity	15
Insufficient physical activity	18
Estimated per capita fruit intake	24
Estimated per-capita processed meat intake	25
Estimated per capita whole grains intake	26
Mental health - depression disorders	27
Mental health - anxiety disorders	28
Oesophageal cancer	29
Breast cancer	31
Colorectal cancer	32
Pancreatic cancer	34
Gallbladder cancer	36
Kidney cancer	38
Cancer of the uterus	40
Raised blood pressure	41
Raised cholesterol	44
Raised fasting blood glucose	47
Diabetes prevalence	49
Contextual factors	50



Obesity prevalence

Adults, 2021-2022





Survey	Measured
type:	
Age:	18-74
Sample size:	4743
Area covered:	National

References:

National Population Health Survey 2022 (Household Interview and Health Examination). Epidemiology & Disease Control Division and Policy, Research & Surveillance Group Ministry of Health and Health Promotion Board, Singapore. https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/nphs-2022-survey-report-(final).pdf (Accessed 27.09.2023)

Notes:


The report also provides prevalence by Asian BMI Risk Category.

 $Unless \ otherwise \ noted, \ overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Children, 2017

Overweight or obesity






Infants, 2000

size:

Overweight or obesity



Age: 0-5
Sample 15822

References: Other: National healthcare group polyclinics' anthropometric growth charts for Singapore preschool children 2000. Singapore
Health Booklet, revised edition April 2003

Notes: UNICEF/WHO/World Bank Joint Child Malnutrition Estimates Expanded Database: Overweight (Survey Estimates), May 2023, New York. For more information about the methodology, please consult https://data.unicef.org/resources/jme-2023-country-consultations/ Percentage of children under 5 years of age falling above 2 standard deviations (moderate and severe) from the median weight-for-height of the reference population.

Definitions: =>+2SD




% Adults living with obesity in Singapore



Men





Survey Measured

References:

type:

1992: National Health Survey Singapore 1992. Ministry of Health Singapore.

1998: National Health Survey 1998. Ministry of Health Singapore

2004: Ministry of Health. National Health Survey 2004: Singapore. WHO Report 2005.

2010: National Health Survey 2010. Ministry of Health Singapore 2011. Report and Tables available at

https://www.moh.gov.sg/resources-statistics/reports/national-health-survey-2010 (assessed 08.10.12)

2013: National Health Surveillance Survey (NHSS) 2013. Ministry of Health Singapore.

2017: Ministry of Health. National Population Health Survey. 2016/17. Available from:

 $\underline{\text{https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/executive-summary-nphs-2016_17.pdf} \\$

(Accessed 2 April 2019).

2019: National Population Health Survey 2020. Epidemiology & Disease Control Division and Policy, Research & Surveillance
Group Ministry of Health and Health Promotion Board, Singapore. https://www.hpb.gov.sg/docs/default-source/default-document-library/nphs-2020-survey-report.pdf?sfvrsn=ece50aa9_0 (Accessed 18.11.2021)

2021: National Population Health Survey 2022 (Household Interview and Health Examination). Epidemiology & Disease Control Division and Policy, Research & Surveillance Group Ministry of Health and Health Promotion Board, Singapore.


https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/nphs-2022-survey-report-(final).pdf (Accessed 27.09.2023)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Women





Survey Measured type:

References:

1992: National Health Survey Singapore 1992. Ministry of Health Singapore.

1998: National Health Survey 1998. Ministry of Health Singapore

2004: Ministry of Health. National Health Survey 2004: Singapore. WHO Report 2005.

2010: National Health Survey 2010. Ministry of Health Singapore 2011. Report and Tables available at

https://www.moh.gov.sg/resources-statistics/reports/national-health-survey-2010 (assessed 08.10.12)

2013: National Health Surveillance Survey (NHSS) 2013. Ministry of Health Singapore.

2017: Ministry of Health. National Population Health Survey. 2016/17. Available from:

 $\underline{\text{https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/executive-summary-nphs-2016_17.pdf} \\$

(Accessed 2 April 2019).

2019: National Population Health Survey 2020. Epidemiology & Disease Control Division and Policy, Research & Surveillance
Group Ministry of Health and Health Promotion Board, Singapore. https://www.hpb.gov.sg/docs/default-source/default-document-library/nphs-2020-survey-report.pdf?sfvrsn=ece50aa9_0 (Accessed 18.11.2021)

2021: National Population Health Survey 2022 (Household Interview and Health Examination). Epidemiology & Disease Control Division and Policy, Research & Surveillance Group Ministry of Health and Health Promotion Board, Singapore.


https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/nphs-2022-survey-report-(final).pdf (Accessed 27.09.2023)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Men and women





Survey Measured type:

References:

1992: National Health Survey Singapore 1992. Ministry of Health Singapore.

1998: National Health Survey 1998. Ministry of Health Singapore

2004: Ministry of Health. National Health Survey 2004: Singapore. WHO Report 2005.

2010: National Health Survey 2010. Ministry of Health Singapore 2011. Report and Tables available at

https://www.moh.gov.sg/resources-statistics/reports/national-health-survey-2010 (assessed 08.10.12)

2013: National Health Surveillance Survey (NHSS) 2013. Ministry of Health Singapore.

2017: Ministry of Health. National Population Health Survey. 2016/17. Available from:

 $\underline{\text{https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/executive-summary-nphs-2016_17.pdf} \\$

(Accessed 2 April 2019).

2019: National Population Health Survey 2020. Epidemiology & Disease Control Division and Policy, Research & Surveillance
Group Ministry of Health and Health Promotion Board, Singapore. https://www.hpb.gov.sg/docs/default-source/default-document-library/nphs-2020-survey-report.pdf?sfvrsn=ece50aa9_0 (Accessed 18.11.2021)

2021: National Population Health Survey 2022 (Household Interview and Health Examination). Epidemiology & Disease Control Division and Policy, Research & Surveillance Group Ministry of Health and Health Promotion Board, Singapore.

https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/nphs-2022-survey-report-(final).pdf (Accessed 27.09.2023)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².




% Adults living with overweight or obesity in Singapore



Men

Overweight or obesity



type: References:

1992: National Health Survey Singapore 1992. Ministry of Health Singapore.

1998: National Health Survey 1998. Ministry of Health Singapore

2004: Ministry of Health. National Health Survey 2004: Singapore. WHO Report 2005.

2010: National Health Survey 2010. Ministry of Health Singapore 2011. Report and Tables available at

 $\underline{\text{https://www.moh.gov.sg/resources-statistics/reports/national-health-survey-2010}} \ (assessed\ 08.10.12)$

2013: National Health Surveillance Survey (NHSS) 2013. Ministry of Health Singapore.

2017: Ministry of Health. National Population Health Survey. 2016/17. Available from:

https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/executive-summary-nphs-2016_17.pdf

(Accessed 2 April 2019).

2019: National Population Health Survey 2020. Epidemiology & Disease Control Division and Policy, Research & Surveillance
Group Ministry of Health and Health Promotion Board, Singapore. https://www.hpb.gov.sg/docs/default-source/default-document-library/nphs-2020-survey-report.pdf?sfvrsn=ece50aa9_0 (Accessed 18.11.2021)

2021: National Population Health Survey 2022 (Household Interview and Health Examination). Epidemiology & Disease Control Division and Policy, Research & Surveillance Group Ministry of Health and Health Promotion Board, Singapore.


https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/nphs-2022-survey-report-(final).pdf (Accessed 27.09.2023)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Women

Overweight or obesity



Survey Measured

References:

type:

1992: National Health Survey Singapore 1992. Ministry of Health Singapore.

1998: National Health Survey 1998. Ministry of Health Singapore

2004: Ministry of Health. National Health Survey 2004: Singapore. WHO Report 2005.

2010: National Health Survey 2010. Ministry of Health Singapore 2011. Report and Tables available at

https://www.moh.gov.sg/resources-statistics/reports/national-health-survey-2010 (assessed 08.10.12)

2013: National Health Surveillance Survey (NHSS) 2013. Ministry of Health Singapore.

2017: Ministry of Health. National Population Health Survey. 2016/17. Available from:

https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/executive-summary-nphs-2016_17.pdf

(Accessed 2 April 2019).

2019: National Population Health Survey 2020. Epidemiology & Disease Control Division and Policy, Research & Surveillance Group Ministry of Health and Health Promotion Board, Singapore. https://www.hpb.gov.sg/docs/default-source/default-document-library/nphs-2020-survey-report.pdf?sfvrsn=ece50aa9_0 (Accessed 18.11.2021)

2021: National Population Health Survey 2022 (Household Interview and Health Examination). Epidemiology & Disease Control Division and Policy, Research & Surveillance Group Ministry of Health and Health Promotion Board, Singapore.


https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/nphs-2022-survey-report-(final).pdf (Accessed 27.09.2023)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Men and women

Overweight or obesity



type: References:

1992: National Health Survey Singapore 1992. Ministry of Health Singapore.

1998: National Health Survey 1998. Ministry of Health Singapore

2004: Ministry of Health. National Health Survey 2004: Singapore. WHO Report 2005.

2010: National Health Survey 2010. Ministry of Health Singapore 2011. Report and Tables available at https://www.moh.gov.sg/resources-statistics/reports/national-health-survey-2010 (assessed 08.10.12)

2013: National Health Surveillance Survey (NHSS) 2013. Ministry of Health Singapore.

2017: Ministry of Health. National Population Health Survey. 2016/17. Available from:

 $\underline{\text{https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/executive-summary-nphs-2016_17.pdf} \\$

(Accessed 2 April 2019).

2019: National Population Health Survey 2020. Epidemiology & Disease Control Division and Policy, Research & Surveillance
Group Ministry of Health and Health Promotion Board, Singapore. https://www.hpb.gov.sg/docs/default-source/default-document-library/nphs-2020-survey-report.pdf?sfvrsn=ece50aa9_0 (Accessed 18.11.2021)

2021: National Population Health Survey 2022 (Household Interview and Health Examination). Epidemiology & Disease Control Division and Policy, Research & Surveillance Group Ministry of Health and Health Promotion Board, Singapore.

https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/nphs-2022-survey-report-(final).pdf (Accessed 27.09.2023)


Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Overweight/obesity by education

Adults, 2021-2022





Survey	Measured
type:	
Age:	18-74
Sample size:	4743
size:	
Area	National
covered:	

References:

National Population Health Survey 2022 (Household Interview and Health Examination). Epidemiology & Disease Control Division and Policy, Research & Surveillance Group Ministry of Health and Health Promotion Board, Singapore. https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/nphs-2022-survey-report- (final).pdf (Accessed 27.09.2023)


 $Unless \ otherwise \ noted, \ overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Overweight/obesity by age

Adults, 2021-2022





Survey type:	Measured
Sample size:	4743
Area covered:	National
Peferences:	National Population Health Survey 2022 (Household Interview and Health Evamination). Enidemiology & Disease Control

References:

National Population Health Survey 2022 (Household Interview and Health Examination). Epidemiology & Disease Control Division and Policy, Research & Surveillance Group Ministry of Health and Health Promotion Board, Singapore. https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/nphs-2022-survey-report-(final).pdf (Accessed 27.09.2023)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².




Overweight/obesity by ethnicity

Ethnic groups are as defined by publication of origin and are not as defined by WOF. In some instances ethnicity is conflated with nationality and/or race.

Adults, 2021-2022





Survey type:	Measured
Age:	18-74
Sample size:	4743
Area covered:	National

References:

National Population Health Survey 2022 (Household Interview and Health Examination). Epidemiology & Disease Control Division and Policy, Research & Surveillance Group Ministry of Health and Health Promotion Board, Singapore.

 $\underline{\text{https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/nphs-2022-survey-report-(final).pdf} \ (Accessed to the statistics of the$


27.09.2023)

 $Unless \ otherwise \ noted, \ overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$



Men, 2021-2022





Survey	Measured
type:	
Age:	18-74
Sample	4743
size:	
Area	National
covered:	

References:

National Population Health Survey 2022 (Household Interview and Health Examination). Epidemiology & Disease Control Division and Policy, Research & Surveillance Group Ministry of Health and Health Promotion Board, Singapore. https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/nphs-2022-survey-report- (final).pdf (Accessed


27.09.2023)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Women, 2021-2022





Survey	Measured
type:	
Age:	18-74
Sample	4743
size:	
Area	National
covered:	

References:

National Population Health Survey 2022 (Household Interview and Health Examination). Epidemiology & Disease Control Division and Policy, Research & Surveillance Group Ministry of Health and Health Promotion Board, Singapore. https://www.moh.gov.sg/docs/librariesprovider5/resources-statistics/reports/nphs-2022-survey-report-(final).pdf (Accessed


27.09.2023)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



Insufficient physical activity


Adults, 2016



References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X
(18)30357-7




Men, 2016



References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X (18)30357-7



Women, 2016




References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X
(18)30357-7



Children, 2016

Notes:



Survey	Sett-reported
type:	
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation,


% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)

Definitions: % Adolescents insufficiently active (age standardised estimate)



Boys, 2016




type:	
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)
Notes:	% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

Definitions: % Adolescents insufficiently active (age standardised estimate)



Girls, 2016




Survey	Self-reported
type:	
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)
Notes:	% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.
Definitions:	% Adolescents insufficiently active (age standardised estimate)



Estimated per capita fruit intake


Adults, 2017





Estimated per-capita processed meat intake


Adults, 2017





Estimated per capita whole grains intake


Adults, 2017





Mental health - depression disorders

Adults, 2015



References: Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0 IGO.


Definitions:

% of population with depression disorders



Mental health - anxiety disorders

Adults, 2015



References: Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0 IGO.

Definitions: % of population with anxiety disorders




Oesophageal cancer

Men, 2022





Women, 2022






Breast cancer

Women, 2022





Area National covered:

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:


https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000




Colorectal cancer

Men, 2022





Women, 2022






Pancreatic cancer

Men, 2022






Women, 2022






Gallbladder cancer

Men, 2022











Kidney cancer

Men, 2022



Definitions: Incidence per 100,000








Cancer of the uterus

Women, 2022



Age: 20+

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from:


https://gco.iarc.who.int/today, accessed [16.07.24]

Definitions: Incidence per 100,000



Raised blood pressure

Adults, 2015



References:

Global Health Observatory data repository, World Health Organisation,


http://apps.who.int/gho/data/node.main.A875?lang=en

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



Men, 2015



References:


Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A875?lang=en

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).





References:

Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A875?lang=en


Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



Raised cholesterol

Adults, 2008



References:


Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885

Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).



Men, 2008




References:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885

Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).





References:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885


Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).



Raised fasting blood glucose

Men, 2014



References:


Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A869?lang=en

Definitions:

Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication).





References:

Global Health Observatory data repository, World Health Organisation,

http://apps.who.int/gho/data/node.main.A869?lang=en


Definitions:

Age Standardised % raised fasting blood glucose (\geq 7.0 mmol/L or on medication).



Diabetes prevalence

Adults, 2021





Contextual factors

Disclaimer: These contextual factors should be interpreted with care. Results are updated as regularly as possible and use very specific criteria. The criteria used and full definitions are available for download at the bottom of this page.



Labelling

Is there mandatory nutrition labelling?	
Front-of-package labelling?	✓
Back-of-pack nutrition declaration?	×
Color coding?	✓
Warning label?	×





Regulation and marketing

Are there fiscal policies on unhealthy products?	X
Tax on unhealthy foods?	X
Tax on unhealthy drinks?	×
Are there fiscal policies on healthy products?	X
Subsidy on fruits?	×
Subsidy on vegetables?	×
Subsidy on other healthy products?	×
Mandatory limit or ban of trans fat (all settings)?	~
Mandatory limit of trans fats in place (all settings)?	~
Ban on trans-fats or phos in place (all settings)?	~
Are there any mandatory policies/marketing restrictions on the promotion of unhealthy food/drinks to children?	X
Mandatory restriction on broadcast media?	X
Mandatory restriction on non-broadcast media?	×
Voluntary policies/marketing restrictions on the promotion of unhealthy food/drinks to children?	✓ v
Are there mandatory standards for food in schools?	X
Are there any mandatory nutrient limits in any manufactured food products?	~
Nutrition standards for public sector procurement?	X





Political will and support

National obesity strategy or nutrition and physical activity national strategy?	X
National obesity strategy?	X
National childhood obesity strategy?	X
Comprehensive nutrition strategy?	X
Comprehensive physical activity strategy?	~
Evidence-based dietary guidelines and/or RDAs?	X
National target(s) on reducing obesity?	~
Guidelines/policy on obesity treatment?	~
Promotion of breastfeeding?	×
Monitoring and surveillance	
Monitoring of the prevalence and incidence for the main obesity-related NCDs and risk factors?	X
Within 5 years?	X
Governance and resource	
Multi-sectoral national co-ordination mechanism for obesity or nutrition (including obesity)?	~
Key	
Present Present Incoming Absent Unknown	
(voluntary)	

Last updated July 6, 2023