

Kawżi Il-Gżejjer Solomon



Lower-middle income

Report cards

Our report cards collate all the most-recent graphics for this country. If you would like to produce a custom report based on selected graphics, just tap the Add to custom PDF button below the graphics you would like to use.


[Report card \(adult data\)](#)

[Report card \(child data\)](#)

[Report card \(under-5s data\)](#)

Attività fižika insuffiċjenti

Adulti, 2022



**Tip ta'
stħarrig:**

Età:

Era Koperta:

Irrappertat mill-persuna nnifisha


18+

Nazzjonali

Referenzi: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(--\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(--))

**Definizzjonijet
(disponibbli
bi-Ingliz biss):** Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Irġiel, 2022



**Tip ta'
stharrig:**

Irrappertat mill-persuna nnifisha

Età:

18+

Erja Koperta:


Nazzjonali

Referenzi:

WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022.
Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

**Definizzjonijet
(disponibbli
bl-Ingliż biss):** Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Nisa, 2022



**Tip ta'
stharrig:**

Irrappurtat mill-persuna nnifisha

Età:

18+

Erja Koperta:


Nazzjonali

Referenzi:

WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022.
Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

**Definizzjonijet
(disponibbli
bl-Ingliż biss):** Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Tfal, 2016



**Tip ta'
stharrig:**

Età:

Referenzi:

Noti:

Irrappurtat mill-persuna nnifisha

11-17


Global Health Observatory data repository, World Health Organisation,
<https://apps.who.int/gho/data/node.main.A893ADO?lang=en> (last accessed 16.03.21)

% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

**Definizzjonijiet
(disponibbli
bl-Ingliż biss):**

% Adolescents insufficiently active (age standardised estimate)

Subien, 2016



**Tip ta'
stharrig:**

Età:

Referenzi:

Noti:

Irrappurtat mill-persuna nnifisha

11-17


Global Health Observatory data repository, World Health Organisation,
<https://apps.who.int/gho/data/node.main.A893ADO?lang=en> (last accessed 16.03.21)

% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

**Definizzjonijiet
(disponibbli
bi-Ingliz biss):**

% Adolescents insufficiently active (age standardised estimate)

Bniet, 2016



**Tip ta'
stharrig:**

Età:

Referenzi:

Noti:

Irrappurtat mill-persuna nnifisha

11-17

Global Health Observatory data repository, World Health Organisation,
<https://apps.who.int/gho/data/node.main.A893ADO?lang=en> (last accessed 16.03.21)


% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

**Definizzjonijiet
(disponibbli
bl-Ingliż biss):**

% Adolescents insufficiently active (age standardised estimate)

Frekwenza medja ta' kuljum tal-konsum ta' xorb minerali bil-gass

Tfal, 2010-2015



**Tip ta'
stħarriġ:**

Età:


Imkejjel

12-17

Referenzi: Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. *Food and Nutrition Bulletin*.
<https://doi.org/10.1177/0379572119848287> sourced from Food Systems Dashboard
<http://www.foodsystemsdashboard.org/food-system>

Estimated per capita fruit intake

Adulti, 2017



**Tip ta'
stħarrig:**

Imkejjel

Età:

25+

Referenzi:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definizzjonijiet
(disponibbli
bl-Ingliż biss):**

Estimated per-capita fruit intake (g/day)

Prevalenza ta' inqas minn konsum ta' frott ta' kuljum

Tfal, 2010-2015



**Tip ta'
stħarrig:**

Età:

Imkejjel

12-17


Referenzi: Global School-based Student Health Surveys. Beal et al (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. <https://doi.org/10.1177/0379572119848287>. Sourced from Food Systems Dashboard <http://www.foodsystemsdashboard.org/food-system>

**Definizzjonijiet
(disponibbli
bi-Ingliz biss):**

Prevalence of less-than-daily fruit consumption (% less-than-daily fruit consumption)

Prevalenza ta' inqas minn konsum veġetali ta' kuljum

Tfal, 2010-2015



**Tip ta'
stħarrig:**

Età:

Imkejjel

12-17


Referenzi: Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. <https://doi.org/10.1177/0379572119848287> sourced from Food Systems Dashboard <http://www.foodsystemsdashboard.org/food-system>

**Definizzjonijiet
(disponibbli
bi-Ingliz biss):**

Prevalence of less-than-daily vegetable consumption (% less-than-daily vegetable consumption)

Frekwenza medja ta' kull ġimgħa ta' konsum ta' fast food

Tfal, 2010-2015



Età:

12-17

Referenzi:

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A


meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.

<https://doi.org/10.1177/0379572119848287> sourced from Food Systems Dashboard

<http://www.foodsystemsdashboard.org/food-system>

Konsum stmat ta' laħam ipproċessat per capita

Adulti, 2017



**Tip ta'
stħarrig:**

Imkejjel

Età:

25+

Referenzi:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definizzjonijiet
(disponibbli
bl-Ingliż biss):**

Estimated per-capita processed meat intake (g per day)

Estimated per capita whole grains intake

Adulti, 2017



**Tip ta'
stħarrig:**

Età:

Referenzi:

Imkejjel

25+


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definizzjonijiet
(disponibbli
bl-Ingliż biss):**

Estimated per-capita whole grains intake (g/day)

Saħħa mentali - disturbi tad-depressjoni

Adulti, 2021



Età:

20+

Erja Koperta:

Nazzjonali


Referenzi:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizzjonijet
(disponibbli
bil-Ingliż biss):**

Number living with depression per 100,000 population (adults 20+ years)

Irġiel, 2021



Età:

20+

Erja Koperta:

Nazzjonali


Referenzi:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

Definizzjonijiet
(disponibbili
bl-Ingliz biss):

Number living with depression per 100,000 population (adults 20+ years)

Nisa, 2021



Età:

20+

Erja Koperta:

Nazzjonali


Referenzi:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizzjonijiet
(disponibbili
bl-Ingliz biss):**

Number living with depression per 100,000 population (adults 20+ years)

Tfal, 2021



Erja Koperta:

Nazzjonali


Referenzi:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizzjonijiet
(disponibbli
bl-Ingliż biss):**

Number living with depressive disorder per 100,000 population (Under 20 years of age)

Subien, 2021



Erja Koperta:

Nazzjonali


Referenzi:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizzjonijiet
(disponibbli
bl-Ingliż biss):**

Number living with depressive disorder per 100,000 population (Under 20 years of age)

Bniet, 2021



Erja Koperta:

Nazzjonali

Referenzi:


Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizzjonijet
(disponibbli
bl-Ingliż biss):**

Number living with depressive disorder per 100,000 population (Under 20 years of age)

Saħħa mentali - disturbi ta' ansjetà

Adulti, 2021



Età:

20+


Referenzi:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

**Definizzjonijiet
(disponibbli
bl-Ingliż biss):**

Number living with anxiety per 100,000 population

Irgiel, 2021



Età:

20+


Referenzi:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

**Definizzjonijiet
(disponibbli
bl-Ingliż biss):**

Number living with anxiety per 100,000 population

Nisa, 2021



Età:

20+


Referenzi:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

**Definizzjonijet
(disponibbli
bl-Ingliż biss):**

Number living with anxiety per 100,000 population


Tfal, 2021



Referenzi:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)


Subien, 2021



Referenzi:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

Bniet, 2021




Referenzi:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

% ta' trabi ta' bejn 0-5 xhur imreddgħha biss

0-5 years, 2007-2023



Referenzi: Solomon Islands Demographic and Health Survey, 2015. Solomon Islands Ministry of Health and Medical Services and the Pacific Community. 2017.

Noti: Full details are available. Original citation United Nations Children's Fund, Division of Data, Analysis, Planning and Monitoring (2023). Global UNICEF Global Databases: Infant and Young Child Feeding: Exclusive breastfeeding, New York, October 2023.

PDF created on July 19, 2025