




Thailandia



Country report card - adults

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.

View the latest version of this report on the Global Obesity Observatory at <https://data.worldobesity.org/country/thailand-214/>.

Rischio nazionale di obesità *8/10 This is a composite "obesity risk" score (out of 10, the highest risk) based on obesity prevalence, rate of increase, likelihood of meeting the 2025 target, treatment indicator and childhood stunting levels.

Rischio di obesità infantile *7/11 This is a "risk score" for each country's likelihood of having or acquiring a major childhood obesity problem during the 2020s, taking account of current prevalence levels and risk for future obesity (based on stunting among infants, maternal obesity, maternal smoking, and breastfeeding rates).

*Sulla base di dati stimati. Per maggiori informazioni consultare le Pubblicazioni

Prevalenza dell'obesità

Adulti, 2019-2020




Tipo di sondaggio:	Misurato
Età :	15+
Dimensioni del campione:	22,459

Area coperta:	Nazionale
Riferimenti:	Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.
Note (disponibile solo in inglese):	9,390 men, 13,069 women. NB. Combined adult data estimated. These estimates were calculated by weighting male and female survey results. Weighting based on World Bank Population % total female in Thailand 2020 (https://data.worldbank.org/indicator/SP.POP.TOTL.FE.ZS?end=2020&locations=TH - accessed 11.07.25)
Definizioni (disponibile solo in inglese):	WHO standard cutoffs shown to allow comparison with non-Asian countries
Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m ² , l'obesità si riferisce a un BMI superiore a 30 kg/m ² .	

% Adults living with obesity in Thailand 1997-2019

Men and women



Tipo di
sondaggio:

Misurato


Riferimenti:

- 1997: Aekplakorn W, Chaipayong Y, Neal B, Chariyalertsak W, Kunanusont C, Phoolcharoen W, Suriyawongpaisal P. Prevalence and Determinants of Overweight and Obesity in Thai Adults: Results of the Second National Health Examination Survey. J Med Assoc Thai 2004;87(6):685-93
- 2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249
- 2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. Obesity Reviews, 10: 589 - 592.
- 2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., "Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991-2009," Journal of Obesity, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259
- 2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI).
<https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)
- 2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Potrebbero essere state utilizzate metodologie diverse di raccolta dei dati e per questo motivo i dati di indagini diverse potrebbero non essere direttamente comparabili.

Donne



Tipo di
sondaggio:

Misurato


Riferimenti:

- 1997: Aekplakorn W, Chaipayong Y, Neal B, Chariyalertsak W, Kunanusont C, Phoolcharoen W, Suriyawongpaisal P. Prevalence and Determinants of Overweight and Obesity in Thai Adults: Results of the Second National Health Examination Survey. J Med Assoc Thai 2004;87(6):685-93
- 2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249
- 2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. Obesity Reviews, 10: 589 - 592.
- 2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., "Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991-2009," Journal of Obesity, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259
- 2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI).
<https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)
- 2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Potrebbero essere state utilizzate metodologie diverse di raccolta dei dati e per questo motivo i dati di indagini diverse potrebbero non essere direttamente comparabili.

Uomini



Tipo di
sondaggio:

Misurato

Riferimenti:


- 1997: Aekplakorn W, Chaipayong Y, Neal B, Chariyalertsak W, Kunanusont C, Phoolcharoen W, Suriyawongpaisal P. Prevalence and Determinants of Overweight and Obesity in Thai Adults: Results of the Second National Health Examination Survey. J Med Assoc Thai 2004;87(6):685-93
- 2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249
- 2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. Obesity Reviews, 10: 589 - 592.
- 2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., "Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991-2009," Journal of Obesity, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259
- 2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI).
<https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)
- 2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Potrebbero essere state utilizzate metodologie diverse di raccolta dei dati e per questo motivo i dati di indagini diverse potrebbero non essere direttamente comparabili.

% Adults living with overweight or obesity in Thailand 2003-2019

Men and women



Tipo di
sondaggio:

Misurato


Riferimenti:

- 2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249
- 2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. Obesity Reviews, 10: 589 - 592.
- 2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., "Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991-2009," Journal of Obesity, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259
- 2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI).
<https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)
- 2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Potrebbero essere state utilizzate metodologie diverse di raccolta dei dati e per questo motivo i dati di indagini diverse potrebbero non essere direttamente comparabili.

Donne



Tipo di
sondaggio:

Misurato


Riferimenti:

- 2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249
- 2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. Obesity Reviews, 10: 589 - 592.
- 2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., "Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991-2009," Journal of Obesity, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259
- 2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI).
<https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)
- 2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Potrebbero essere state utilizzate metodologie diverse di raccolta dei dati e per questo motivo i dati di indagini diverse potrebbero non essere direttamente comparabili.

Uomini



Tipo di
sondaggio:

Misurato

Riferimenti:


- 2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249
- 2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. Obesity Reviews, 10: 589 - 592.
- 2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., "Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991-2009," Journal of Obesity, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259
- 2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI).
<https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)
- 2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Potrebbero essere state utilizzate metodologie diverse di raccolta dei dati e per questo motivo i dati di indagini diverse potrebbero non essere direttamente comparabili.

Sovrappeso/obesità per istruzione

Adulti, 2021




Tipo di sondaggio:	Auto-riferito
Età :	15+
Dimensioni del campione:	207,191

Area coperta:	Nazionale
Riferimenti:	Polathep Vichitkunakorn, Warintorn Bunyanukul, Kanarit Apiwan, Detphop Tanasanchonnakul & Monsicha Sittisombut (2025) Prevalence of non-communicable disease risk factors and their association with economic status: findings from the 2021 health behaviour of population survey in Thailand, Global Health Action, 18:1, 2485689, DOI: 10.1080/16549716.2025.2485689 [Accessed 11.07.25]
Definizioni (disponibile solo in inglese):	BMI ≥ 23 kg/m ²
Cutoffs:	WHO Asia
Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m ² , l'obesità si riferisce a un BMI superiore a 30 kg/m ² .	

Sovrappeso/obesità per età

Adulti, 2019-2020



Tipo di sondaggio:	Misurato
Dimensioni del campione:	22,459
Area coperta:	Nazionale


Riferimenti: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020. <https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2019&l=sreport6> [Accessed 11.07.25]

Note (disponibile solo in inglese): WHO standard cutoffs shown to allow comparison with non-Asian countries, data using WHO Asia cutoffs also available

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Sovrappeso/obesità per regione


Adulti, 2019-2020



Tipo di sondaggio:	Misurato
Età :	15+
Dimensioni del campione:	22,459

Area coperta:	Nazionale
Riferimenti:	Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020. https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2019&l=sreport6 [Accessed 11.07.25]
Note (disponibile solo in inglese):	WHO standard cutoffs shown to allow comparison with non-Asian countries, data using WHO Asia cutoffs also available
Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m ² , l'obesità si riferisce a un BMI superiore a 30 kg/m ² .	

Uomini, 2019-2020




Tipo di sondaggio:	Misurato
EtÀ :	15+
Dimensioni del campione:	22,459
Area coperta:	Nazionale

Riferimenti: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020. <https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2019&l=sreport6> [Accessed 11.07.25]

Note (disponibile solo in inglese): WHO standard cutoffs shown to allow comparison with non-Asian countries, data using WHO Asia cutoffs also available

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Donne, 2019-2020



Tipo di sondaggio:	Misurato
Et� :	15+
Dimensioni del campione:	22,459
Area coperta:	Nazionale


Riferimenti: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020. <https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2019&l=sreport6> [Accessed 11.07.25]

Note (disponibile solo in inglese): WHO standard cutoffs shown to allow comparison with non-Asian countries, data using WHO Asia cutoffs also available

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Sovrappeso/obesità per gruppo socio-economico

Adulti, 2021




Tipo di sondaggio:	Auto-riferito
Età :	15+
Dimensioni del campione:	201,191

Area coperta:	Nazionale
Riferimenti:	Polathep Vichitkunakorn, Warintorn Bunyanukul, Kanarit Apiwan, Detphop Tanasanchonnakul & Monsicha Sittisombut (2025) Prevalence of non-communicable disease risk factors and their association with economic status: findings from the 2021 health behaviour of population survey in Thailand, Global Health Action, 18:1, 2485689, DOI: 10.1080/16549716.2025.2485689 [Accessed 11.07.25]
Definizioni (disponibile solo in inglese):	BMI ≥ 23 kg/m ²
Cutoffs:	WHO Asia
Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m ² , l'obesità si riferisce a un BMI superiore a 30 kg/m ² .	

Double burden of underweight & overweight

Adulti, 2022



Tipo di sondaggio:

Misurato

Et  :

20+

Riferimenti:

NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. [https://doi.org/10.1016/S0140-6736\(23\)02750-2](https://doi.org/10.1016/S0140-6736(23)02750-2).

Note (disponibile solo in inglese):


Age Standardised estimates

Definizioni (disponibile solo in inglese):

Combined prevalence of BMI<18.5 kg/m² and BMI≥30 kg/m² (double burden of underweight and obesity)

Attività fisica insufficiente

Adulti, 2022



Tipo di sondaggio:

Auto-riferito

Età :

18+

Area coperta:

Nazionale


Riferimenti:

WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

Definizioni (disponibile solo in inglese):


Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Uomini, 2022



Tipo di sondaggio:	Auto-riferito
Et� :	18+
Area coperta:	Nazionale
Riferimenti:	WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-)
Definizioni (disponibile solo in inglese):	Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.


Donne, 2022



Tipo di sondaggio:	Auto-riferito
Et� :	18+
Area coperta:	Nazionale
Riferimenti:	WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-)
Definizioni (disponibile solo in inglese):	Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Estimated per capita fruit intake

Adulti, 2017



Tipo di sondaggio:

Misurato

Et  :

25+

Riferimenti:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definizioni (disponibile solo in inglese):

Estimated per-capita fruit intake (g/day)

Assunzione stimata pro capite di carni lavorate

Adulti, 2017



Tipo di sondaggio:

Misurato

Et  :

25+

Riferimenti:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definizioni (disponibile solo in inglese):

Estimated per-capita processed meat intake (g per day)

Estimated per capita whole grains intake

Adulti, 2017



Tipo di sondaggio:

Misurato

Et  :

25+

Riferimenti:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definizioni (disponibile solo in inglese):

Estimated per-capita whole grains intake (g/day)

Salute mentale - disturbi depressivi

Adulti, 2021




Et� :	20+
Area coperta:	Nazionale
Riferimenti:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25)

**Definizioni
(disponibile
solo in
inglese):**

Number living with depression per 100,000 population (adults 20+ years)

Uomini, 2021



EtÀ : 20+


Area coperta: Nazionale

Riferimenti: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizioni
(disponibile
solo in
inglese):**

Number living with depression per 100,000 population (adults 20+ years)

Donne, 2021



Et  : 20+

Area coperta: Nazionale


Riferimenti: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

**Definizioni
(disponibile
solo in
inglese):**

Number living with depression per 100,000 population (adults 20+ years)

Salute mentale - disturbi d'ansia

Adulti, 2021




Et  : 20+

Riferimenti: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

**Definizioni
(disponibile
solo in
inglese):**


Number living with anxiety per 100,000 population

Uomini, 2021



EtÀ :	20+
Riferimenti:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25).
Definizioni (disponibile solo in inglese):	Number living with anxiety per 100,000 population


Donne, 2021



EtÃ : 	20+
Riferimenti:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25).
Definizioni (disponibile solo in inglese):	Number living with anxiety per 100,000 population

Percent of population who cannot afford a healthy diet

Adulti, 2022



Area coperta:


Nazionale

Riferimenti:

The Food Systems Dashboard. The Global Alliance for Improved Nutrition (GAIN), The Columbia Climate School, and Cornell University College of Agriculture and Life Sciences. 2024. Geneva, Switzerland.
<https://www.foodsystemsdashboard.org>. DOI: <https://doi.org/10.36072/db>.


Cancro dell'esofago

Uomini, 2022



EtÀ :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]
Definizioni (disponibile solo in inglese):	Indicence per 100,000

Donne, 2022



EtÀ : 20+


Area coperta: Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Cancro al seno

Donne, 2022

**Area coperta:**

Nazionale

Riferimenti:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

**Definizioni
(disponibile
solo in
inglese):**

Incidence per 100,000


Cancro colon-rettale

Uomini, 2022



Et� :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi�eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]
Definizioni (disponibile solo in inglese):	Incidence per 100,000

Donne, 2022



EtÀ : 20+


Area coperta: Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000


Cancro del pancreas

Uomini, 2022



Et� :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi�eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]
Definizioni (disponibile solo in inglese):	Incidence per 100,000

Donne, 2022



Et  : 20+


Area coperta: Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000


Cancro della colecisti

Uomini, 2022



EtÀ :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]
Definizioni (disponibile solo in inglese):	Indicence per 100,000

Donne, 2022



EtÀ : 20+


Area coperta: Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000


Cancro del rene

Uomini, 2022



EtÀ :	20+
Area coperta:	Nazionale
Riferimenti:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]
Definizioni (disponibile solo in inglese):	Incidence per 100,000

Donne, 2022



EtÀ : 20+


Area coperta: Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Cancro dell'utero

Donne, 2022




EtÀ : 20+

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Aumento della pressione arteriosa

Adulti, 2015




Riferimenti:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

**Definizioni
(disponibile
solo in
inglese):**

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Uomini, 2015




Riferimenti:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definizioni (disponibile solo in inglese):

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Donne, 2015



Riferimenti:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definizioni (disponibile solo in inglese):

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Aumento del colesterolo


Adulti, 2008



Riferimenti: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definizioni (disponibile solo in inglese): % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).


Uomini, 2008



Riferimenti: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definizioni (disponibile solo in inglese): % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Donne, 2008




Riferimenti: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definizioni (disponibile solo in inglese): % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Aumento della glicemia a digiuno

Uomini, 2014




Riferimenti:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definizioni (disponibile solo in inglese):

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Donne, 2014



Riferimenti:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definizioni (disponibile solo in inglese):

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Prevalenza del diabete

Adulti, 2024




Riferimenti:

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. <http://www.diabetesatlas.org>

Ovarian Cancer

Donne, 2022




Et  : 20+

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Leukemia

Uomini, 2022



Età : 20+


Area coperta: Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m², l'obesità si riferisce a un BMI superiore a 30 kg/m².

Donne, 2022



Et  : 20+

Area coperta: Nazionale


Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m  , l'obesit  si riferisce a un BMI superiore a 30 kg/m  .

Leukemia

Uomini, 2022



Et  : 20+


Area coperta: Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m  , l'obesit   si riferisce a un BMI superiore a 30 kg/m  .

Donne, 2022



Et  : 20+

Area coperta: Nazionale


Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m  , l'obesit  si riferisce a un BMI superiore a 30 kg/m  .

Liver and intrahepatic bile duct Cancer

Uomini, 2022




Et  : 20+

Area coperta: Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Donne, 2022



Et  : 20+


Area coperta: Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Multiple Myeloma

Uomini, 2022



Et  : 20+


Area coperta: Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Indicence per 100,000

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m  , l'obesit  si riferisce a un BMI superiore a 30 kg/m  .

Donne, 2022



Et  : 20+

Area coperta: Nazionale


Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m  , l'obesit   si riferisce a un BMI superiore a 30 kg/m  .

Non Hodgkin Lymphoma

Uomini, 2022



Et  : 20+


Area coperta: Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m  , l'obesit   si riferisce a un BMI superiore a 30 kg/m  .

Donne, 2022



Et  : 20+

Area coperta: Nazionale


Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Salvo diversa indicazione, il sovrappeso si riferisce a un BMI compreso tra 25 kg e 29,9 kg/m  , l'obesit  si riferisce a un BMI superiore a 30 kg/m  .

Thyroid Cancer

Uomini, 2022




Et  : 20+

Area coperta: Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

Donne, 2022



Et  : 20+

Area coperta: Nazionale

Riferimenti: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Pi eros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definizioni (disponibile solo in inglese): Incidence per 100,000

PDF created on July 16, 2025