




Thailand




Country report card - adults

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.

View the latest version of this report on the Global Obesity Observatory at <https://data.worldobesity.org/country/thailand-214/>.

Fedmeprævalens

Voksne, 2019-2020




Undersøgelsestype:	Målt
Alder:	15+
Prævalens størrelse:	22,459
Area covered:	National

Referencer:	Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.
Noter (kun tilgængelige på engelsk):	9,390 men, 13,069 women. NB. Combined adult data estimated. These estimates were calculated by weighting male and female survey results. Weighting based on World Bank Population % total female in Thailand 2020 (https://data.worldbank.org/indicator/SP.POP.TOTL.FE.ZS?end=2020&locations=TH - accessed 11.07.25)
Definitioner (kun tilgængelig på engelsk):	WHO standard cutoffs shown to allow comparison with non-Asian countries
<i>Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².</i>	

% Adults living with obesity in Thailand 1997-2019

Men and women



UndersÅ_gelsestype:

MÅ¶it


Referencer:

- 1997: Aekplakorn W, Chaiyapong Y, Neal B, Chariyalertsak W, Kunanusont C, Phoolcharoen W, Suriyawongpaisal P. Prevalence and Determinants of Overweight and Obesity in Thai Adults: Results of the Second National Health Examination Survey. J Med Assoc Thai 2004;87(6):685-93
- 2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249
- 2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. Obesity Reviews, 10: 589 - 592.
- 2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., "Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991-2009," Journal of Obesity, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259
- 2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI).
<https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)
- 2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Forskellige metoder kan have været brugt til at indsamle disse data, og data fra forskellige undersøgelser er muligvis ikke helt sammenlignelige. Kontroller de originale datakilder for anvendte metoder

Kvinder



Unders gelsestype:

M ¥it


Referencer:

- 1997: Aekplakorn W, Chaiyapong Y, Neal B, Chariyalertsak W, Kunanusont C, Phoolcharoen W, Suriyawongpaisal P. Prevalence and Determinants of Overweight and Obesity in Thai Adults: Results of the Second National Health Examination Survey. J Med Assoc Thai 2004;87(6):685-93
- 2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249
- 2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. Obesity Reviews, 10: 589 - 592.
- 2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., "Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991-2009," Journal of Obesity, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259
- 2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI).
<https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)
- 2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Forskellige metoder kan have været brugt til at indsamle disse data, og data fra forskellige undersøgelser er muligvis ikke helt sammenlignelige. Kontroller de originale datakilder for anvendte metoder

MÃ|nd



UndersÃ_gelsestype:

MÃ¥it

Referencer:


- 1997: Aekplakorn W, Chaiyapong Y, Neal B, Chariyalertsak W, Kunanusont C, Phoolcharoen W, Suriyawongpaisal P. Prevalence and Determinants of Overweight and Obesity in Thai Adults: Results of the Second National Health Examination Survey. J Med Assoc Thai 2004;87(6):685-93
- 2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249
- 2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. Obesity Reviews, 10: 589 - 592.
- 2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., "Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991-2009," Journal of Obesity, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259
- 2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI).
<https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)
- 2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Forskellige metoder kan have været brugt til at indsamle disse data, og data fra forskellige undersøgelser er muligvis ikke helt sammenlignelige. Kontroller de originale datakilder for anvendte metoder

% Adults living with overweight or obesity in Thailand 2003-2019

Men and women



UndersÄ_gelsestype:

MÄ¥t


Referencer:

- 2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249
- 2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. Obesity Reviews, 10: 589 - 592.
- 2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., "Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991-2009," Journal of Obesity, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259
- 2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI).
<https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)
- 2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Forskellige metoder kan have været brugt til at indsamle disse data, og data fra forskellige undersøgelser er muligvis ikke helt sammenlignelige. Kontroller de originale datakilder for anvendte metoder

Kvinder



Unders gelsestype:

M t


Referencer:

- 2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249
- 2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. Obesity Reviews, 10: 589 - 592.
- 2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., "Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991-2009," Journal of Obesity, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259
- 2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI).
<https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)
- 2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Forskellige metoder kan have været brugt til at indsamle disse data, og data fra forskellige undersøgelser er muligvis ikke helt sammenlignelige. Kontroller de originale datakilder for anvendte metoder

MÃ|nd



UndersÃ_gelsestype:

MÃ¥it

Referencer:


- 2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249
- 2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. Obesity Reviews, 10: 589 - 592.
- 2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., "Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991-2009," Journal of Obesity, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259
- 2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI).
<https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)
- 2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Forskellige metoder kan have været brugt til at indsamle disse data, og data fra forskellige undersøgelser er muligvis ikke helt sammenlignelige. Kontroller de originale datakilder for anvendte metoder

Overvåg/fedme efter uddannelse

Voksne, 2021



Undersøgelsestype:	Selvrapporteret
Alder:	15+
Prøvens størrelse:	207,191
Area covered:	National

Referencer:

Polathep Vichitkunakorn, Warintorn Bunyanukul, Kanarit Apiwan, Detphop Tanasanchonnakul & Monsicha Sittisombut (2025) Prevalence of non-communicable disease risk factors and their association with economic status: findings from the 2021 health behaviour of population survey in Thailand, Global Health Action, 18:1, 2485689, DOI: 10.1080/16549716.2025.2485689 [Accessed 11.07.25]

Definitioner (kun tilgængelig på engelsk):

BMI ≥ 23 kg/m²


Cutoffs:

WHO Asia

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Overv gt/fedme efter alder

Voksne, 2019-2020



Unders�gelsestype:	M�lt
Pr�vens st�rrelse:	22,459
Area covered:	National


Referencer: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020. <https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2019&l=sreport6> [Accessed 11.07.25]

Noter (kun tilgængelige på engelsk): WHO standard cutoffs shown to allow comparison with non-Asian countries, data using WHO Asia cutoffs also available

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Overv gt/fedme efter region

Voksne, 2019-2020




Unders�gelsestype:	M�lt
Alder:	15+
Pr�vens st�rrelse:	22,459
Area covered:	National

Referencer: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020. <https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2019&l=sreport6> [Accessed 11.07.25]

Noter (kun tilgængelige på engelsk): WHO standard cutoffs shown to allow comparison with non-Asian countries, data using WHO Asia cutoffs also available

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

MÅnd, 2019-2020




UndersÄgelsestyp:	MÄt
Älder:	15+
PrÄvens stÄrrelse:	22,459
Area covered:	National
Referencer:	Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020. https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2019&l=sreport6 [Accessed 11.07.25]

Noter (kun tilgængelige på engelsk):

WHO standard cutoffs shown to allow comparison with non-Asian countries, data using WHO Asia cutoffs also available

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Kvinder, 2019-2020



Undersølgelsestype:	Målt
Alder:	15+
Prøvens størrelse:	22,459
Area covered:	National
Referencer:	Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020. https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2019&l=sreport6 [Accessed 11.07.25]


Noter (kun tilgængelige på engelsk):

WHO standard cutoffs shown to allow comparison with non-Asian countries, data using WHO Asia cutoffs also available

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Overvåg/fedme efter socioøkonomisk gruppe

Voksne, 2021



Undersøgelsestype:	Selvrapporteret
Alder:	15+
Prøvens størrelse:	201,191
Area covered:	National

Referencer:

Polathep Vichitkunakorn, Warintorn Bunyanukul, Kanarit Apiwan, Detphop Tanasanchonnakul & Monsicha Sittisombut (2025) Prevalence of non-communicable disease risk factors and their association with economic status: findings from the 2021 health behaviour of population survey in Thailand, Global Health Action, 18:1, 2485689, DOI: 10.1080/16549716.2025.2485689 [Accessed 11.07.25]

Definitioner (kun tilgængelig på engelsk):

BMI ≥ 23 kg/m²


Cutoffs:

WHO Asia

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Double burden of underweight & overweight

Voksne, 2022



UndersÄgelsestyp:

MÄt

Alder:

20+

Referencer:

NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. [https://doi.org/10.1016/S0140-6736\(23\)02750-2](https://doi.org/10.1016/S0140-6736(23)02750-2).

**Noter (kun
tilg ngelige p  
engelsk):**


Age Standardised estimates

**Definitioner (kun
tilg ngelig p  
engelsk):**

Combined prevalence of BMI<18.5 kg/m² and BMI≥30 kg/m² (double burden of underweight and obesity)

Utilstrækkelig fysisk aktivitet

Voksne, 2022



Undersøgelsestype:

Selvrapporteret

Alder:

18+

Area covered:

National


Referencer:

WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

Definitioner (kun tilgængelig på engelsk):

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Måland, 2022



Undersøgelsestype:

Selvrapporteret

Alder:

18+

Area covered:

National


Referencer:

WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

Definitioner (kun tilgængelig på engelsk):

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Kvinder, 2022



Undersøgelsestype:

Selvrapporteret

Alder:

18+

Area covered:

National

Referencer:


WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

Definitioner (kun
tilgængelig på
engelsk):

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Estimated per capita fruit intake

Voksne, 2017



Undersøgelsetype:

Målt

Alder:

25+

Referencer:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitioner (kun
tilgængelig på
engelsk):

Estimated per-capita fruit intake (g/day)

Ansłæret indtag af forarbejdet kã_d pr. indbygger

Voksne, 2017



Undersã_gelsestype:

Mã_ilt

Alder:

25+

Referencer:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitioner (kun
tilgã_ngelig pã_ã_
engelsk):

Estimated per-capita processed meat intake (g per day)

Estimated per capita whole grains intake

Voksne, 2017



Undersøgelsetype:

Målt

Alder:

25+

Referencer:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitioner (kun
tilgængelig på
engelsk):

Estimated per-capita whole grains intake (g/day)

Psykisk sundhed og depressionssymptomer

Voksne, 2021



Alder: 20+


Area covered: National

Referencer: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

Definitioner
(kun
tilgængelig
på engelsk):

Number living with depression per 100,000 population (adults 20+ years)

Mid, 2021




Alder:	20+
Area covered:	National
Referencer:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25)

Definitioner
(kun
tilgængelig
på engelsk):

Number living with depression per 100,000 population (adults 20+ years)

Kvinder, 2021




Alder:	20+
Area covered:	National
Referencer:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25)

Definitioner
(kun
tilgængelig
på engelsk):

Number living with depression per 100,000 population (adults 20+ years)

Psyisk sundhed og angstlidelser


Voksne, 2021

**Alder:** 20+**Referencer:** Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).


Definitioner
(kun
tilgængelig
på engelsk):

Number living with anxiety per 100,000 population

MÃnd, 2021

**Alder:** 20+**Referencer:** Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).**Definitioner (kun tilgÃngelig pÃ¥ engelsk):** Number living with anxiety per 100,000 population

Kvinder, 2021




Alder: 20+

Referencer: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

Definitioner (kun tilgængelig på engelsk): Number living with anxiety per 100,000 population

Percent of population who cannot afford a healthy diet

Voksne, 2022



Area covered:


National

Referencer:

The Food Systems Dashboard. The Global Alliance for Improved Nutrition (GAIN), The Columbia Climate School, and Cornell University College of Agriculture and Life Sciences. 2024. Geneva, Switzerland.
<https://www.foodsystemsdashboard.org>. DOI: <https://doi.org/10.36072/db>.


Kræft i spiserret

Mænd, 2022



Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]
Definitioner (kun tilgængelig på engelsk):	Incidence per 100,000

Kvinder, 2022



Alder: 20+


Area covered: National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner (kun tilgængelig på engelsk): Incidence per 100,000

Brystkræft

Kvinder, 2022



Area covered:

National

Referencer:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]


Definitioner

(kun
tilgængelig
på engelsk):

Incidence per 100,000


Tarmkræft

Maj, 2022



Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]
Definitioner (kun tilgængelig på engelsk):	Incidence per 100,000

Kvinder, 2022



Alder: 20+


Area covered: National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner (kun tilgængelig på engelsk): Incidence per 100,000


Kræft i bugspytkirtlen

Månd, 2022



Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]
Definitioner (kun tilgængelig på engelsk):	Incidence per 100,000

Kvinder, 2022



Alder: 20+


Area covered: National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner (kun tilgængelig på engelsk): Incidence per 100,000


Kræft i galdeblæren

Mænd, 2022



Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]
Definitioner (kun tilgængelig på engelsk):	Incidence per 100,000

Kvinder, 2022




Alder: 20+

Area covered: National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]


Definitioner (kun tilgængelig på engelsk): Incidence per 100,000

Nyrekræft Mænd, 2022



Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]
Definitioner (kun tilgængelig på engelsk):	Incidence per 100,000

Kvinder, 2022



Alder: 20+


Area covered: National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner (kun tilgængelig på engelsk): Incidence per 100,000

Livmoderkraft

Kvinder, 2022



Alder: 20+


Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk):

Incidence per 100,000

Forhøjet blodtryk

Voksne, 2015




Referencer:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitioner (kun tilgængelig på engelsk):

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

MÅl, 2015




Referencer:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitioner (kun tilgængelig på engelsk):

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Kvinder, 2015



Referencer:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitioner (kun tilgængelig på engelsk):

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Forhøjket kolesterol


Voksne, 2008



Referencer: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definitioner
(kun tilgængelig på engelsk): % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).


Månd, 2008



Referencer: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definitioner
(kun tilgængelig på engelsk): % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Kvinder, 2008




Referencer: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definitioner
(kun tilgængelig på engelsk): % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Forh jet fasteblodsukterniveau

M nd, 2014




Referencer:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definitioner
(kun
tilgængelig
på engelsk):

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Kvinder, 2014



Referencer:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definitioner (kun tilgængelig på engelsk):

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Diabetes prevalence

Adults, 2024




Referencer:

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. <http://www.diabetesatlas.org>

Ovarian Cancer

Kvinder, 2022

**Alder:**

20+

Referencer:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk):

Incidence per 100,000

Leukemia

March, 2022



Alder: 20+


Area covered: National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner (kun tilgængelig på engelsk): Incidence per 100,000


Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Kvinder, 2022



Leukemia

March, 2022



Age:	20+
Area covered:	National


Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

**Definitioner
(kun
tilgængelig
på engelsk):**

Incidence per 100,000

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Kvinder, 2022



Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


Definitioner
(kun
tilgængelig
på engelsk):

Incidence per 100,000

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Liver and intrahepatic bile duct Cancer

Mid, 2022




Age:	20+
Area covered:	National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk): Incidence per 100,000

Kvinder, 2022




Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk):

Incidence per 100,000

Multiple Myeloma

Mid, 2022




Alder:	20+
Area covered:	National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner (kun tilgængelig på engelsk): Incidence per 100,000

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Kvinder, 2022



Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


Definitioner
(kun
tilgængelig
på engelsk):

Indicence per 100,000

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Non Hodgkin Lymphoma

March, 2022




Alder:	20+
Area covered:	National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner (kun tilgængelig på engelsk): Incidence per 100,000

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Kvinder, 2022



Alder:	20+
Area covered:	National
Referencer:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


Definitioner
(kun
tilgængelig
på engelsk):

Incidence per 100,000

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

Thyroid Cancer

May, 2022




Alder: 20+

Area covered: National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner (kun tilgængelig på engelsk): Incidence per 100,000

Kvinder, 2022

**Alder:** 20+**Area covered:** National**Referencer:** Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]**Definitioner (kun tilgængelig på engelsk):** Incidence per 100,000

PDF created on July 19, 2025