



Thailand



Country report card - adults

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.

View the latest version of this report on the Global Obesity Observatory at <https://data.worldobesity.org/country/thailand-214/>.


Contents	Page
Obesity prevalence	3
Trend: % Adults living with obesity in Thailand 1997-2024	4
Trend: % Adults living with overweight or obesity in Thailand 2003-2024	7
Overweight/obesity by education	10
Overweight/obesity by age	11
Overweight/obesity by region	12
Overweight/obesity by socio-economic group	15
Double burden of underweight & overweight	16
Insufficient physical activity	17
Estimated per capita fruit intake	20
Estimated per capita processed meat intake	21
Estimated per capita whole grains intake	22
Mental health - depression disorders	23
Mental health - anxiety disorders	26
Percent of population who cannot afford a healthy diet	29
Oesophageal cancer	30
Breast cancer	32
Colorectal cancer	33
Pancreatic cancer	35
Gallbladder cancer	37
Kidney cancer	39
Cancer of the uterus	41
Raised blood pressure	42
Raised cholesterol	45
Raised fasting blood glucose	48
Diabetes prevalence	50
Ovarian Cancer	51
Leukemia	52
Liver and intrahepatic bile duct Cancer	54
Multiple Myeloma	56
Non Hodgkin Lymphoma	58
Thyroid Cancer	60

National obesity risk *8/10 This is a composite â??obesity riskâ?? score (out of 10, the highest risk) based on obesity prevalence, rate of increase, likelihood of meeting the 2025 target, treatment indicator and childhood stunting levels. Childhood obesity risk *7/11 This is a â??risk scoreâ?? for each countryâ??s likelihood of having or acquiring a major childhood obesity problem during the 2020s, taking account of current prevalence levels and risk for future obesity (based on stunting among infants, maternal obesity, maternal smoking, and breastfeeding rates).

* Based on estimated data. For more information see Publications

Obesity prevalence


Adults, 2024-2025



Survey type:	Measured
Age:	15+
Sample size:	22,779
Area covered:	National
References:	Rungrudee Pathanavanich (ed.) (2025) The 7th National Health Survey of Thailand by Physical Examination, 2024-2025. Faculty of Medicine, Ramathibodi Hospital, Mahidol University. https://thai-nhes.com/Home/SurveyReport?ActId=MzU%3D&ActDId=MzU%3D [Accessed 21.01.26]
Definitions:	WHO standard cutoffs shown to allow comparison with non-Asian countries
Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m ² , obesity refers to a BMI greater than 30kg/m ² .	

% Adults living with obesity in Thailand 1997-2024

Men



Survey type:

Measured

References:

1997: Aekplakorn W, Chaiyapong Y, Neal B, Chariyalertsak W, Kunanusont C, Phoolcharoen W, Suriyawongpaisal P. Prevalence and Determinants of Overweight and Obesity in Thai Adults: Results of the Second National Health Examination Survey. *J Med Assoc Thai* 2004;87(6):685-93

2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249

2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. *Obesity Reviews*, 10: 589 - 592.

2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., ªPrevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991?2009, ª *Journal of Obesity*, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259

2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI). <https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)


2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

2024: Rungrudee Pathanavanich (ed.) (2025) The 7th National Health Survey of Thailand by Physical Examination, 2024-2025. Faculty of Medicine, Ramathibodi Hospital, Mahidol University. <https://thai-nhes.com/Home/SurveyReport?ActId=MzU%3D&ActDId=MzU%3D> [Accessed 21.01.26]

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Women



Survey type:

Measured

References:

1997: Aekplakorn W, Chaiyapong Y, Neal B, Chariyalertsak W, Kunanusont C, Phoolcharoen W, Suriyawongpaisal P. Prevalence and Determinants of Overweight and Obesity in Thai Adults: Results of the Second National Health Examination Survey. *J Med Assoc Thai* 2004;87(6):685-93

2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249

2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. *Obesity Reviews*, 10: 589 - 592.

2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., ªPrevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991?2009.º *Journal of Obesity*, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259

2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI). <https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)


2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

2024: Rungrudee Pathanavich (ed.) (2025) The 7th National Health Survey of Thailand by Physical Examination, 2024-2025. Faculty of Medicine, Ramathibodi Hospital, Mahidol University. <https://thai-nhes.com/Home/SurveyReport?ActId=MzU%3D&ActDId=MzU%3D> [Accessed 21.01.26]

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Men and women



Survey type:

Measured

References:

1997: Aekplakorn W, Chaiyapong Y, Neal B, Chariyalertsak W, Kunanusont C, Phoolcharoen W, Suriyawongpaisal P. Prevalence and Determinants of Overweight and Obesity in Thai Adults: Results of the Second National Health Examination Survey. *J Med Assoc Thai* 2004;87(6):685-93

2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249

2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. *Obesity Reviews*, 10: 589 - 592.

2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., "Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991?2009," *Journal of Obesity*, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259

2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI). <https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> [Accessed 11.07.25]

2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.


2024: Rungrudee Pathanavich (ed.) (2025) The 7th National Health Survey of Thailand by Physical Examination, 2024-2025. Faculty of Medicine, Ramathibodi Hospital, Mahidol University. <https://thai-nhes.com/Home/SurveyReport?ActId=MzU%3D&ActDId=MzU%3D> [Accessed 21.01.26]

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

% Adults living with overweight or obesity in Thailand 2003-2024

Men



Survey type:

Measured

References:

2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249

2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. *Obesity Reviews*, 10: 589 - 592.

2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., *Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991?2009*, *Journal of Obesity*, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259

2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI). <https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> (Accessed 11.07.25)


2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.

2024: Rungrudee Pathanavanich (ed.) (2025) The 7th National Health Survey of Thailand by Physical Examination, 2024-2025. Faculty of Medicine, Ramathibodi Hospital, Mahidol University. <https://thai-nhes.com/Home/SurveyReport?ActId=MzU%3D&ActDId=MzU%3D> [Accessed 21.01.26]

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Women




Survey type:	Measured
References:	2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249 2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. <i>Obesity Reviews</i> , 10: 589 - 592. 2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., "Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991?2009," <i>Journal of Obesity</i> , vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259 2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI). https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5 [Accessed 11.07.25] 2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020. 2024: Rungrudee Pathanavanich (ed.) (2025) The 7th National Health Survey of Thailand by Physical Examination, 2024-2025. Faculty of Medicine, Ramathibodi Hospital, Mahidol University. https://thai-nhes.com/Home/SurveyReport?ActId=MzU%3D&ActDId=MzU%3D [Accessed 21.01.26]

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Men and women


Survey type:

Measured

References:

2003: Jitnarin N, Kosulwat V, Rojroongwasinkul N et al. Prevalence of overweight and obesity in Thai population: Results of the National Thai Food Consumption Survey. 2011;16:e242-e249

2004: Aekplakorn W and Mo-Suwan L. (2009). National prevalence of obesity. Prevalence of obesity in Thailand. *Obesity Reviews*, 10: 589 - 592.

2009: Wichai Aekplakorn, Rungkarn Inthawong, Pattapong Kessomboon, et al., *Prevalence and Trends of Obesity and Association with Socioeconomic Status in Thai Adults: National Health Examination Surveys, 1991?2009*, *Journal of Obesity*, vol. 2014, Article ID 410259, 8 pages, 2014. doi:10.1155/2014/410259

2013: Report of the 5th National Health Examination Survey 2014. Office of Policy and Strategy, Ministry of Public Health, Health Promotion Fund, Health Systems Research Institute (HSRI). <https://www.hiso.or.th/thaihealthstat/report/sreport.php?y=2014&l=sreport5> [Accessed 11.07.25]

2019: Aekplakorn, W., Puckcharern, H., and Satheannoppakao. (2021). The 6th National Health Examination Survey 2019-2020.


2024: Rungrudee Pathanavanich (ed.) (2025) The 7th National Health Survey of Thailand by Physical Examination, 2024-2025. Faculty of Medicine, Ramathibodi Hospital, Mahidol University. <https://thai-nhes.com/Home/SurveyReport?ActId=MzU%3D&ActDId=MzU%3D> [Accessed 21.01.26]

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Different methodologies may have been used to collect this data and so data from different surveys may not be strictly comparable. Please check with original data sources for methodologies used.

Overweight/obesity by education

Adults, 2021



Survey type: Self-reported

Age: 15+

Sample size: 207,191

Area covered: National

References: Polathep Vichitkunakorn, Warintorn Bunyanukul, Kanarit Apiwan, Detphop Tanasanchonnakul & Monsicha Sittisombut (2025) Prevalence of non-communicable disease risk factors and their association with economic status: findings from the 2021 health behaviour of population survey in Thailand, Global Health Action, 18:1, 2485689, DOI: 10.1080/16549716.2025.2485689 [Accessed 11.07.25]


Definitions: $\text{BMI} \geq 23 \text{ kg/m}^2$

Cutoffs: WHO Asia

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Overweight/obesity by age

Adults, 2024-2025




Survey type:	Measured
Sample size:	22,779
Area covered:	National
References:	Rungrudee Pathanavanich (ed.) (2025) The 7th National Health Survey of Thailand by Physical Examination, 2024-2025. Faculty of Medicine, Ramathibodi Hospital, Mahidol University. https://thai-nhes.com/Home/SurveyReport?ActId=MzU%3D&ActDId=MzU%3D [Accessed 21.01.26]
Notes:	WHO standard cutoffs shown to allow comparison with non-Asian countries, data using WHO Asia cutoffs also available in report. Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m ² , obesity refers to a BMI greater than 30kg/m ² .

Overweight/obesity by region

Adults, 2024-2025

Overweight or obesity



Survey type: Measured

Age: 15+

Sample size: 22,779

Area covered: National


References: Rungrudee Pathanavanich (ed.) (2025) The 7th National Health Survey of Thailand by Physical Examination, 2024-2025. Faculty of Medicine, Ramathibodi Hospital, Mahidol University. <https://thai-nhes.com/Home/SurveyReport?ActId=MzU%3D&ActDId=MzU%3D> [Accessed 21.01.26]

Notes: WHO standard cutoffs shown to allow comparison with non-Asian countries, data using WHO Asia cutoffs also available

Definitions: BMI $\geq 25\text{kg/m}^2$


Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Men, 2024-2025



Survey type:	Measured
Age:	15+
Sample size:	22,779
Area covered:	National
References:	Rungrudee Pathanavanich (ed.) (2025) The 7th National Health Survey of Thailand by Physical Examination, 2024-2025. Faculty of Medicine, Ramathibodi Hospital, Mahidol University. https://thai-nhes.com/Home/SurveyReport?ActId=MzU%3D&ActDId=MzU%3D [Accessed 21.01.26]
Notes:	WHO standard cutoffs shown to allow comparison with non-Asian countries, data using WHO Asia cutoffs also available
Definitions:	BMI $\geq 25\text{kg}/\text{m}^2$
<i>Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².</i>	


Women, 2024-2025



Survey type:	Measured
Age:	15+
Sample size:	22,779
Area covered:	National
References:	Rungrudee Pathanavanich (ed.) (2025) The 7th National Health Survey of Thailand by Physical Examination, 2024-2025. Faculty of Medicine, Ramathibodi Hospital, Mahidol University. https://thai-nhes.com/Home/SurveyReport?ActId=MzU%3D&ActDId=MzU%3D [Accessed 21.01.26]
Notes:	WHO standard cutoffs shown to allow comparison with non-Asian countries, data using WHO Asia cutoffs also available
Definitions:	$BMI \geq 25 \text{kg/m}^2$
Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m ² , obesity refers to a BMI greater than 30kg/m ² .	

Overweight/obesity by socio-economic group


Adults, 2021



Survey type:	Self-reported
Age:	15+
Sample size:	201,191
Area covered:	National
References:	Polathep Vichitkunakorn, Warintorn Bunyanukul, Kanarit Apiwan, Detphop Tanasanchonnakul & Monsicha Sittisombut (2025) Prevalence of non-communicable disease risk factors and their association with economic status: findings from the 2021 health behaviour of population survey in Thailand, Global Health Action, 18:1, 2485689, DOI: 10.1080/16549716.2025.2485689 [Accessed 11.07.25]
Definitions:	BMI \geq 23 kg/m ²
Cutoffs:	WHO Asia
Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m ² , obesity refers to a BMI greater than 30kg/m ² .	

Double burden of underweight & overweight

Adults, 2022



Survey type:

Measured

Age:

20+

References:

NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. [https://doi.org/10.1016/S0140-6736\(23\)02750-2](https://doi.org/10.1016/S0140-6736(23)02750-2).

Notes:


Age Standardised estimates

Definitions:

Combined prevalence of $BMI < 18.5 \text{ kg/m}^2$ and $BMI \geq 30 \text{ kg/m}^2$ (double burden of underweight and obesity)


Insufficient physical activity

Adults, 2022




Survey type:	Self-reported
Age:	18+
Area covered:	National
References:	WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-)
Definitions:	Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Men, 2022



Survey type:	Self-reported
Age:	18+
Area covered:	National
References:	WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(--)
Definitions:	Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.


Women, 2022



Survey type:	Self-reported
Age:	18+
Area covered:	National
References:	WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(--)
Definitions:	Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Estimated per capita fruit intake

Adults, 2017



Age:

25+

Area covered:

National

References:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitions:

Estimated per capita fruit intake (g/day)

Estimated per capita processed meat intake

Adults, 2017



Age:

25+

Area covered:

National

References:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitions:

Estimated per capita processed meat intake (g per day)

Estimated per capita whole grains intake

Adults, 2017



Survey type:

Measured

Age:

25+

References:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitions:

Estimated per-capita whole grains intake (g/day)

Mental health - depression disorders

Adults, 2021




Age: 20+

Area covered: National

References: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)


Definitions: Number living with depression per 100,000 population (adults 20+ years)

Men, 2021



Age:	20+
Area covered:	National
References:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25)
Definitions:	Number living with depression per 100,000 population (adults 20+ years)


Women, 2021



Age:	20+
Area covered:	National
References:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25)
Definitions:	Number living with depression per 100,000 population (adults 20+ years)

Mental health - anxiety disorders

Adults, 2021



Age:

20+


References:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

Definitions:

Number living with anxiety per 100,000 population

Men, 2021



Age:

20+


References:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

Definitions:

Number living with anxiety per 100,000 population

Women, 2021



Age:

20+

References:


Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

Definitions:

Number living with anxiety per 100,000 population

Percent of population who cannot afford a healthy diet

Adults, 2024



Area covered:

National

References:


FAO. 2025. FAOSTAT: Cost and Affordability of a Healthy Diet (CoAHD). <https://www.fao.org/faostat/en/#data/CAHD>. Licence: CC-BY-4.0. [Last Accessed 15.10.25]

Notes:

The percent of the population whose food budget is below the cost of a healthy diet.

Oesophageal cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Women, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Breast cancer

Women, 2022



Area covered:

National

References:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions:

Incidence per 100,000

Colorectal cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Women, 2022



Age:

20+

Area covered:

National

References:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions:

Incidence per 100,000

Pancreatic cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Women, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Gallbladder cancer

Men, 2022



Age:

20+

Area covered:

National


References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions:

Incidence per 100,000

Women, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Kidney cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Women, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Cancer of the uterus

Women, 2022



Age:

20+

References:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions:

Incidence per 100,000

Raised blood pressure

Adults, 2015




References:

Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).


Men, 2015



References: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitions: Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).

Women, 2015



References:


Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).

Raised cholesterol

Adults, 2008




References:

Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definitions:

% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Men, 2008




References:

Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definitions:

% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Women, 2008



References:


Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definitions:

% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Raised fasting blood glucose

Men, 2014




References:

Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A869?lang=en>

Definitions:

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Women, 2014



References:


Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A869?lang=en>

Definitions:

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Diabetes prevalence

Adults, 2024




References:

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. <http://www.diabetesatlas.org>

Ovarian Cancer

Women, 2022



Age:

20+

References:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions:

Incidence per 100,000

Leukemia

Men, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2022



Age: 20+

Area covered: National


References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Liver and intrahepatic bile duct Cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Women, 2022



Age:

20+

Area covered:

National

References:


FERLAY J, ERVIK M, LAM F, LAVERSANNE M, COLOMBET M, MERY L, PIÑEROS M, ZNAOR A, SOERJOMATARAM I, BRAY F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions:

Incidence per 100,000

Multiple Myeloma

Men, 2022



Age: 20+


Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2022



Age: 20+

Area covered: National


References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Non Hodgkin Lymphoma

Men, 2022



Age:

20+

Area covered:

National

References:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions:

Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Women, 2022



Age: 20+

Area covered: National


References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².

Thyroid Cancer

Men, 2022




Age: 20+

Area covered: National

References: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions: Incidence per 100,000

Women, 2022



Age:

20+

Area covered:

National

References:

FERLAY J, ERVIK M, LAM F, LAVERSANNE M, COLOMBET M, MERY L, PIÑEROS M, ZNAOR A, SOERJOMATARAM I, BRAY F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitions:

Incidence per 100,000

PDF created on January 21, 2026