

Drivers United Arab Emirates




High income

	Page
Insufficient physical activity	2
Average daily frequency of carbonated soft drink consumption	8
Estimated per capita fruit intake	9
Prevalence of less than daily fruit consumption	10
Prevalence of less than daily vegetable consumption	11
Average weekly frequency of fast food consumption	12
Estimated per-capita processed meat intake	13
Estimated per capita whole grains intake	14
Mental health - depression disorders	15
Mental health - anxiety disorders	16
Percent of population who cannot afford a healthy diet	17




Insufficient physical activity





Men, 2022



	2.1
type:	
Age:	18+
Area	National
covered:	

References: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022.


Available at <a href="https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-)

among-adults-aged-18-years-(age-standardized-estimate)-(-)

Definitions: Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.



Women, 2022



	2.1
type:	
Age:	18+
Area	National
covered:	

References: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022.

Available at <a href="https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-)


among-adults-aged-18-years-(age-standardized-estimate)-(-)

Definitions: Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75

minutes of vigorous-intensity physical activity per week, or equivalent.



Children, 2016




Survey type:	Self-reported
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)
Notes:	% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

Definitions: % Adolescents insufficiently active (age standardised estimate)



Boys, 2016




Survey	Self-reported
type:	
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)
Notes:	% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60

minutes of moderate- to vigorous-intensity physical activity daily.

Definitions: % Adolescents insufficiently active (age standardised estimate)



Girls, 2016




Survey	Self-reported
type:	
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)
Notes:	% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.
Definitions:	% Adolescents insufficiently active (age standardised estimate)



Average daily frequency of carbonated soft drink consumption

Children, 2009-2015



Survey Measured type:

Age: 12-17

References:


Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.

https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard

 $\underline{\text{http://www.foodsystemsdashboard.org/food-system}}$




Estimated per capita fruit intake





Prevalence of less than daily fruit consumption

Children, 2008-2015



Survey Measured type:

12-17 Age:

References:

Global School-based Student Health Surveys. Beal et al (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. https://doi.org/10.1177/0379572119848287. Sourced from Food Systems Dashboard

http://www.foodsystemsdashboard.org/food-system


Definitions:

Prevalence of less-than-daily fruit consumption (% less-than-daily fruit consumption)



Prevalence of less than daily vegetable consumption

Children, 2008-2015



Survey Measured

type:

Age: 12-17

References:

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.

https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard

http://www.foodsystemsdashboard.org/food-system


Definitions:

Prevalence of less-than-daily vegetable consumption (% less-than-daily vegetable consumption)



Average weekly frequency of fast food consumption

Children, 2009-2015



Age: 12-17

References:

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.

https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard


 $\underline{\text{http://www.foodsystemsdashboard.org/food-system}}$



Estimated per-capita processed meat intake

Adults, 2017


Definitions:



Estimated per-capita processed meat intake (g per day)




Estimated per capita whole grains intake





Mental health - depression disorders

Adults, 2015



References: Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0 IGO.


Definitions:

% of population with depression disorders



Mental health - anxiety disorders

Adults, 2015




References: Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0 IGO.

Definitions: % of population with anxiety disorders



Percent of population who cannot afford a healthy diet





Area covered:	National
References:	The Food Systems Dashboard. The Global Alliance for Improved Nutrition (GAIN), The Columbia Climate School, and Cornell University College of Agriculture and Life Sciences. 2024. Geneva, Switzerland. https://www.foodsystemsdashboard.org . DOI: https://doi.org/10.36072/db.



PDF created on May 15, 2025