

# **United Kingdom**



Country report card

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity . Where available, data on common and relevant obesity drivers and comorbidities are also presented.

View the latest version of this report on the Global Obesity Observatory at <a href="https://data.worldobesity.org/country/united-kingdom-226/">https://data.worldobesity.org/country/united-kingdom-226/</a>.




Contents	Page
Obesity prevalence	3
Overweight/obesity by age and education	5
Overweight/obesity by age	7
Overweight/obesity by age and region	8
Overweight/obesity by age and socio-economic group	10
Overweight/obesity by age and limited activity	13
Double burden of underweight & overweight	16
Insufficient physical activity	18
Sugar consumption	24
Estimated per capita sugar sweetened beverages intake	25
Prevalence of at least daily carbonated soft drink consumption	26
Prevalence of confectionery consumption	27
Prevalence of sweet/savoury snack consumption	28
Estimated per capita fruit intake	29
Prevalence of less than daily fruit consumption	30
Prevalence of less than daily vegetable consumption	31
Estimated per-capita processed meat intake	32
Estimated per capita whole grains intake	33
Mental health - depression disorders	34
Mental health - anxiety disorders	40
Percent of population who cannot afford a healthy diet	45
Oesophageal cancer	46
Breast cancer	48
Colorectal cancer	49
Pancreatic cancer	51
Gallbladder cancer	53
Kidney cancer	55
Cancer of the uterus	57
Raised blood pressure	58
Raised cholesterol	61
Raised fasting blood glucose	64
Diabetes prevalence	66
Ovarian Cancer	67
Leukemia	68
Liver and intrahepatic bile duct Cancer	70
Multiple Myeloma	72
Non Hodgkin Lymphoma	74
Thyroid Cancer	76



# **Obesity prevalence**

# Adults, 2014





Survey type:

Age:

Area covered:

References:


Eurostat Database: <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=htth\_ehis\_bm1e&lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=htth\_ehis\_bm1e&lang=en</a> (last accessed 25.08.20)

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



## 0-5 years, 2016-2019

Overweight or obesity



Notes:

UNICEF/WHO/World Bank Joint Child Malnutrition Estimates Expanded Database: Overweight (Survey Estimates), May 2023, New York.

For more information about the methodology, please consult <a href="https://data.unicef.org/resources/jme-2023-country-consultations/">https://data.unicef.org/resources/jme-2023-country-consultations/</a>
Percentage of children under 5 years of age falling above 2 standard deviations (moderate and severe) from the median weight-forheight of the reference population.


Definitions: =>+2SD



# Overweight/obesity by age and education

## Men, 2017





Survey type: Self-reported

Area covered: National

References: EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc\_hch10&lang=en (last accessed 25.08.20)


**Notes:** Some UK data considered to have low reliability, see EUROSTAT database for details

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$ 



## Women, 2017





Survey type: Self-reported

Area covered: National

References: EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc\_hch10&lang=en (last accessed 25.08.20)

**Notes:** Some UK data considered to have low reliability, see EUROSTAT database for details


 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$ 



# Overweight/obesity by age

# Adults, 2017





Survey type: Self-reported


Area covered: National

References: 2017 - EUROSTAT Database http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc\_hch10&lang=en (last accessed 25.08.20)



# Overweight/obesity by age and region

## Men, 2014



Survey type:

Area covered:


References:

2014 Eurostat - Urbanisation - <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\_ehis\_bm1u&lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\_ehis\_bm1u&lang=en</a> (last accessed 25.08.20)

 $Unless \ otherwise \ noted, \ overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, \ obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$ 



## Women, 2014



Survey type: Self-reported
Area covered: National


References:

2014 Eurostat - Urbanisation - <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\_ehis\_bm1u&lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\_ehis\_bm1u&lang=en</a> (last accessed 25.08.20)



## Overweight/obesity by age and socio-economic group

#### Adults, 2014



Survey type:

Area covered:

References:


2014 Eurostat - Socio economic - http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\_ehis\_bm1i&lang=en (last accessed 25.08.20)

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$ 



## Men, 2014






Survey type: Self-reported

Area covered: National

References: 2014 Eurostat - Socio economic - <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\_ehis\_bm1i&lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\_ehis\_bm1i&lang=en</a> (last accessed 25.08.20)



## Women, 2014



Survey type: Self-reported


Area covered: National

References: 2014 Eurostat - Socio economic - <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\_ehis\_bm1i&lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\_ehis\_bm1i&lang=en</a> (last accessed 25.08.20)



# Overweight/obesity by age and limited activity

## Adults, 2014




Survey type: Self-reported

Area covered: National

References: Eurostat 2014 available at https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do (last accessed 06.10.21)



## Men, 2014



Survey type:

Area covered:


References:

Eurostat 2014 available at https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do (last accessed 06.10.21)

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$ 



## Women, 2014



Survey type:

Area covered:

References:


Eurostat 2014 available at https://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do (last accessed 06.10.21)

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$ 



# Double burden of underweight & overweight

## Adults, 2022




population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. https://doi.org/10.1016/S0140-6736(23)02750-2.

Notes: Age Standardised estimates

**Definitions:** Combined prevalence of BMI<18.5 kg/m $^2$  and BMI>=30 kg/m $^2$  (double burden of underweight and obesity)



## Children, 2022



Age:			5-19


References: NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. <a href="https://doi.org/10.1016/S0140-6736">https://doi.org/10.1016/S0140-6736</a>(23)02750-2.

Notes:	Age standardised estimates
Definitions:	Combined prevalence of BMI $<$ -2SD and BMI $>$ 2SD (double burden of thinness and obesity)

Cutoffs: BMI < -2SD and BMI > 2SD




# Insufficient physical activity





## Men, 2022



Area covered: National

References: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at <a href="https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indicator-data/indi


18-years-(age-standardized-estimate)-(-)

**Definitions:** Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

vigorous-intensity physical activity per week, or equivalent.




## Women, 2022






## Children, 2016



Survey type:	Self-reported
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation, <a href="https://apps.who.int/gho/data/node.main.A893ADO?lang=en">https://apps.who.int/gho/data/node.main.A893ADO?lang=en</a> (last accessed 16.03.21)
Notes:	% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.
Definitions:	% Adolescents insufficiently active (age standardised estimate)




# Boys, 2016



Survey type:	Self-reported
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation, <a href="https://apps.who.int/gho/data/node.main.A893ADO?lang=en">https://apps.who.int/gho/data/node.main.A893ADO?lang=en</a> (last accessed 16.03.21)
Notes:	% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.
Definitions:	% Adolescents insufficiently active (age standardised estimate)



## Girls, 2016




Survey type:	Self-reported
Age:	11-17
References:	Global Health Observatory data repository, World Health Organisation, <a href="https://apps.who.int/gho/data/node.main.A893ADO?lang=en">https://apps.who.int/gho/data/node.main.A893ADO?lang=en</a> (last accessed 16.03.21)
Notes:	% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.
Definitions:	% Adolescents insufficiently active (age standardised estimate)



# Sugar consumption

# Adults, 2016



References: Source: Euromonitor International


Definitions:

Sugar consumption (Number of 500g sugar portions/person/month)



# Estimated per capita sugar sweetened beverages intake

## Adults, 2016



References: Source: Euromonitor International




# Prevalence of at least daily carbonated soft drink consumption

Children,	2014						
4							
3							
%							
0							
<sup>-1</sup> 1	0	1	2	3	4	5	(
Survey type:							Measured
References:	2002-2014: observ	ations from the Hea	. Adolescent obesity a alth Behavior in School Breda, & V. Barnekow	-aged Children (HBS	C) WHO collaborative Organization. Sourced	e cross-national study	y (J. Inchley, Dashboard
Notes:						15-year-old a	adolescents
Definitions:	F	Prevalence of at leas	t daily carbonated sof	t drink consumption (	% of at least daily car	bonated soft drink co	nsumption)



# Prevalence of confectionery consumption

## Adults, 2016



References:


**Definitions:** 

Prevalence of confectionery consumption (Number of 50g confectionery portions/person/month)



# Prevalence of sweet/savoury snack consumption

# Adults, 2016




References: Source: Euromonitor International

Definitions:

 $Prevalence\ of\ sweet/s avoury\ snack\ consumption\ (Number\ of\ 35g\ sweet/s avoury\ snack\ portions/person/month)$ 




# Estimated per capita fruit intake






# Prevalence of less than daily fruit consumption

## Children, 2014





Measured Survey type:

References:

Global School-based Student Health Surveys. Beal et al (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.

https://doi.org/10.1177/0379572119848287. Sourced from Food Systems Dashboard http://www.foodsystemsdashboard.org/food-


**Definitions:** 

Prevalence of less-than-daily fruit consumption (% less-than-daily fruit consumption)



# Prevalence of less than daily vegetable consumption

## Children, 2014



Measured Survey type:

Age: 12-17

References:


Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. https://doi.org/10.1177/0379572119848287 sourced from  $Food \ Systems \ Dashboard \ \underline{http://www.foodsystemsdashboard.org/food-system}$ 

**Definitions:** 

Prevalence of less-than-daily vegetable consumption (% less-than-daily vegetable consumption)




# Estimated per-capita processed meat intake





# Estimated per capita whole grains intake



Survey type:	Measured
Age:	25+
References:	Global Burden of Disease, the Institute for Health Metrics and Evaluation <a href="http://ghdx.healthdata.org/">http://ghdx.healthdata.org/</a>
Definitions:	Estimated per-capita whole grains intake (g/day)



# Mental health - depression disorders





## Men, 2021






## Women, 2021





## Children, 2021



Area covered: National

References:


Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <a href="http://vizhub.healthdata.org/gbd-compare">http://vizhub.healthdata.org/gbd-compare</a>. (Last accessed 23.04.25)

Definitions:

Number living with depressive disorder per 100,000 population (Under 20 years of age)  $\,$ 



## Boys, 2021



Area covered: National

References:


Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <a href="http://vizhub.healthdata.org/gbd-compare">http://vizhub.healthdata.org/gbd-compare</a>. (Last accessed 23.04.25)

**Definitions:** 

Number living with depressive disorder per 100,000 population (Under 20 years of age)  $\,$ 



#### Girls, 2021



Area covered: National

References:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <a href="http://vizhub.healthdata.org/gbd-compare">http://vizhub.healthdata.org/gbd-compare</a>. (Last accessed 23.04.25)

**Definitions:** 

Number living with depressive disorder per 100,000 population (Under 20 years of age)  $\,$ 



# Mental health - anxiety disorders

# Adults, 2021





# Men, 2021



References:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <a href="http://vizhub.healthdata.org/gbd-compare">http://vizhub.healthdata.org/gbd-compare</a>. (Last accessed 23.04.25).

Definitions:

Number living with anxiety per 100,000 population





References:


Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <a href="http://vizhub.healthdata.org/gbd-compare.">http://vizhub.healthdata.org/gbd-compare.</a> (Last accessed 23.04.25).

Definitions:

Number living with anxiety per 100,000 population




#### Children, 2021



References:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <a href="http://vizhub.healthdata.org/gbd-compare">http://vizhub.healthdata.org/gbd-compare</a>. (Last accessed 23.04.25)

#### Boys, 2021




References:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <a href="http://vizhub.healthdata.org/gbd-compare">http://vizhub.healthdata.org/gbd-compare</a>. (Last accessed 23.04.25)



# Girls, 2021




References: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021.

Seattle, WA: IHME, University of Washington, 2023. Available from <a href="http://vizhub.healthdata.org/gbd-compare">http://vizhub.healthdata.org/gbd-compare</a>. (Last accessed 23.04.25)



# Percent of population who cannot afford a healthy diet

#### Adults, 2022



Area covered: National

References:

The Food Systems Dashboard. The Global Alliance for Improved Nutrition (GAIN), The Columbia Climate School, and Cornell University

College of Agriculture and Life Sciences. 2024. Geneva, Switzerland. <a href="https://www.foodsystemsdashboard.org">https://www.foodsystemsdashboard.org</a>. DOI:


<a href="https://www.foodsystemsdashboard.org">https://www.foodsystemsdashboard.org</a>. DOI:

<a href="https://doi.org/10.36072/db">https://doi.org/10.36072/db</a>.




# Oesophageal cancer

## Men, 2022










#### **Breast cancer**

#### Women, 2022





Area covered: National

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <a href="https://gco.iarc.who.int/today">https://gco.iarc.who.int/today</a>, accessed [16.07.24]

Definitions: Incidence per 100,000




## **Colorectal cancer**

## Men, 2022










# Pancreatic cancer

## Men, 2022










## Gallbladder cancer

## Men, 2022











# Kidney cancer

## Men, 2022









## Cancer of the uterus


## Women, 2022





# Raised blood pressure

## Adults, 2015



References:


Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A875?lang=en

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



## Men, 2015




References:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A875?lang=en

Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).





References:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A875?lang=en


Definitions:

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).



## Raised cholesterol

## Adults, 2008



References:


Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885

Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).



## Men, 2008




References:

Global Health Observatory data repository, World Health Organisation, <a href="http://apps.who.int/gho/data/node.main.A885">http://apps.who.int/gho/data/node.main.A885</a>

Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).





References:

Global Health Observatory data repository, World Health Organisation, <a href="http://apps.who.int/gho/data/node.main.A885">http://apps.who.int/gho/data/node.main.A885</a>


Definitions:

% Raised total cholesterol (>= 5.0 mmol/L) (age-standardized estimate).



# Raised fasting blood glucose

## Men, 2014




References:

Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A869?lang=en

Definitions:

Age Standardised % raised fasting blood glucose ( $\geq$  7.0 mmol/L or on medication).





References:

 ${\bf Global\ Health\ Observatory\ data\ repository,\ World\ Health\ Organisation,\ \underline{{\bf http://apps.who.int/gho/data/node.main.} A869?lang=en}}$ 


Definitions:

Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication).



# Diabetes prevalence

#### Adults, 2024




References:

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. <a href="http://www.diabetesatlas.org">http://www.diabetesatlas.org</a>



## **Ovarian Cancer**

#### Women, 2022



Age: 20+

References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <a href="https://gco.iarc.who.int/today">https://gco.iarc.who.int/today</a>,

accessed [16.07.24]

Definitions: Incidence per 100,000



# Leukemia

Men, 2022											
4											
3											
2											
1											
0											
<sup>-1</sup> 1	0	1	2	3	4	5	6				
Age:							20+				
Area covered:							National				
References:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <a href="https://gco.iarc.who.int/today">https://gco.iarc.who.int/today</a> , accessed [16.07.24]										
Definitions:						Incidence pe	r 100,000				
	Unless ot	herwise noted, overw	reight refers to a BMI	between 25kg and 29	0.9kg/m², obesity refers	to a BMI greater thar	30kg/m².				




women, 202	22						
4							
3							
2							
1							
0							
<sup>-1</sup> 1	0	1	2	3	4	5	6
Age:							20+
Area covered:							National
References:					naor A, Soerjomataram Cancer. Available fron		o.int/today,
Definitions:						Incidence pe	r 100,000
	Unless otherw	vise noted, overweigl	nt refers to a BMI b	etween 25kg and 29	.9kg/m², obesity refers	to a BMI greater than	1 30kg/m².



# Liver and intrahepatic bile duct Cancer

## Men, 2022




References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <a href="https://gco.iarc.who.int/today">https://gco.iarc.who.int/today</a>, accessed [16.07.24]

Definitions: Incidence per 100,000





References:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <a href="https://gco.iarc.who.int/today">https://gco.iarc.who.int/today</a>, accessed [16.07.24]

Definitions: Incidence per 100,000



# Multiple Myeloma

## Men, 2022



Age: 20+

Area covered: National


References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <a href="https://gco.iarc.who.int/today">https://gco.iarc.who.int/today</a>, accessed [16.07.24]

Definitions: Indicence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².





References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <a href="https://gco.iarc.who.int/today">https://gco.iarc.who.int/today</a>, accessed [16.07.24]


Definitions: Indicence per 100,000

 $Unless \ otherwise \ noted, overweight \ refers \ to \ a \ BMI \ between \ 25kg \ and \ 29.9kg/m^2, obesity \ refers \ to \ a \ BMI \ greater \ than \ 30kg/m^2.$ 



# Non Hodgkin Lymphoma

## Men, 2022



Age:

Area covered: References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]


**Definitions:** 

Incidence per 100,000

National

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².





References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today, accessed [16.07.24]


**Definitions:** Incidence per 100,000

Unless otherwise noted, overweight refers to a BMI between 25kg and 29.9kg/m², obesity refers to a BMI greater than 30kg/m².



# **Thyroid Cancer**

## Men, 2022



Area covered: National


References:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <a href="https://gco.iarc.who.int/today">https://gco.iarc.who.int/today</a>, accessed [16.07.24]

Incidence per 100,000

Definitions:





PDF created on June 17, 2025