




Zimbabwe




Country report card - adults

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.

View the latest version of this report on the Global Obesity Observatory at <https://data.worldobesity.org/country/zimbabwe-238/>.

Prevalencia obezity

Dospelí, 2015



Typ
prieskumu:

Nameraná hodnota

Vek:

15-49

Veľkosť
vzorky:

16647

Dotknutá
oblasť:

Národná

Odkazy:

Zimbabwe National Statistics Agency and ICF International. 2016. Zimbabwe Demographic and Health Survey 2015: Final Report. Rockville, Maryland, USA: Zimbabwe National Statistics Agency (ZIMSTAT) and ICF International.


Poznámky (k
dispozícii iba
v angličtine):

Demographic Health Survey data includes ever married women aged 15-49 years only and may include males aged 15-59. Women = 8926, Men = 7721

Ak nie je uvedená inak, za nadváhu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

% Adults living with obesity in Zimbabwe 1994-2015

Ā½eny



Typ
prieskumu:

NameranĀĭ hodnota

Odkazy:


1994: Martorell R, Khan LK, Hughes ML, Grummer Strawn LM. Obesity in women from developing countries. EJCŇ (2000) 54;247-252
2010: Ministerio da Saude - MISAU/Moçambique, Instituto Nacional de Estatística - INE/Moçambique and ICF International. Moçambique Inquérito Demográfico e de Saúde 2011. Calverton, Maryland, USA: MISA/Moçambique, INE/Moçambique and ICF International.
2015: Zimbabwe National Statistics Agency and ICF International. 2016. Zimbabwe Demographic and Health Survey 2015: Final Report. Rockville, Maryland, USA: Zimbabwe National Statistics Agency (ZIMSTAT) and ICF International.

Ak nie je uvedenĀĉ inak, za nadvĀĭhu sa povaĀĭuje, ak je BMI index medzi 25 kg a 29,9 kg/mĀ² a za obezitu sa povaĀĭuje, ak je BMI index vyĀĭĀĭ ako 30 kg/mĀ².

Na zber tĀĭchto Āĉdajov sa mohli pouĀĭĀĭ rĀĭzne metodiky, a preto Āĉdaje z rĀĭznych prieskumov nemusia byĀĭ striktné porovnateĀĭnĀĉ. PouĀĭĀĭ metodiky si mĀĭĀĭete pozrieĀĭ v pĀĭvodnĀĭch zdrojoch Āĉdajov

% Adults living with overweight or obesity in Zimbabwe 1994-2015

Å½eny



Typ
prieskumu:

NameranĀ; hodnota

Odkazy:


1994: Martorell R, Khan LK, Hughes ML, Grummer Strawn LM. Obesity in women from developing countries. EJCN (2000) 54;247-252
2010: Ministerio da Saude - MISAU/Moçambique, Instituto Nacional de Estatística - INE/Moçambique and ICF International. Moçambique Inquérito Demográfico e de Saúde 2011. Calverton, Maryland, USA: MISA/Moçambique, INE/Moçambique and ICF International.
2015: Zimbabwe National Statistics Agency and ICF International. 2016. Zimbabwe Demographic and Health Survey 2015: Final Report. Rockville, Maryland, USA: Zimbabwe National Statistics Agency (ZIMSTAT) and ICF International.

Ak nie je uvedená inak, za nadvažu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

Na zber týchto údajov sa mohli použiť rôzne metodiky, a preto údaje z rôznych prieskumov nemusia byť striktne porovnateľné. Použitá metodika si má byť pozrieť v prírodných zdrojoch údajov

Nadväha/obezita podľa vzdelania

Muži, 2015



Typ
prieskumu:

Nameraná hodnota

Vek:

15-49

Veľkosť
vzorky:

16496

Dotknutá
oblasť:

Národná

Odkazy:


Zimbabwe National Statistics Agency and ICF International. 2016. Zimbabwe Demographic and Health Survey 2015: Final Report. Rockville, Maryland, USA: Zimbabwe National Statistics Agency (ZIMSTAT) and ICF International.

Poznámky (k
dispozícii iba
v angličtine):

Removed the No Education category as sample sizes too small

Ak nie je uvedená inak, za nadvähu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

Á½eny, 2015



Typ prieskumu:	NameranĀ; hodnota
Vek:	15-49
VeĀ¼kosĀ¥ vzorky:	16496
DotknutĀ; oblasĀ¥:	NĀ;rodnĀ½


Odkazy: Zimbabwe National Statistics Agency and ICF International. 2016. Zimbabwe Demographic and Health Survey 2015: Final Report. Rockville, Maryland, USA: Zimbabwe National Statistics Agency (ZIMSTAT) and ICF International.

Poznámky (k dispozici iba v angličtine): Removed the No Education category as sample sizes too small

Ak nie je uvedená inak, za nadváhu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

Nadväha/obezita podľa veku

Dospelí, 2015



Typ
prieskumu:

Nameraná hodnota

Veľkosť
vzorky:

Women = 8926, Men = 7721

Dotknutý
oblasť:

Národný

Odkazy:

Zimbabwe National Statistics Agency and ICF International. 2016. Zimbabwe Demographic and Health Survey 2015: Final Report. Rockville, Maryland, USA: Zimbabwe National Statistics Agency (ZIMSTAT) and ICF International.


Poznámky (k
dispozícii iba
v angličtine):

Demographic Health Survey data includes ever married women aged 15-49 years only and may include males aged 15-59..

Ak nie je uvedené inak, za nadvähu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

Nadväha/obezita podľa regiónu

Muži, 2015



Typ
prieskumu:

Nameraná hodnota

Vek:

15-49

Veľkosť
vzorky:

Women = 8926, Men = 7721

Dotknutý
oblasť:

Národný

Odkazy:


Zimbabwe DHS 2015

Poznámky (k
dispozícii iba
v angličtine):

Women age 15-49 who are not pregnant and who have not had a birth in the 2 months before the survey and men age 15-49

Ak nie je uvedené inak, za nadvähu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

Á½eny, 2015



**Typ
prieskumu:**

NameranĀ; hodnota

Vek:

15-49

**VeĀ¼kosĀ
vzorky:**

Women = 8926, Men = 7721

**DotknutĀ;
oblasĀ:**

NĀ;rodnĀ½

Odkazy:

Zimbabwe DHS 2015


**Poznámky (k
dispozícii iba
v angličtine):**

Women age 15-49 who are not pregnant and who have not had a birth in the 2 months before the survey and men age 15-49

Ak nie je uvedená inak, za nadváhu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

Nadväha/obezita podľa sociálno-ekonomickej skupiny

Muži, 2015



Typ
prieskumu:

Nameraná hodnota

Vek:

15-49

Veľkosť
vzorky:

16648

Dotknutá
oblasť:

Národný

Odkazy:


Zimbabwe National Statistics Agency and ICF International. 2016. Zimbabwe Demographic and Health Survey 2015: Final Report. Rockville, Maryland, USA: Zimbabwe National Statistics Agency (ZIMSTAT) and ICF International.

Poznámky (k
dispozícii iba
v angličtine):

Women age 15-49 who are not pregnant and who have not had a birth in the 2 months before the survey and men age 15-49.

Ak nie je uvedené inak, za nadváhu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

Á½eny, 2015



Typ prieskumu:	NameranÃ; hodnota
Vek:	15-49
VeÃ¼kosÃ¥ vzorky:	16648
DotknutÃ; oblasÃ¥:	NÃ;rodnÃ½


Odkazy: Zimbabwe National Statistics Agency and ICF International. 2016. Zimbabwe Demographic and Health Survey 2015: Final Report. Rockville, Maryland, USA: Zimbabwe National Statistics Agency (ZIMSTAT) and ICF International.

Poznámky (k dispozici iba v angličtine): Women age 15-49 who are not pregnant and who have not had a birth in the 2 months before the survey and men age 15-49.

Ak nie je uvedená inak, za nadvážku sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

Double burden of underweight & overweight

Dospel, 2022



Typ
prieskumu:

Nameran; hodnota

Vek:

20+

Odkazy:

NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29. [https://doi.org/10.1016/S0140-6736\(23\)02750-2](https://doi.org/10.1016/S0140-6736(23)02750-2).

**Poznámky (k
dispozícii iba
v angličtine):**


Age Standardised estimates

**Definície (k
dispozícii iba
v angličtine):**

Combined prevalence of BMI<18.5 kg/m² and BMI≥30 kg/m² (double burden of underweight and obesity)

Nedostatoč nĚ fyzickĚ aktivita

DospelĚ, 2022



Typ
prieskumu:

VlastnĚ hlĚsenie

Vek:

18+


DotknutĚ
oblasť:

NĚrodnĚ½

Odkazy: WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

Definície (k dispozícii iba v angličtine): Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

MuÅ¾i, 2022



Typ
prieskumu:

Vlastn henie

Vek:

18+

Dotknut
oblas:

Nrodn½


Odkazy:

WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022.
Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

**Definície (k
dispozícii iba
v angličtine):**

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

1/2eny, 2022



**Typ
prieskumu:**

Vlastná © hlásenie

Vek:

18+

**Dotknutá
oblasť:**

Národná

Odkazy:


WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022.
Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(-))

**Definície (k
dispozícii iba
v angličtine):**

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Estimated per capita fruit intake

Dospelã, 2017



**Typ
prieskumu:**

Nameranã hodnota

Vek:

25+


Odkazy:

Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definície (k
dispozícii iba
v angličtine):**

Estimated per-capita fruit intake (g/day)

Odhadovan¹/₂ pr²jem spracovan³/₄ho m⁴sa na obyvate⁵/₆a Dospel⁷, 2017



**Typ
prieskumu:**

Nameran⁸í hodnota

Vek:

25+

Odkazy:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definície (k
dispozícii iba
v angličtine):**

Estimated per-capita processed meat intake (g per day)

Estimated per capita whole grains intake

Dospel, 2017



Typ
prieskumu:

Nameran; hodnota

Vek:

25+

Odkazy:


Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definície (k
dispozícii iba
v angličtine):**

Estimated per-capita whole grains intake (g/day)

DuÅ¡evnÃ© zdravie - poruchy depresie

DospelÃ½, 2021




Vek:	20+
DotknutÃ½ oblasÅ¥:	NÃ¡rodnÃ½

Odkazy: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

Definície (k dispozícii iba v angličtine): Number living with depression per 100,000 population (adults 20+ years)

MuÅ¼i, 2021




Vek:	20+
DotknutÅ½ oblasÅ½:	NÅ½rodnÅ½
Odkazy:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25)

**Definície (k
dispozícii iba
v angličtine):**

Number living with depression per 100,000 population (adults 20+ years)

1/2eny, 2021




Vek:	20+
DotknutÄ; oblasÄ¥:	NÄ;rodnÄ½
Odkazy:	Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from http://vizhub.healthdata.org/gbd-compare . (Last accessed 23.04.25)

**Definície (k
dispozícii iba
v angličtine):**

Number living with depression per 100,000 population (adults 20+ years)

DuÅ¡evnÃ© zdravie - Å½zkostnÃ© poruchy

DospelÃ©, 2021




Vek: 20+

Odkazy: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

**Definície (k
dispozícii iba
v angličtine):**

Number living with anxiety per 100,000 population

MuÅ¾i, 2021




Vek: 20+

Odkazy: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

Definície (k dispozícii iba v angličtine): Number living with anxiety per 100,000 population

Age-standardized, 2021




Vek: 20+

Odkazy: Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

Definície (k dispozícii iba v angličtine): Number living with anxiety per 100,000 population

Percent of population who cannot afford a healthy diet

Dospel, 2010-2024



Dotknut
oblas:


NÄ;rodnÄ½

Odkazy:

The Food Systems Dashboard. The Global Alliance for Improved Nutrition (GAIN), The Columbia Climate School, and Cornell University College of Agriculture and Life Sciences. 2024. Geneva, Switzerland.
<https://www.foodsystemsdashboard.org>. DOI: <https://doi.org/10.36072/db>.

Rakovina paÅ¾erÅ¾ka

MuÅ¾i, 2022




Vek:	20+
DotknutÅ¾i oblasÅ¾:	NÅ¾irodnÅ¾i

Odkazy: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definície (k dispozícii iba v angličtine): Incidence per 100,000

1/2eny, 2022




Vek:	20+
DotknutÄ; oblasÄŕ:	NÄ;rodnÄ½
Odkazy:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

**Definície (k
dispozícii iba
v angličtine):**

Indicence per 100,000

Rakovina prsníka

1/2eny, 2022



**Dotknutí
oblasti:**

Národní

Odkazy:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definície (k
dispozícii iba
v angličtine):

Incidence per 100,000

Rakovina hrubého Ä reva a koneÄ nka

MuÄi, 2022




Vek:	20+
DotknutÄ oblasÄ:	NÄrodnÄ½

Odkazy: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definície (k dispozícii iba v angličtine): Incidence per 100,000

1/2eny, 2022




Vek:	20+
DotknutÄ; oblasÄ¥:	NÄ;rodnÄ½
Odkazy:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definície (k
dispozícii iba
v angličtine):

Incidence per 100,000

Rakovina pankreasu

Muži, 2022




Věk:	20+
Dotknutí oblasti:	Národní

Odkazy: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definície (k dispozícii iba v angličtine): Incidence per 100,000

1/2eny, 2022




Vek:	20+
DotknutÄ; oblasÄ¥:	NÄ;rodnÄ½
Odkazy:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definície (k
dispozícii iba
v angličtine):

Incidence per 100,000

Rakovina $\frac{3}{4}$ lÄ nÄka

MuÄ $\frac{3}{4}$ i, 2022




Vek:	20+
DotknutÄj oblasÄ¥:	NÄjrodnÄ½

Odkazy: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definície (k dispozícii iba v angličtine): Incidence per 100,000

1/2eny, 2022




Vek:	20+
DotknutÄ; oblasÄ¥:	NÄ;rodnÄ½
Odkazy:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definície (k
dispozícii iba
v angličtine):

Indicence per 100,000

Rakovina obliġ iek

Muġi, 2022




Vek:	20+
Dotknut i oblas:	N i rodn i

Odkazy: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

**Definície (k
dispozícii iba
v angličtine):**

Incidence per 100,000

1/2eny, 2022




Vek:	20+
DotknutÄ; oblasÄ¥:	NÄ;rodnÄ½
Odkazy:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definície (k
dispozícii iba
v angličtine):

Incidence per 100,000

Rakovina maternice

Ā¹/₂eny, 2022



Vek: 20+


Odkazy: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definície (k
dispozícii iba
v angličtine):

Incidence per 100,000

Zvýšená krevní tlak

Dospělí, 2015




Odkazy:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

**Definície (k
dispozícii iba
v angličtine):**

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

MuA³/₄i, 2015




Odkazy:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definície (k dispozícii iba v angličtine):

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

Age-standardised, 2015



Odkazy:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

**Definície (k
dispozícii iba
v angličtine):**

Age Standardised estimated % Raised blood pressure 2015 (SBP $\geq$ 140 OR DBP $\geq$ 90).

ZvÄ½Ä½ cholesterol

DospelÄ½, 2008




Odkazy: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

**DefinÄ½cie (k
dispozÄ½cii iba
v angliÄ½
tine):**

% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).


MuÅ¾i, 2008



Odkazy: Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

Definície (k dispozícii iba v angličtine): % Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).


1/2eny, 2008



Odkazy:	Global Health Observatory data repository, World Health Organisation, http://apps.who.int/gho/data/node.main.A885
Definície (k dispozícii iba v angličtine):	% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Zvýšená hladina glukózy v krvi nalačno

Muži, 2014




Odkazy:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definície (k dispozícii iba v angličtine):

Age Standardised % raised fasting blood glucose (>= 7.0 mmol/L or on medication).

Adults, 2014



Odkazy:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definície (k dispozícii iba v angličtine):

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Prevalencia cukrovky


DospelÃ, 2024

**Odkazy:**

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. <http://www.diabetesatlas.org>

Ovarian Cancer

Age-standardized, 2022



Věk: 20+


Odkazy: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definície (k
dispozícii iba
v angličtine):

Incidence per 100,000

Leukemia

Muži, 2022



Vek: 20+

Dotknutý oblasť: Národná

Odkazy: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definície (k dispozícii iba v angličtine): Incidence per 100,000

Ak nie je uvedená inak, za nadváhu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

1/2eny, 2022



Vek: 20+

Dotknutý oblasť: Následná


Odkazy: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definície (k dispozícii iba v angličtine): Incidence per 100,000

Ak nie je uvedená inak, za nadvážku sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

Leukemia

Multi, 2022




Vek:	20+
DotknutÄ; oblasÄ¥:	NÄ;rodnÄ½

Odkazy: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definície (k dispozícii iba v angličtine): Incidence per 100,000

Ak nie je uvedená inak, za nadváhu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

1/2eny, 2022



Vek:	20+
DotknutÄ; oblasÄ¥:	NÄ;rodnÄ½
Odkazy:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


**Definície (k
dispozícii iba
v angličtine):**

Incidence per 100,000

Ak nie je uvedená inak, za nadváhu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

Liver and intrahepatic bile duct Cancer

Multi, 2022




Vek:	20+
DotknutÄ; oblasÄ¥:	NÄ;rodnÄ½

Odkazy: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definície (k dispozícii iba v angličtine): Incidence per 100,000

1/2eny, 2022




Vek:	20+
DotknutÄ; oblasÄ¥:	NÄ;rodnÄ½
Odkazy:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definície (k
dispozícii iba
v angličtine):

Incidence per 100,000

Multiple Myeloma

Multi, 2022




Vek:	20+
DotknutÄ; oblasÄ¥:	NÄ;rodnÄ½

Odkazy: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definície (k dispozícii iba v angličtine): Incidence per 100,000

Ak nie je uvedená inak, za nadváhu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

1/2eny, 2022



Vek:	20+
DotknutÄ; oblasÄŸ:	NÄ;rodnÄ½
Odkazy:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


Definície (k
dispozícii iba
v angličtine):

Indicence per 100,000

Ak nie je uvedená inak, za nadváhu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

Non Hodgkin Lymphoma

MuA³/₄i, 2022




Vek:	20+
DotknutÄ; oblasÄŸ:	NÄ;rodnÄ½

Odkazy: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definície (k dispozícii iba v angličtine): Incidence per 100,000

Ak nie je uvedená inak, za nadváhu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

1/2eny, 2022



Vek:	20+
DotknutÄ; oblasÄ¥:	NÄ;rodnÄ½
Odkazy:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]


Definície (k
dispozícii iba
v angličtine):

Incidence per 100,000

Ak nie je uvedená inak, za nadvähu sa považuje, ak je BMI index medzi 25 kg a 29,9 kg/m² a za obezitu sa považuje, ak je BMI index vyšší ako 30 kg/m².

Thyroid Cancer

Multi, 2022




Vek:	20+
DotknutÄ; oblasÄ¥:	NÄ;rodnÄ½

Odkazy: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definície (k dispozícii iba v angličtine): Incidence per 100,000

1/2eny, 2022



Vek:	20+
DotknutÄ; oblasÄ¥:	NÄ;rodnÄ½
Odkazy:	Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: https://gco.iarc.who.int/today , accessed [16.07.24]

Definície (k
dispozícii iba
v angličtine):

Incidence per 100,000

PDF created on July 19, 2025