## Bahrain: Double Burden of underweight & overweight

## Children, 2022

| 25            |  |  |         |    |  |
|---------------|--|--|---------|----|--|
| 20            |  |  |         |    |  |
| <sup>15</sup> |  |  |         |    |  |
| 10            |  |  |         |    |  |
| 5             |  |  |         |    |  |
| 0             | Boys   |  | Girls   |    |  |
| Survey type:  |  |  | Measure | ed |  |
| Age:          |  |  | 5-1     | .9 |  |
| References:   | NCD Risk Factor Collaboration (NC 3663 population representative s | NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population representative studies with 222 million children, adolescents, and adults. Lancet 2024; published online Feb 29.<br><u>https://doi.org/10.1016/S0140-6736</u> (23)02750-2. |         |    |  |
| Notes:        |  | Age standardised estimates   |         |    |  |
| Definitions:  |  | Combined prevalence of $BMI < -2SD$ and $BMI > 2SD$ (double burden of thinness and obesity)  |         |    |  |
| Cutoffs:      | BMI < -2SD and BMI > 2SD   |  |         |    |  |

WORLD ØBESITY