


Brasilia: Lihavuuden esiintyvyys

Aikuiset, 2013-2014

■ Lihavuus ■ Ylipaino



Tutkimustyyppi: Mitattu

Ikä: 18+

Otoksen koko: 59402

Peittoalue: Kansallinen

Viitteet: FERREIRA, Arthur Pate de Souza; SZWARCOWALD, Célia Landmann and DAMACENA, Giseli Nogueira. Prevalence of obesity and associated factors in the Brazilian population: a study of data from the 2013 National Health Survey. Rev. bras. epidemiol. [online]. 2019, vol.22 [cited 2019-05-16], e190024. Available from: http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1415-790X2019000100420&lng=en&nrm=iso. Epub Apr 01, 2019. ISSN 1415-790X. <http://dx.doi.org/10.1590/1980-549720190024>.

Huomiot: NB. Combined adult data estimated. These estimates were calculated by weighting male and female survey results. Weighting based on World Bank Population % total female 2019 (<https://data.worldbank.org/indicator/SP.POP.TOTL.FE.ZS> - accessed 30.09.20)

Ellei toisin mainita, ylipaino viittaa kehon painoindeksiin 25–29,9 kg/m², lihavuus viittaa yli 30 kg/m²:n painoindeksiin.