


ДЪД^{3/4}Д»Њ[^]Д°: Д Д°Д·Д_ζЊЄД^{3/4}Њ □ Њ,ЊЄД°Д^{1/2}Д_μД^{1/2}Д_μ Д^{1/2}Д° Д·Д°Њ,Д»ЊŠЊ □
 Њ,Њ □ Д²Д°Д^{1/2}Д_μЊ,Д^{3/4}



ДœД^{3/4}Д^{1/4}Њ†Д_μЊ,Д°, 2010



ДџД _ζ Д _ζ Д°Д ^{1/2} Д°Д _μ Њ,Д°:	Д°Д·Д ^{1/4} Д _μ ЊЄД _μ Д ^{1/2} Д ^{3/4}
Д’ЊŠД·ЊЄД°Њ □ Њ,:	3-12
ДšД ^{3/4} Д»Д _μ Њ†Д _μ □ Њ,Д ² Д ^{3/4} Д ^{1/2} Д° Д _ζ ЊЄД ^{3/4} Д±Д _μ Њ,Д _μ :	1863
ДžД±Њ...Д ² Д°Д ^{1/2} Д°Њ,Д° Д·Д ^{3/4} Д ^{1/2} Д°:	Д _μ Д ³ Д _μ Д ^{3/4} Д ^{1/2} Д°Д»Д ^{1/2} Д _μ
Д Д _μ Њ,,Д _μ ЊЄД _μ Д ^{1/2} Њ†Д _μ Д _μ :	Kowal, M., Woronkiewicz, A., Kryst, Å , Sobiecki, J., & Pilecki, M. (2016). Sex differences in prevalence of overweight and obesity, and in extent of overweight index, in children and adolescents (3–18 years) from Kraków, Poland in 1983, 2000 and 2010. Public Health Nutrition, 19 (6), 1035-1046. doi:10.1017/S1368980015002281
Д—Д°Д±Д _μ Д»Д _μ Д†Д°Д _μ :	Kraków IOTF BMI cut-offs used Boys sample size only
Cutoffs:	IOTF