


# Drivers CARICOM

	Page
Insufficient activity	2
Average daily frequency of carbonated soft drink consumption	8
Estimated per-capita fruit intake	11
Prevalence of less-than-daily fruit consumption	13
Prevalence of less-than-daily vegetable consumption	14
Average weekly frequency of fast food consumption	15
Estimated per-capita processed meat intake	16
Estimated per-capita whole grains intake	18
Mental health - depression disorders	20
Mental health - anxiety disorders	21




## Insufficient activity

#### Adults, 2016-2022






#### Men, 2016-2022





#### Women, 2016-2022





Survey Self-reported type:

Area National

References:

covered:

WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at <a href="https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/GHO/prevalence-of-insufficient-physical-activity-data/indicator-details/gHO/prevalence-of-insufficient-physical-activity-data/indicator-details/gHO/prevalence-of-insufficient-physical-activity-data/indicator-details/gHO/prevalence-of-insufficient-physical-activity-data/indicator

among-adults-aged-18-years-(age-standardized-estimate)-(-)


Definitions:

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.



#### Children, 2016

Notes:



Age: 11-17

References: Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)

% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60

minutes of moderate- to vigorous-intensity physical activity daily.


Definitions: % Adolescents insufficiently active (age standardised estimate)



## Boys, 2016

Notes:

Definitions:



% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60


minutes of moderate- to vigorous-intensity physical activity daily.

% Adolescents insufficiently active (age standardised estimate)

6



#### Girls, 2016



Global Health Observatory data repository, World Health Organisation, References:

https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21)

% of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 Notes: minutes of moderate- to vigorous-intensity physical activity daily.


Definitions: % Adolescents insufficiently active (age standardised estimate)



Average daily frequency of carbonated soft drink consumption



# Children, 2009-2011






Survey	Measured
type:	
Age:	12-17
References:	Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A
	meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.
	https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard
	http://www.foodsystemsdashboard.org/food-system



Estimated per-capita fruit intake



# Adults, 2017




Survey type:	Measured
Age:	25+
References:	Global Burden of Disease, the Institute for Health Metrics and Evaluation <a href="http://ghdx.healthdata.org/">http://ghdx.healthdata.org/</a>
Definitions:	Estimated per-capita fruit intake (g/day)



## Prevalence of less-than-daily fruit consumption

## Children, 2009-2013



Age: 12-17

References:

Global School-based Student Health Surveys. Beal et al (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin. <a href="https://doi.org/10.1177/0379572119848287">https://doi.org/10.1177/0379572119848287</a>. Sourced from Food Systems Dashboard

http://www.foodsystemsdashboard.org/food-system


Definitions:

Prevalence of less-than-daily fruit consumption (% less-than-daily fruit consumption)



## Prevalence of less-than-daily vegetable consumption

## Children, 2009-2013



Survey Measured

type:

Age: 12-17

References:

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.

https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard

http://www.foodsystemsdashboard.org/food-system


Definitions:

Prevalence of less-than-daily vegetable consumption (% less-than-daily vegetable consumption)



## Average weekly frequency of fast food consumption

## Children, 2009-2011



Age: 12-17

References:

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.

https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard


 $\underline{\text{http://www.foodsystemsdashboard.org/food-system}}$ 



Estimated per-capita processed meat intake



# Adults, 2017




Survey type:	Measured
Age:	25+
References:	Global Burden of Disease, the Institute for Health Metrics and Evaluation <a href="http://ghdx.healthdata.org/">http://ghdx.healthdata.org/</a>
Definitions:	Estimated per-capita processed meat intake (g per day)



Estimated per-capita whole grains intake



# Adults, 2017




Survey type:	Measured
Age:	25+
References:	Global Burden of Disease, the Institute for Health Metrics and Evaluation <a href="http://ghdx.healthdata.org/">http://ghdx.healthdata.org/</a>
Definitions:	Estimated per-capita whole grains intake (g/day)



## Mental health - depression disorders

## Adults, 2015



References:

Prevalence data from Global Burden of Disease study 2015 (<a href="http://ghdx.healthdata.org">http://ghdx.healthdata.org</a>) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0 IGO.


Definitions:

% of population with depression disorders



## Mental health - anxiety disorders

## Adults, 2015



References: Prevalence data from Global Burden of Disease study 2015 (<a href="http://ghdx.healthdata.org">http://ghdx.healthdata.org</a>) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0

Definitions: % of population with anxiety disorders

PDF created on April 28, 2025

IGO.