




WHO vestlige Stillehavsområde Regional report card - adults

This report card contains the latest data available on the Global Obesity Observatory on overweight and obesity for adults. Where available, data on common and relevant obesity drivers and comorbidities are also presented.


View the latest version of this report on the Global Obesity Observatory at <https://data.worldobesity.org/region/who-western-pacific-region-7/>.

FedmeprÃ½valens**Voksne**

**Noter (kun
tilgÃ½ngelige
pÃ½ engelsk):**


Different methodologies have been used to collect this data and so it is not strictly comparable.

Medmindre andet er angivet, henviser overvÃ½gt til en BMI pÃ½ mellem 25 kg og 29,9 kg/mÂ², fedme henviser til en BMI pÃ½ mere end 30 kg/mÂ².

MÃ¥nd**Noter (kun
tilgÃ¥ngelige
pÃ¥ engelsk):**

Different methodologies have been used to collect this data and so it is not strictly comparable.


Medmindre andet er angivet, henviser overvÃ¶gt til en BMI pÃ¥ mellem 25 kg og 29,9 kg/mÂ², fedme henviser til en BMI pÃ¥ mere end 30 kg/mÂ².

Kvinder

Noter (kun tilgængelige på engelsk):

Different methodologies have been used to collect this data and so it is not strictly comparable.

Medmindre andet er angivet, henviser overvægt til en BMI på mellem 25 kg og 29,9 kg/m², fedme henviser til en BMI på mere end 30 kg/m².

UtilstrÃ¡kkelig aktivitet**Voksne, 2016-2022****UndersÃ¶gelsestype:**

Selvrapporteret

Area covered:

National


Referencer:

WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(--\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(--))

**Definitioner (kun
tilgængelig på
engelsk):**

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

MÅnd, 2016-2022



Undersøgelsesstype:

Selvrapporteret

Area covered:

National


Referencer:

WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(--\)](https://www.who.int/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(--))

Definitioner (kun tilgængelig på engelsk):

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

Kvinder, 2016-2022

**Undersøgelsesstype:**

Selvrapporteret

Area covered:


National

Referencer:

WHO (2024). Prevalence of insufficient physical activity among adults aged 18-years age-standardized estimate in 2022. Available at [https://www.who.int/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-\(age-standardized-estimate\)-\(--\)](https://www.who.int/gho/data/indicators/indicator-details/GHO/prevalence-of-insufficient-physical-activity-among-adults-aged-18-years-(age-standardized-estimate)-(--))

Definitioner (kun tilgængelig på engelsk):

Percent of population attaining less than 150 minutes of moderate-intensity physical activity per week, or less than 75 minutes of vigorous-intensity physical activity per week, or equivalent.

AnslÃ¥et frugtindtag pr. indbygger**Voksne, 2017****UndersÃ¥gelsestype:**

MÃ¥lt


Alder:

25+

Referencer:Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definitioner (kun
tilgængelig på
engelsk):**

Estimated per-capita fruit intake (g/day)

AnslÃ¥et indtag af forarbejdet kÃ¥d pr. indbygger**Voksne, 2017****UndersÃ¥gelsestype:**

MÃ¥lt


Alder:

25+

Referencer:Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

Definitioner (kun tilgængelig på engelsk):

Estimated per-capita processed meat intake (g per day)

AnslÃ¥et indtag af fuldkorn pr. indbygger**Voksne, 2017****UndersÃ¸gelsestype:**

MÃ¥lt

Alder:

25+


Referencer:Global Burden of Disease, the Institute for Health Metrics and Evaluation <http://ghdx.healthdata.org/>

**Definitioner (kun
tilgængelig på
engelsk):**

Estimated per-capita whole grains intake (g/day)

Psykisk sundhed åbning depressionslidelse

Voksne, 2021



Alder:

20+

Area covered:


National

Referencer:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

Definitioner
(kun
tilgÅngelig
pÅ engelsk):

Number living with depression per 100,000 population (adults 20+ years)

MÃ¼nd, 2021**Alder:**

20+

Area covered:


National

Referencer:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

Definitioner
(kun
tilgÅngelig
pÅ engelsk):

Number living with depression per 100,000 population (adults 20+ years)

Kvinder, 2021**Alder:**

20+

Area covered:


National

Referencer:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25)

Definitioner
(kun
tilgÅngelig
pÅ engelsk):

Number living with depression per 100,000 population (adults 20+ years)

Psykisk sundhed Δ angstlidelser**Voksne, 2021****Alder:**


20+

Referencer:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

Definitioner
(kun
tilgÅngelig
pÅ engelsk):

Number living with anxiety per 100,000 population

MÅnd, 2021**Alder:**


20+

Referencer:

Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

**Definitioner
(kun
tilgængelig
på engelsk):**

Number living with anxiety per 100,000 population

Kvinder, 2021**Alder:**

20+

Referencer:


Institute for Health Metrics and Evaluation (IHME). GBD Compare Data Visualization. Global Burden of Disease (GBD) Study 2021. Seattle, WA: IHME, University of Washington, 2023. Available from <http://vizhub.healthdata.org/gbd-compare>. (Last accessed 23.04.25).

**Definitioner
(kun
tilgængelig
på engelsk):**

Number living with anxiety per 100,000 population

KrÃft i spiserÃ, ret

MÃnd, 2022



Alder:

20+


Area covered:

National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk):

Indidence per 100,000

Kvinder, 2022**Alder:**

20+

Area covered:


National

Referencer:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgÅngelig
pÅ engelsk):

Indicence per 100,000

BrystkrÆft**Kvinder, 2022****Area covered:**


National

Referencer:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgÅngelig
pÅ engelsk):

Incidence per 100,000

Tarmkræft**MÅnd, 2022****Alder:**

20+


Area covered:

National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk):

Incidence per 100,000

Kvinder, 2022**Alder:**

20+

Area covered:

National

Referencer:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgÅngelig
pÅ engelsk):

Incidence per 100,000

KrÃ¥ft i bugspsytkirtlen

MÃ¥nd, 2022



Alder:

20+


Area covered:

National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk):

Incidence per 100,000

Kvinder, 2022**Alder:**

20+

Area covered:

National

Referencer:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgÅngelig
pÅ engelsk):

Incidence per 100,000

KrÃft i galdeblÃren

MÃnd, 2022



Alder:

20+


Area covered:

National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk):

Indidence per 100,000

Kvinder, 2022**Alder:**

20+

Area covered:

National

Referencer:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgÅngelig
pÅ engelsk):

Indicence per 100,000

Nyrekrift

MÅnd, 2022



Alder:

20+


Area covered:

National

Referencer: Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgængelig
på engelsk):

Incidence per 100,000

Kvinder, 2022**Alder:**

20+

Area covered:


National

Referencer:

Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024).Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgÅngelig
pÅ engelsk):

Incidence per 100,000

Livmoderkræft**Kvinder, 2022****Alder:**

20+

Referencer:


Ferlay J, Ervik M, Lam F, Laversanne M, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, Bray F (2024). Global Cancer Observatory: Cancer Today. Lyon, France: International Agency for Research on Cancer. Available from: <https://gco.iarc.who.int/today>, accessed [16.07.24]

Definitioner
(kun
tilgÅngelig
pÅ engelsk):

Incidence per 100,000

Forhøjet blodtryk

Voksne, 2015




Referencer:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitioner
(kun
tilgÅngelig
pÅ engelsk):

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).


MÃ¥nd, 2015**Referencer:**

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

**Definitioner
(kun
tilgÃ¥ngelig
pÃ¥ engelsk):**

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).

Kvinder, 2015



Referencer:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A875?lang=en>

Definitioner (kun tilgængelig på engelsk):

Age Standardised estimated % Raised blood pressure 2015 (SBP>=140 OR DBP>=90).

ForhÅjet kolesterol


Voksne, 2008


**Referencer:**

Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

**Definitioner
(kun
tilgÅngelig
pÅ engelsk):**

% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

MÃ¥nd, 2008**Referencer:**Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>**Definitioner
(kun
tilgÃ¥ngelig
pÃ¥ engelsk):**% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

Kvinder, 2008**Referencer:**


Global Health Observatory data repository, World Health Organisation, <http://apps.who.int/gho/data/node.main.A885>

**Definitioner
(kun
tilgængelig
på engelsk):**

% Raised total cholesterol (≥ 5.0 mmol/L) (age-standardized estimate).

ForhÃ¸jet fastebloodsukkerniveau

MÃ¥nd, 2014




Referencer:

Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definitioner
(kun tilgængelig på engelsk):

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

Kvinder, 2014




Referencer:


Global Health Observatory data repository, World Health Organisation,
<http://apps.who.int/gho/data/node.main.A869?lang=en>

Definitioner
(kun tilgængelig på engelsk):

Age Standardised % raised fasting blood glucose (≥ 7.0 mmol/L or on medication).

DiabetesprÃ½valens**Voksne, 2021-2024****Referencer:**

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. <http://www.diabetesatlas.org>

Voksne, 2021-2024**Referencer:**

Reproduced with kind permission International Diabetes Federation. IDF Diabetes Atlas, 11th edn. Brussels, Belgium:International Diabetes Federation, 2025. <http://www.diabetesatlas.org>

PDF created on July 16, 2025